

---

## APPENDIX G

# PHASE I ENVIRONMENTAL SITE ASSESSMENT

Prepared by Nelson, Pope & Voorhis, LLC, February 5, 2021

NOTE: Appendices for this report can be viewed on the Town's website

<https://www.townofbabylon.com/147/Planning-Development>

---

---

**PHASE I**

**ENVIRONMENTAL SITE ASSESSMENT**

---

**Pinelawn Industrial Park**

**Wyandanch, New York**

NPV No.21022

**Prepared for:**

David Williams  
Bristol Group, Inc.  
350 Sansome Street, Suite 900  
San Francisco, CA 94104

**Prepared by:**



**NELSON POPE VOORHIS**

*environmental • land use • planning*

70 Maxess Road  
Melville, New York 11747  
Contact: Steven J. McGinn  
o: 631.427.5665 | [smcginn@nelsonpopevoorhis.com](mailto:smcginn@nelsonpopevoorhis.com)

---

**February 5, 2021**

---

**Phase I**  
**Environmental Site Assessment**

**Pinelawn Property**  
**Little East Neck Road**

**Wyandanch, New York**

**THIS DOCUMENT CONTAINS 29 PAGES OF TEXT**

**COPIES AND CIRCULATION OF THIS REPORT ARE AS FOLLOWS:**

Two (2) copies to client

One (1) copy retained in NP&V file

*Prepared For:*

David Williams  
Bristol Group, Inc.  
350 Sansome Street, Suite 900  
San Francisco, CA 94104

*Prepared By:*

Steven J. McGinn, CEI  
Nelson, Pope & Voorhis, LLC  
70 Maxess Road  
Melville, New York 11747  
(631) 427-5665

Copyright © 2021 by Nelson, Pope & Voorhis, LLC



**Phase I  
Environmental Site Assessment**

**Pinelawn Industrial Park**

**CONTENTS**

<b>1.0</b>	<b><u>SUMMARY</u></b>	Page 1 of 29
<b>2.0</b>	<b><u>INTRODUCTION</u></b>	
	2.1 PURPOSE	Page 4 of 29
	2.2 DETAILED SCOPE OF SERVICES	Page 5 of 29
	2.3 LIMITATIONS AND EXCEPTIONS	Page 6 of 29
	2.4 SPECIAL TERMS AND CONDITIONS	Page 7 of 29
	2.5 USER RELIANCE	Page 8 of 29
<b>3.0</b>	<b><u>SITE DESCRIPTION</u></b>	
	3.1 OBJECTIVES	Page 9 of 29
	3.2 METHODOLOGY	Page 9 of 29
	3.3 LIMITATIONS	Page 9 of 29
	3.4 LOCATION AND LEGAL DESCRIPTION	Page 9 of 29
	3.5 EXISTING AND PAST USES	Page 9 of 29
	3.5.1 Aerial Photography	Page 10 of 29
	3.5.2 Sanborn Maps	Page 10 of 29
	3.5.3 USGS Quadrangle Maps	Page 10 of 29
	3.5.4 Other Sources	Page 10 of 29
	3.5.5 Data Gaps	Page 10 of 29
	3.6 SITE AND VICINITY CHARACTERISTICS	Page 11 of 29
	3.7 DESCRIPTION OF SITE IMPROVEMENTS	Page 11 of 29
	3.8 ADJACENT LAND USES	Page 11 of 29
	3.9 NATURAL SETTING	Page 12 of 29
	3.9.1 Soils and Topography	Page 12 of 29
	3.9.2 Groundwater Resources	Page 12 of 29
	3.9.3 Wetlands	Page 14 of 29
	3.9.4 Coastal Barrier Improvements/Flood Plains	Page 14 of 29
	3.9.5 Critical Habitat/Endangered Species	Page 14 of 29
<b>4.0</b>	<b><u>USER PROVIDED INFORMATION</u></b>	
	4.1 TITLE RECORDS	Page 15 of 29
	4.2 ENVIRONMENTAL LEINS OR ACTIVITY AND USE LIMITATIONS	Page 15 of 29
	4.3 SPECIALIZED OR ACTUAL KNOWLEDGE	Page 15 of 29
	4.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION	Page 15 of 29

4.5	PROPERTY VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES	Page 15 of 29
4.6	OWNER, PROPERTY MANAGER AND OCCUPANT INFORMATION	Page 15 of 29
4.7	REASON FOR PERFORMING PHASE I ESA	Page 15 of 29
<b>5.0</b>	<b><u>ENVIRONMENTAL RECORDS AND HISTORICAL DATA REVIEW</u></b>	
5.1	STANDARD ENVIRONMENTAL RECORD SOURCES	Page 16 of 29
5.1.1	USEPA	Page 16 of 29
5.1.2	NYSDEC	Page 18 of 29
5.1.3	SCDHS	Page 21 of 29
5.1.4	Local Agencies	Page 22 of 29
<b>6.0</b>	<b><u>FINDINGS</u></b>	Page 23 of 29
<b>7.0</b>	<b><u>OPINIONS</u></b>	Page 24 of 29
<b>8.0</b>	<b><u>CONCLUSIONS</u></b>	Page 24 of 29
<b>9.0</b>	<b><u>DEVIATIONS &amp; ADDITIONAL SERVICES</u></b>	Page 25 of 29
9.1	DEVIATIONS	Page 25 of 29
9.2	ADDITIONAL SERVICES	Page 25 of 29
<b>10.0</b>	<b><u>SIGNATURE OF ENVIRONMENTAL PROFESSIONAL</u></b>	Page 26 of 29
<b>11.0</b>	<b><u>REFERENCES</u></b>	Page 27 of 29
	<b><u>FIGURES</u></b>	Page 29 of 29
	<b><u>APPENDICES</u></b>	

**Phase I**  
**Environmental Site Assessment**  
**Pinelawn Industrial Park**

**1.0 SUMMARY**

The subject property has been inspected and reviewed independently by Nelson, Pope & Voorhis, LLC (NPV) in order to determine potential environmental or public health concerns. This report is intended to identify Recognized Environmental Conditions (as defined in Standard Practice for Environmental Site Assessment; ASTM E 1527-13 and United States Environmental Protection Agency (USEPA) Standards and Practices for All Appropriate Inquiries (AAI)) on the subject property based on four (4) components of a Phase I Environmental Site Assessment (ESA): records review, site reconnaissance, interviews and evaluation and reporting. **Appendix A** provides a statement of limiting conditions. **Appendix B** includes the resumes of key personnel.

The subject property is located in the Hamlet of Wyandanch, Town of Babylon, County of Suffolk, New York. The subject property consists of a 98.85 acre parcel of undeveloped land, located northeast of the intersection between Little East Neck Road and Long Island Avenue. The property is more particularly described on the Suffolk County Tax Map as District 0100, Section 038, Block 01, Lot 01.

The subject property consists of partially cleared vacant land. No evidence of previous development or improvements were observed during the reconnaissance of the subject property. In addition, there was no evidence of discharge, staining, areas of stressed vegetation, residue of oils or other toxic substances, pools of discharge, petroleum or chemical odors, or other such indicators noted during the site reconnaissance.

Aerial photographs from 1938, 1947, 1953, 1957, 1962, 1966, 1970, 1976, 1980, 1985, 1994, 2006, 2009, 2013 and 2017 were reviewed in order to determine if any prior uses occupied the subject property. The aerials from 1938 to 1957 depicted the subject property as vacant wooded land. The aerials from 1962 to 1976 depicted the subject property as vacant wooded except for the southwest corner of the property which was depicted as being cleared. The aerials from 1980 and 1985 depicted the subject property similar to the 1962 to 1976 aerials except for several east to west and north to south trails which had been cut through the center of the property. All of the remaining aerials from 1994 to 2017 depicted the subject property as it presently exists.

The USGS Northport, Islip and Huntington Quadrangle Maps dated 1901, 1903, 1904, 1942, 1947, 1954, 1967, 1969 1979 and 2013 were reviewed. No development was depicted on any of the maps reviewed. Beginning with the map from 1954, the property was listed as being a part of the Pinelawn Cemetery.

An extensive government records search did not identify any sources of environmental degradation on the subject property. Several Federal, State and County documented regulated sites were noted in the vicinity of the subject property. Specifically, twelve (12) IHWDS and three (3) CORRACTS sites were located within one (1.0) mile of the subject property. In addition, four (4) active and 110 closed spill incidents, as well as no active and eight (8) closed LUST incidents are located within one-half (0.5) mile of the subject property. Finally, sixteen (16) Petroleum Bulk Storage (PBS) facilities, seven (7) RCRA Generators and one (1) PCTWD facility are located within one-quarter (0.25) mile of the subject property.

A Tier 1 Vapor Encroachment Condition (VEC) Assessment was conducted as part of this Phase I ESA, due to the proximity of sites requiring regulatory oversight. The assessment was conducted in accordance with the methods and procedures, outlined within ASTM E2600-15, Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions. A review of the regulatory agency database report provided for the subject property identified several sites located within the critical distances which documented an active activity which could result in a release. A review of the regulatory agency information related to these sites indicated that any issues were addressed to the satisfaction of the overseeing agency or did not engage in an activity which could impact the subject property. Based on the information reviewed, it is concluded that a VEC does not exist or is not likely to exist. Therefore, the subject property is not expected to be adversely affected by a VEC.

This assessment has identified the following with respect to recognized environmental conditions, controlled recognized environmental conditions, historic recognized environmental conditions and de minimus conditions in connection with the subject property, subject to the methodology and limitations of this report.

No recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No controlled recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No de minimus conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No historic recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

This report was completed in accordance with the standards set forth in the ASTM E 1527-13 and the USEPA AAI. ASTM protocols identify asbestos containing material (ACM) as non-scope issues. In the interest of serving the client, observations concerning ACM are included herein. This visual assessment should not be considered an asbestos survey which would be required for building demolition and/or identification of all possible sources of ACM, regardless of health danger. Based on observations made during the site reconnaissance, the following is noted:

1. No suspected ACM was noted during the reconnaissance of the subject property. This report is not a substitute for a complete demolition asbestos survey.

The observation noted above is not intended to eliminate any other possible sources which may or may not be present for this non-scope item; however, the property is vacant and no sources are expected.

NPV has performed a Phase I ESA in conformance with the scope and limitations of ASTM Practice E 1527-13 and USEPA AAI for Pinelawn Industrial Park, Wyandanch. Any exceptions to, or deletions from, this practice are described in Section 11.0 of this report. In conclusion, this assessment has not revealed any evidence of recognized environmental conditions in connection with the subject property, subject to the methodology and limitations of this report.

## 2.0 INTRODUCTION

### 2.1 PURPOSE

This report is intended to meet the format and requirements of the ASTM Standard Practice for Environmental Site Assessments, as published in ASTM E 1527-13 and USEPA AAI standards. Banks, insurance companies and prospective property purchasers require an understanding of existing and past property conditions and uses in order to assess the potential liabilities associated with a site. This assessment has been completed by a qualified environmental professional as defined in ASTM Standards. The objectives of this Environmental Site Assessment are stated as follows:

- Establish a basis of understanding of past and present use in order to determine potential environmental and/or public health risk.
- Establish a basis of understanding of surrounding uses, and area environmental resources in order to determine if the property is affected by such uses or resources.
- Identify, to the extent feasible, *recognized environmental conditions* (i.e., potential risk caused by the presence of Hazardous Substances or Petroleum Products) in connection with the site and adjoining properties.
- Identify any known or potential items in noncompliance with applicable Local, State or Federal laws and regulations.
- Specify how any items in noncompliance with applicable Local, State or Federal laws and regulations can be brought into compliance.
- Confirm the absence of environmental problems or quantify potential environmental liabilities. In the event such findings cannot be made, recommend further environmental sampling.

The final purpose of the report is to utilize the information gained to report "Recognized Environmental Conditions", a very important term defined and utilized in the ASTM Standards. Recognized Environmental Conditions are defined as follows:

*The presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimus conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.*

## 2.2 DETAILED SCOPE OF SERVICES

This ESA has been completed by NPV in accordance with ASTM standards. The following documentation is intended to provide the financing institution with the information related to the environmental and public health integrity of the subject property.

The report was completed utilizing a variety of techniques and sources of information. The following is a procedural account of the methodology for report preparation:

1. Field inspection of the site was conducted including indoor and outdoor facilities and interview of site personnel and property owners, to document facilities and operations, and to determine applicable Federal, State and Local laws and regulations.
2. Inspection of areas surrounding the site was conducted in order to document surrounding uses as related to the integrity of the subject site.
3. Federal government records were researched including the NPL site list, the CERCLIS site list, and RCRA Hazardous Waste TSD Facilities and Generator Lists, and ERNS lists to determine if the site or adjacent sites are included in listings.
4. State government records were researched including NYS Department of Environmental Conservation (NYSDEC) Inactive Hazardous Waste Disposal site lists, landfills and solid waste disposal facilities, registered underground storage tanks (USTs), wastewater disposal sites, air emission sources, and leaking USTs/materials spill lists, to determine if the site or adjacent sites are included in listings.
5. County government records were researched including tank and drum registration, violations/enforcement action files, and for sites in Suffolk County, the CLEARs remote sensing site inventory.
6. Local government records were researched including zoning, assessor's records, building permit and Certificate of Occupancy to determine site compliance and history.
7. Records involving Transfer of Property were reviewed as available to determine site ownership and history where possible.
8. Published literature concerning on-site soils, and groundwater resources were reviewed as related to environmental audits to establish environmental resource information.
9. Additional interviews of past owners and operators, surrounding property owners/users were conducted as necessary.
10. Conclusions regarding the site were formulated based upon the above tasks.
11. No sampling of suspected recognized environmental conditions was completed as part of this report.
12. Non-scope issues such as asbestos, radon, lead based paint, wetlands, lead in drinking water, cultural and historic resources, endangered species, indoor air quality, mold, etc. are addressed with certain limitations noted herein. If obvious signs of such issues were observed during the site reconnaissance, such observations are indicated in the report. However, this report should not be considered a full asbestos survey, lead based paint report, wetlands delineation survey, mold assessment, etc. The recommendations of this will indicate if a full survey or report should be undertaken to fully determine if such issues exist on the subject property.

### 2.3 LIMITATIONS AND EXCEPTIONS

This report is dated and is only valid for activities which occurred prior to the date of facility inspection. Activities, liabilities and alterations to environmental conditions documented in this report that may have occurred subsequent to the date of inspection are not included in this analysis.

There are several limitations of this study which should be understood. The study is intended to assess the potential for public health or environmental liabilities based upon examination of the subject property in accordance with the ASTM Standards. The ASTM Standards provide specific guidance with regard to radon, asbestos, lead in drinking water and lead based paint.

Analysis of the CERCLA implications with regard to the innocent purchaser defense under Superfund, finds that naturally occurring radon is not subject to CERCLA liability and is appropriately considered as a non-scope issue. Accordingly, this survey will not address radon gas, and will not involve or recommend air monitoring for radon gas. As a point of information for users of this report, radon is a colorless, odorless, inert gas which has become a common air contaminant of concern in certain geographic areas. Radon is a natural isotope, which is present most commonly in association with crystalline bedrock and at times other geologic deposits. Natural isotope decay can emit radiation which causes health concerns due to inhalation (**Sax and Lewis, 1987**). Radon levels generally increase in areas where bedrock is close to the land surface, and generally creates a health related problem only where underground basements are constructed which may allow radon gas to accumulate in a manner which would cause exposure. Geographically, radon may be of concern in some portions of western Long Island, New York City and nearby counties. Absent these conditions, radon gas presents less of a concern. Similarly, the ASTM Standards do not recognize liability with regard to asbestos that is part of the building materials of a structure, in accordance with CERCLA innocent purchaser defense under Superfund. If asbestos containing material is disposed of on a site however, such practice would be subject to Superfund response actions and should be identified. In the interest of serving the client, and addressing the needs of lending institutions, this report will identify observed asbestos containing material (ACM) on the site which may cause a health danger or is considered friable, as a non-scope issue. This report is not a full asbestos survey as would be required for building demolition, or identification of all possible sources of ACM, regardless of health danger.

Lead in drinking water and lead based paint are also issues which are considered to be non-scope under CERCLA innocent purchaser defense under Superfund. Lead based paint has been in use for many years, and it is likely that most older buildings will contain this paint. As a general rule, painted surfaces should be maintained, and ingestion of paint products should be avoided. If disposal of these materials is involved, disclosure of this practice would be subject to the scope of this environmental audit. Lead in drinking water occurs generally as a result of

past use of high lead content solder. Water left stagnant in pipes overnight or longer, may leach lead from these joints and affect drinking water quality. As a general rule, water should be run for several minutes in the morning where such plumbing is present.

This report cannot identify all sources of PCB containing oils. Common sources of these materials include transformers and fluorescent lamp ballast. Electric service transformers may include ground level or pole mounted units. These transformers are owned and maintained by the Public Service Enterprise Group - Long Island (PSEG-LI), the entity responsible for their use and integrity. Transformers are inventoried and periodically inspected. PSEG-LI transformers were not manufactured to contain PCB contaminated oils. Aggressive and destructive testing which would be required for definitive identification of PCB's is beyond the scope of this study. The study will however identify observed potential sources, fluid leaks, hazardous materials and/or petroleum substance disposal and other environmental or health hazards appropriate the scope of the survey.

It must be noted that the accuracy of any Environmental Site Assessment is limited to the information available during the time of the site survey, and from the records, files and drawings provided by the owner and released by governmental agencies; and the accuracy and completeness of the information provided during interviews. **Appendix A** of this report contains a Supplemental Statement of Conditions for Phase I Environmental Audits. This list was established by the Environmental Assessment Association (EAA) in order to standardize procedures and understanding with regard to the scope of environmental audits. Steven J. McGinn is an active member of the EAA and is a Certified Environmental Inspector (CEI). NPV may be contacted if there are any questions regarding this analysis or the methods involved. The resumes of key personnel involved in the preparation of this report are included in **Appendix B**.

## 2.4 SPECIAL TERMS AND CONDITIONS

It is the responsibility of the user of this report (for example, the purchaser, potential tenant, owner lender or property manager) to provide certain segments of information utilized in the report. This would include reporting of any *environmental liens* (i.e., consideration against property for response action, cleanup or remediation of hazardous substances or petroleum product) encumbering the property or specialized knowledge or experience that would assist in identifying *recognized environmental conditions*.

It must be recognized that the level of inquiry is variable for each Phase I ESA, depending upon the availability of information and quality of information received. As per the ASTM Standards, it should also be noted that the "environmental professional is not required to verify independently the information provided but may rely on information provided unless he or she has actual knowledge that certain information is incorrect or unless it is obvious that certain information is incorrect based on other information obtained in the Phase I ESA or otherwise

actually known to the environmental professional." Personnel involved in report preparation will make judgments on the accuracy of information and conduct additional research as necessary in order to meet the requirement of identifying recognized environmental conditions on the site. ASTM Standards provide a number of standards sources of historic information, any one of which may be sufficient. NPV will seek to research as many sources of historic information as may be available as a means cross confirmation. Based on ASTM Standards, the Phase I ESA is not intended to include any sampling or testing of materials associated with the project site (i.e., soil, water, air or building materials). Accordingly, this report will conform with this intent and no testing will be conducted.

## 2.5 USER RELIANCE

NPV understands that our client (and their successors or assigns) are relying upon the contents of this Updated Phase I ESA report for the above referenced property in making a loan secured by or affecting the property and/or acquiring the property as the case may be. The format of this Phase I ESA was predicated upon general guideline requirements established by individual lending institutions, American Society for Testing and Materials Standards (1527-13) and USEPA All Appropriate Inquiries (AAI) standards, various professional organizations, and our professional judgment.

The date of inspection, key personnel in the preparation of the report, and a list of persons interviewed is provided below in order to provide further insight into methodology:

Project Commenced:	January 20, 2021
Inspection Date:	January 27, 2021
Report Date:	February 5, 2021
Inspector/Preparer:	Charles J. Voorhis, CEP Steven J. McGinn, CEI Eric C. Arnesen, PG
Persons Interviewed	None, Vacant Land

## 3.0 SITE DESCRIPTION & RECONNAISSANCE

### 3.1 OBJECTIVES

The objective of the site reconnaissance is to obtain information indicating the likelihood of identifying recognized environmental conditions in connection with the subject property. The site reconnaissance typically involves observing all areas of the subject property in order to determine if any potential recognized environmental conditions are present.

### 3.2 METHODOLOGY

All areas of the subject property were observed. The subject property was examined for any potential pipes or structures which may indicate a potential recognized environmental condition that may be present. In addition, the subject property was walked in order to identify potential recognized environmental conditions associated with the specific use of the subject property and the uses surrounding the subject property.

### 3.3 LIMITATIONS

There were no limitations encountered during the site reconnaissance of the subject property. All areas of the subject property were accessed without impediments.

### 3.4 LOCATION, SETTING AND LEGAL DESCRIPTION

The subject property is located in the Hamlet of Wyandanch, Town of Babylon, County of Suffolk, New York. The subject property consists of a 98.85 acre parcel of undeveloped land, located northeast of the intersection between Little East Neck Road and Long Island Avenue. The property is more particularly described on the Suffolk County Tax Map as District 0100, Section 038, Block 01, Lot 01. **Figure 1** provides a location map depicting the subject property and the surrounding area. *All figures are located in a separate section immediately following the text of this report.*

### 3.5 EXISTING AND PAST SITE USES

The subject property consists of partially cleared vacant land. No evidence of previous development or improvements were observed during the reconnaissance of the subject property and may have been intended to be used for a future expansion of the adjacent Pinelawn Cemetery.

In terms of available records, historical use can be documented using a variety of standard records. The intent is to trace land use to a period prior to 1940. For the purpose of this

Environmental Site Assessment, as many sources as are reasonably available have been consulted. The following are considered standard historical sources:

- Aerial Photographs
- Fire Insurance Maps (Sanborn Maps)
- Property Tax Files
- Recorded Land Title Records
- USGS 7.5 Minute Topographic Maps
- Local Street Directories (Cole Directories)
- Building Department Records
- Zoning/Land Use Records

### **3.5.1 Aerial Photography**

Aerial photographs from 1938, 1947, 1953, 1957, 1962, 1966, 1970, 1976, 1980, 1985, 1994, 2006, 2009, 2013 and 2017 were reviewed in order to determine if any prior uses occupied the subject property. The aerials from 1938 to 1957 depicted the subject property as vacant wooded land. The aerials from 1962 to 1976 depicted the subject property as vacant wooded except for the southwest corner of the property which was depicted as being cleared. The aerials from 1980 and 1985 depicted the subject property similar to the 1962 to 1976 aerials except for several east to west and north to south trails which had been cut through the center of the property. All of the remaining aerials from 1994 to 2017 depicted the subject property as it presently exists. Refer to **Appendix E** for a copy of the aerial photographs.

### **3.5.2 Sanborn Maps**

Sanborn Map coverage was not available for the subject property and surrounding area.

### **3.5.3 USGS Quadrangle Maps**

The USGS Northport, Islip and Huntington Quadrangle Maps dated 1901, 1903, 1904, 1942, 1947, 1954, 1967, 1969 1979 and 2013 were reviewed. No development was depicted on any of the maps reviewed. Beginning with the map from 1954, the property was listed as being a part of the Pinelawn Cemetery. Refer to **Appendix F** for a copy of the topographic maps.

### **3.5.4 Other Sources**

No other sources were utilized or available to assist with historic information regarding the subject property.

### 3.5.5 Data Gaps

The aerial photographs received exceeded the five (5) year interval in several consecutive photographs in the series as noted above. The data gap has been evaluated and it is noted that the subject property originally consisted of vacant wooded land prior to being partially cleared. Based on the site reconnaissance and historical records, the subject property has never been developed or utilized for any discernable purpose though it was formerly an unutilized portion of the Pinelawn Cemetery.

### 3.6 SITE AND VICINITY CHARACTERISTICS

The subject property consists of partially cleared vacant land. Historically, the property has been subject to clearing but there is no evidence that indicates the property has ever been developed or utilized for any purpose. An aerial photograph depicting the existing conditions of the subject property is provided as **Figure 3**.

### 3.7 DESCRIPTION OF SITE CONDITIONS

The subject property consists of partially cleared vacant land.

There was no evidence of discharge, staining, areas of stressed vegetation, residue of oils or other toxic substances, pools of discharge, petroleum or chemical odors, or other such indicators noted during the site reconnaissance.

### 3.8 ADJACENT LAND USE

Current land use at the subject property and surrounding area is described based on aerial photographs and visual observations. The area immediately surrounding the subject property consists entirely of residential, commercial and transportation uses as well as cemeteries and public parks. An aerial photograph depicting the surrounding property uses is provided as **Figure 3**.

*North:* Kevin Ver Pault Memorial Park as well as residential and commercial properties.

*South:* The Long Island Railroad, beyond which lies Long Island Avenue and single-family residential homes and schools of the Wyandanch school district.

*East:* A cemetery and North 28<sup>th</sup> Street, beyond which lies single-family residential properties.

*West:* Little East Neck Road, beyond which lies a commercial property and Pinelawn Memorial Park and Cemetery.

Past uses in the vicinity of the subject property are described based on review of historic aerial photographs and the field reconnaissance. The area surrounding the subject property includes residential, transportation, recreational and commercial uses.

### 3.9 NATURAL SETTING

#### 3.9.1 Soils and Topography

The surficial geology of a site can often provide insight into the past activities on a given parcel of land. The Soil Survey of Suffolk County, conducted by the U.S. Department of Agriculture in 1975 is a useful source of soils information, which identifies soil types resulting from natural deposition and modification, as well as man-induced alterations associated with land use.

The subject property is comprised of soil types: HaA - Haven loam, 0-2% slopes; PIC - Plymouth loamy sand, 8-15% slopes; and RdA - Riverhead sandy loam, 0-3% slopes. The characteristics of these soil types are identified as follows (**Warner et al., 1975**):

*Haven loam, 0-2% slopes (HaA) - This map unit consist of deep, well drained, medium textured soils that formed in a loamy or silty mantle over stratified coarse sand and gravel. Most of these areas are on outwash plains; some are on moraines and generally are on top of low-lying hills. The hazard of erosion is slight and internal drainage is good. Natural fertility is low.*

*Plymouth loamy sand, 8-15% slopes (PIC) - This map unit consists of moderately sloping soils on moraines and outwash plains. Where it occurs on moraines, slopes are rolling in many places, and the surface is broken by closed depressions. On outwash plains this soil type is on the short side slopes along intermittent drainageways. The hazard of erosion is moderate to severe because of the slopes and the sandy texture of the soil. Slope and droughtiness are the main limitations on this soil for most nonfarm uses.*

*Riverhead sandy loam, 0-3% slopes (RdA) - Consists of deep, excessively drained, coarse - textured soils that formed in a mantle of sandy loam or fine sandy loam over thick layers of coarse sand and gravel. This soil is generally found on outwash plains, and the areas are large and uniform. Hazardous of erosion is slight.*

The nature of the surrounding area consists of residential, transportation, recreational and commercial uses. The subject property generally has flat topography except in the far southern end of the subject property where the property slopes significantly up to the south. However, neither soils nor topography appear to pose a constraint to the

current use of the subject property. Bedrock in the vicinity of the subject property is approximately 900 feet below grade. The soil types overlying the subject property are illustrated in **Figure 5**. The topography of the subject property is provided in **Figure 6**.

### 3.9.2 Groundwater Resources

Groundwater on Long Island is entirely derived from precipitation. Precipitation entering the soils in the form of recharge, passes through the unsaturated zone to a level below which all strata are saturated, referred to as the water table. The groundwater table is equal to sea level on the north and south shores of Long Island and rises in elevation toward the center of the Island. The high point of the parabola is referred to as the groundwater divide. The changes in elevation of the water table create a hydraulic gradient which causes groundwater to flow, dependent upon potential.

The subject property is located to the southeast of the regional groundwater divide and in the horizontal plane, groundwater flow is generally toward the southeast. Groundwater will ultimately be discharged from the subsurface system into a tributary of Webster Pond. The major water bearing units beneath the subject property include: the Upper Glacial aquifer, the Magothy aquifer, and the Lloyd aquifer (**Smolensky et al, 1989**).

The elevation of groundwater beneath the subject property is approximately fifty-three (53) feet above msl, depending on meteorological conditions associated with the water year. The topographic elevation of the subject property is ranges from sixty (60) to eighty (80) feet above msl. Therefore, the depth to groundwater ranges from seven (7) to twenty-seven (27) feet. The water table elevations and generalized direction of flow are illustrated in **Figure 7**.

The Suffolk County Comprehensive Water Resources Management Plan (SCCWRMP) provides information on water quality from 0 to 400 feet below the water table, based upon observation as well as public and private water supply and well monitoring. The general area in proximity to the subject property is depicted as having good water quality with respect to nitrate-nitrogen (0-6 mg/l) at between 0 and 100 feet. With regard to organic compounds, SCDHS water quality data presented in the Suffolk County Comprehensive Water Resources Management Plan indicates that Volatile Organic Compound levels at 0-100 feet below the water table are good (<60% of standard) and found not to exceed drinking water standards the majority of the time; however, there are several areas in proximity to the site that exceed drinking water standards for organic parameters.

SCDHS conducted an eighteen (18) month long study of the impact pesticides have had on the groundwater. The study obtained water quality information from across the full geographic area of both counties in order to identify if any pesticides and metabolites had leached into the groundwater. The data from the wells in Nassau County and the five (5) western Towns of Suffolk show that only 1.5 and 2.0%, respectively, exceeded the pesticide related drinking water MCL and 15.4% of the wells in the five (5) eastern Suffolk Towns exceeded the MCL. Private wells in the five (5) eastern towns are at the highest risk of pesticides contamination. Based on the maps provided in the appendix of the SCDHS report, the subject property is not located in the vicinity of any wells which are contaminated with pesticides.

The area surrounding the subject property is serviced by the Suffolk County Water Authority. The nearest water supply well to the subject property consists of the Circle Drive Wellfield which is located immediately adjacent to the northern property line.

### **3.9.3 Wetlands**

The subject property was inspected to identify the possible presence of any wetland vegetation and/or water surfaces that would sustain wetland vegetation. The site reconnaissance did not reveal any wetland and/or wetland species on the subject property. A review of NYSDEC Freshwater Wetland Maps and National Wetland Inventory Maps indicated that there are no designated freshwater wetlands on or in the immediate vicinity of the subject property. The portion of the Freshwater Wetland and the Tidal Wetland Maps that cover the subject property and surrounding area are provided as **Figure 9** and **10**, respectively.

### **3.9.4 Coastal Barrier Improvements/Flood Plains**

The subject property is not located in the vicinity of a coastal area; therefore, no coastal barrier improvements exist or are required. The subject property is located in Flood Zone X, an area of minimal flooding. The portion of the Flood Insurance Rate Map that covers the subject property is provided in **Figure 11**.

### **3.9.5 Critical Habitat/Endangered Species**

The NYSDEC Environmental Resource Mapper did identify the subject property within an area of significant natural communities as well as rare plants and animals. No rare species were observed during the reconnaissance of the subject property. This report is not a substitute for an endangered species survey.

## **4.0 USER PROVIDED INFORMATION AND INTERVIEWS**

The purpose of this section as defined in Section 6 of the ASTM E1527-13 is to describe tasks to be performed by the user (the individual or entity for which this document has been prepared) that will help identify the possibility of recognized environmental conditions in connection with the subject property. This information does not require the technical expertise of an environmental professional and is generally not performed by environmental professionals who prepare Phase I ESAs. The information provided in this section is the sole responsibility of the user and has been included in this report if provided by the user.

### **4.1 TITLE RECORDS**

No Title Insurance Report was provided for review as part of this Phase I ESA.

### **4.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS**

No environmental liens appear to have been imposed on the subject property. No other activity or use limitations have been imposed on the subject property to best of our knowledge.

### **4.3 SPECIALIZED KNOWLEDGE OBTAINED FROM INTERVIEWS**

All of the information received is detailed previously in this report.

### **4.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION**

No additional information, other than that previously noted was available or provided regarding the subject property.

### **4.5 PROPERTY VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES**

Based on the inspection of the property and review of available documentation, no reduction in the price of the land appears to be warranted due to the presence of past or existing hazardous or toxic materials.

### **4.6 OWNER, PROPERTY MANAGER AND OCCUPANT INFORMATION**

The Suffolk County Tax Assessor records indicated that the owner of the subject property is the Pinelawn Cemetery Association.

### **4.7 REASON FOR PERFORMING PHASE I ESA**

This Phase I ESA has been completed for the due diligence required for the purchase of the subject property.

## 5.0 ENVIRONMENTAL RECORDS AND AGENCY DATA REVIEW

With the understanding of the facilities at the subject property, it is important to establish the environmental and regulatory conditions of the subject property and surrounding area, as related to public health and environmental issues. This section of the report includes a review of agency records, soils and groundwater resources and historical data review. The site inspection and the environmental and regulatory conditions form the basis for conclusions regarding the risks and liabilities associated with this site.

### 5.1 STANDARD ENVIRONMENTAL RECORD SOURCES

A search of Federal, State and Local databases was performed in order to provide a profile of the site and surrounding area with regard to published government agency records. The procedures employed adhere as closely as possible to ASTM standards.

Contact was made with the USEPA, the NYSDEC, SCDHS, and local government regarding environmental and/or public health concerns associated with the subject property.

#### 5.1.1 United States Environmental Protection Agency

The USEPA was contacted in order to obtain information regarding the National Priorities List (NPL), and sites documented on the Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS). The NPL defines all known hazardous material waste sites, which are described by the Federal Government as needing immediate cleanup action. All hazardous material waste sites considered for addition to the NPL are listed in the CERCLIS list.

A review of the NPL Site List (search distance 1.0 mile), and the CERCLIS lists (search distance 0.5 miles) finds the following with respect to the subject property and surrounding area:

1. Subject property did not appear on the NPL, Delisted NPL or CERCLIS lists.
2. There were no sites appearing on the NPL list located within (1.0) mile of the subject property.
3. There were no sites appearing on the Delisted NPL list located within one half (0.5) mile of the subject property.
4. There were no sites appearing on the CERCLIS list located within one-half (0.5) mile of the subject property.
5. There were no sites appearing on the CERCLIS NFRAP list located within one-half (0.5) mile of the subject property.

The USEPA was also contacted in order to obtain information concerning RCRA TSD facilities (treatment, storage, and disposal of hazardous wastes, as defined and regulated by the Resource Conservation and Recovery Act, RCRA), and RCRA Generators (of hazardous wastes as defined and regulated by RCRA). RCRA TSD facilities are sites that treat, store or dispose of wastes that can be toxic, flammable, corrosive, explosive or otherwise hazardous; and RCRA Generators are sites that generate or transport wastes of the above noted characteristics. The search also included review of the Emergency Response Notifications System (ERNS) list, which is a list of reported releases or spills in quantities greater than reportable quantities, Federal Permit Compliance System Toxic Wastewater Discharges (PCSTWD) which permits toxic wastewater discharges and Federal Civil Enforcement Docket (CED) which lists judiciary cases filed on behalf of the EPA by the Department of Justice.

A review of the RCRA TSD Facilities List (search distance 1.0 mile), the PCSTWD and CED facilities (search distance 0.25 mile), the RCRA Generator List (search distance, subject property and adjoining properties), and the ERNS List (search distance, subject property only) finds the following with respect to the subject property and surrounding area:

1. The subject property did not appear on the RCRA TSD Facilities List, or the ERNS List.
2. The subject property was not listed as a RCRA Generator.
3. The subject property was not listed as a Civil Enforcement Docket Facility.
4. The subject property was not listed for Permit Compliance System Toxic Wastewater Discharges.
5. The subject property was not identified on the ERNS list.
6. There were no sites listed as RCRA TSD facilities identified within one (1.0) mile of the subject property.
7. There were three (3) RCRA Generators listed within one-eighth (0.125) mile of the subject property. Information regarding the four (4) facilities located within one-half (0.5) mile of the subject property can be found in **Appendix C**.
  - a. ABC Cleaners (Facility ID# NYD980785323), located 112 feet to the north-northeast at 34 Colonial Springs Road. This facility is listed as a conditionally exempt small quantity generator that produced a variety of mixed wastes from 2006 to 2017 at volumes ranging from 195 to 1,080 pounds. The wastes reported included spent halogenated solvents, chromium, tetrachloroethylene, trichloroethylene, 2,4-dinitrotoluene, hexachlorobutadiene, 1,1-dichloroethylene and chlordane.
  - b. Suraj & Brothers Corporation (Facility ID# NYR000178921), located 197 feet to the south-southwest at 10 Long Island Avenue. This facility has historically been listed as a large quantity generator that produced mixed waste comprised of a solid waste that exhibits the characteristic of ignitability and benzene at volumes of 55 gallons and 1,500 pounds in 2011.

- c. Star Enterprise (Facility ID# NYD982793002), located 253 feet to the northeast at the intersection of Colonial Springs Road and North 27<sup>th</sup> Street. This facility has historically been listed as a large quantity generator that produced a solid waste that exhibits the characteristic of ignitability (1,000 pounds in 1991) and spent halogenated solvents (2,365 gallons and 14,500 pounds in 1990).
8. There were no CED facilities within one-quarter (0.25) mile of the subject property.
9. There was one (1) PCSTWD facilities located within one-eighth (0.125) mile of the subject property. No other facilities were located within one-quarter (0.25) mile of the subject property.
  - a. Wheatley Heights Laundromat (Facility ID# NY0222283), located 177 feet to the north-northeast on Colonial Springs Road. This facility is listed as an active minor industrial coin operated laundry/dry cleaner.

The RCRA Generator program is intended to track the origin and destination of hazardous waste, and there is no indication that listing on this inventory constitutes an environmental threat. In addition, the Federal Facilities Index that includes resources conservation and Recovery Corrective Action Sites (CORRACTS) was reviewed. No CORRACTS sites were identified within one-eighth (0.125) mile of the subject property. Information regarding the three (3) facilities located within one (1.0) mile of the subject property is provided in **Appendix C**.

### **5.1.2 New York State Department of Environmental Conservation**

The NYSDEC is charged with the responsibility of registering inactive hazardous waste disposal sites and administering the investigation and cleanup of such sites. The NYSDEC inventory is contained in the publication, Inactive Hazardous Waste Disposal Sites in New York State. The inventory provides the location, extent of contamination and remediation status of each listed site in New York State. Accordingly, the registry of the NYSDEC was consulted for information on Inactive Hazardous Waste Disposal Sites (IHWDS). The NYSDEC provides information regarding Hazardous Substance Waste Disposal Sites (HSWDS) that are sites contaminated with toxic substances but are not eligible for state cleanup funding programs. The NYSDEC provides information regarding Brownfield cleanup site - these are sites that are abandoned, idled or under-used industrial and/or commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination. Similarly, the NYSDEC is responsible for permitting Solid Waste Facilities (SWF) - these are facilities including landfills, incinerators, transfer stations and other solid waste management sites. The NYSDEC also registers Petroleum Bulk Storage (PBS) where the total storage capacity at the facility exceeds 1,100 gallons, Chemical Bulk Storage (CBS), Major Oil Storage Facilities (MOSF) and Toxic Release Inventory Sites (TRI). Finally, the NYSDEC regulates and monitors Air Discharges and NYS Toxic Spills which include Leaking Underground Storage Tanks (LUSTs).

A review of the IHWDS, Brownfield Sites and HSWDS Lists (search distance 1.0 mile), SWF, CBS and MOSF lists, and LUST Lists (search distance 0.5 miles), TRI and Air Discharge sites (search distance 0.25 miles) and the PBS List (search distance, subject property and adjoining properties) finds the following with respect to the subject property and surrounding area:

1. The subject property was not listed as an IHWDS Brownfields or HSWDS site.
2. The subject property was not listed on the SWF, CBS or MOSF Lists.
3. The subject property was not listed as a PBS facility.
4. The subject property was not listed on the NYS Toxic Spill site list.
5. The subject property was not listed as a TRI Site.
6. The subject property was not listed on the NYS Air Discharge list.
7. The subject property was not listed as having a LUST incident.
8. There were no IHWDS listings located within one-eighth (0.125) mile of the subject property. Information regarding the twelve (12) sites located within one (1.0) mile of the subject property is provided in **Appendix C**.
9. There were no HSWDS facilities located within one (1.0) mile of the subject property.
10. There were no Brownfields Sites located within one (1.0) mile of the subject property.
11. There were no SWF listings located within one-half (0.5) mile of the subject property.
12. There were ten (10) PBS facilities located within close proximity of the subject property. Information regarding the remaining six (6) facilities located within one-quarter (0.25) mile of the subject property can be found in **Appendix C**.
  - a. ARJ Gas & Mart, Inc. (Facility ID# NYSF00509), located 129 feet to the northeast at 4 Colonial Springs Road. This facility is listed as formerly utilizing eleven (11), underground tanks ranging in capacity from 550 to 8,000 gallons for the storage of gasoline, diesel fuel, waste oil and #2 fuel oil which were removed between 1981 and 2010. Currently, this facility utilizes three (3) underground tanks ranging in capacity from 4,000 to 10,000 gallons for the storage of gasoline and diesel fuel.
  - b. Rapid Cleaners of Suffolk (Facility ID# NYSF01600), located 131 feet to the north-northeast at 34 Colonial Springs Road. Recent tank information was not available for this facility.
  - c. ABC Cleaners & Taylors (Facility ID# NYSF02897), located 131 feet to the north-northeast at 34 Colonial Springs Road. This facility is listed as formerly utilizing one (1) 275 gallon above ground tank for the storage of #2 fuel oil which was removed in 2005. Currently, this facility is listed as utilizing one (1) 250 gallon above ground tank for the storage of #2 fuel oil.
  - d. SCWA Circle Drive Wellfield (Facility ID# NYSF02341), located 137 feet to the north on the south side of Circle Drive. This facility is listed as utilizing four (4) above ground tanks ranging in capacity from 275 to 640 gallons for the storage of lime slurry and #2 fuel oil.

- e. Wheatley Heights Post Office (Facility ID# NYSF00546), located 153 feet to the northeast at 6 Colonial Springs Road. This facility is listed as formerly utilizing one (1), 1,000 gallon underground tank for the storage of #2 fuel oil that was removed in 1995. Currently, this facility is listed as utilizing one 650 gallon above ground tank for the storage of #2 fuel oil.
  - f. Valero Service Station (Facility ID# NYSF02627), located 179 feet to the south-southwest at 10 Long Island Avenue. This facility is listed as formerly utilizing five (5) underground tanks ranging in capacity from 550 to 8,000 gallons for the storage of gasoline, diesel fuel, kerosene and waste oil. All of these tanks were removed between 1994 and 2010. Currently, this facility is listed as utilizing three (3) underground tanks ranging in capacity from 6,000 to 15,000 gallons for the storage of gasoline and diesel fuel. This facility is also listed as utilizing one (1), 275 gallon above ground tank for the storage of #2 fuel oil.
  - g. Wheatley Heights Laundromat (Facility ID# NYSF00930), located 216 feet to the north-northeast at 2B Colonial Spring Road. Recent tank information was not available for this facility.
  - h. Contino Brothers Auto Specialists, Inc. (Facility ID# NYSF00613), located 413 feet to the east at 154 Long Island Avenue. This facility is listed as formerly utilizing six (6) underground storage tanks ranging in capacity from 275 to 5,000 gallons which were used for the storage of gasoline, diesel fuel, kerosene and waste oil. In addition, this facility was also listed as formerly utilizing one (1), 275 gallon above ground tank for the storage of waste oil. All of these tanks were removed between 1986 and 1994.
  - i. Wade Associates, Inc. (Facility ID# NYSF17326), located 627 feet to the northeast at 201 Main Avenue. Recent tank information was not available for this facility.
  - j. Wade Associates, Inc. (Facility ID# NYSF17394), located 627 feet to the northeast at 201 Main Avenue. This facility is listed as formerly utilizing five (5) 55-gallon drums for the storage of motor oil, transmission fluid and antifreeze which were removed at an undisclosed date. Currently, this facility utilizes three (3) above ground tanks ranging in capacity from 280 to 500 gallons for the storage of waste oil and diesel fuel.
14. There were no State Registered MOSF facilities within one-half (0.5) mile of the subject property.
15. There were no TRI sites within one-half (0.5) mile of the subject property.
16. There were no Air Dischargers located within one-quarter (0.25) mile of the subject property.
17. There was no active and eight (8) closed LUST incident identified within one half (0.5) mile of the subject property. Only two (2) of the closed incidents were located upgradient of the subject property. These incidents were relatively minor, only affected soil and addressed to the satisfaction of the NYSDEC. Neither of these incidents or any of the other LUST incidents are not expected to adversely impact the subject property. Information regarding these LUST incidents is contained in **Appendix C.**

The NYSDEC also responds to incidents involving hazardous waste spills. The Department maintains a logbook and files on all reported and actual incidents at the NYSDEC offices at Stony Brook. This file was reviewed in conjunction with the subject property. A review of the file revealed that four (4) active and 110 closed spill incidents were identified within one-half (0.5) mile of the subject property. Three (3) of the active incidents are located upgradient of the subject property, but all are reported to have only impacted soil, are undergoing mitigation and are being overseen by the NYSDEC. None of these incidents are expected to impact the subject property. Fourteen (14) of the closed spill incidents were located upgradient of the subject property. All of these incidents were relatively minor and addressed to the satisfaction of the NYSDEC. None of the closed incidents are expected to impact the subject property. All of the remaining closed spill incidents are either cross or down gradient of the subject property and have been investigated and addressed to the satisfaction of the NYSDEC. None of the remaining closed spill incidents are expected to adversely affect the subject property. Information regarding all of the reported incidents is contained in **Appendix C**.

### 5.1.3 Suffolk County Department of Health Services

The SCDHS performs many important functions in environmental resource protection. These include inspection of facilities that use or store significant quantities of toxic or hazardous material or generate waste. SCDHS records were not received prior to the completion of this report. Any pertinent records received will be provided as an addendum to this report.

Also of interest with regard to Health Department functions is a study completed in conjunction with Cornell University, referred to as the CLEARs study (Cornell Laboratory for Environmental Applications of Remote Sensing). This research involves stereoscopic analysis and interpretation of historic aerial photographs for the purpose of identifying past and present hazardous waste disposal sites, solid waste disposal sites, disturbed areas, chemical storage, and other potential sources of contamination. The study has been ongoing since approximately 1986. The CLEARs study was consulted with regard to the area surrounding the subject property.

One (1) CLEARs study site was identified within the general area of the subject property.

1. Site Reference: Huntington # X 17  
Site Location: Located immediately north of the subject property.  
Site Description: Disturbed Area  
1947 - Undisturbed; low scrubby woodlands; intermittently wet.  
1962 - Low, irregular terrain; adjacent development.

1972 - Land surface generally disturbed; vegetation removed; land surface leveling; several access points.

1977 - Commercial building on part of site; fill-in continuing on undeveloped portion of property.

1984 - All of site developed; commercially-residentially (apartment complex).

The CLEARs Study assists with an historical perspective of the subject property and surrounding area. Little interpretation can be made with regard to the findings of the CLEARs study. There is no confirmation of activities which may have caused environmental degradation with regard to any of the sites. The SCDHS contracted the CLEARs study and will continue to interpret the results and take remedial action, as necessary. The subject property was not identified as a CLEARs study site as described above.

#### **5.1.4 Local Agencies**

Freedom of Information requests were submitted to the Town of Babylon. No records were obtained prior to the completion of this report. Any pertinent information once received will be provided as an addendum to this report. Planning and Zoning Department indicated that the subject property is zoned Residence A. The zoning of the subject property and surrounding area is provided in **Figure 4**. The Suffolk County Tax Assessor records indicated that the owner of the subject property is the Pinelawn Cemetery Association. Refer to **Appendix G** for information all of the data received from FOIL requests.

## 6.0 FINDINGS

NPV has performed a Phase I ESA for the Pinelawn Industrial Park property located at northeast corner of the intersection between Little East Neck Road and Long Island Avenue in Wyandanch, New York. This environmental inspection report has been conducted in order to provide the prospective purchaser and/or lending institutions with accurate and complete information regarding the subject property, surrounding area, historic uses, agency records and regulations, and additional environmental considerations. Based upon this report, the limitations of this report and the methodology employed, the following statement is provided:

NPV has performed a Phase I ESA in conformance with the scope and limitations of ASTM Practice E 1527-13 and USEPA AAI for the Pinelawn Industrial Park property located at northeast corner of the intersection between Little East Neck Road and Long Island Avenue in Wyandanch, New York. Any exceptions to, or deletions from, this practice are described in Section 9.0 of this report.

This assessment has identified the following with respect to recognized environmental conditions, controlled recognized environmental conditions, historic recognized environmental conditions and de minimus conditions in connection with the subject property, subject to the methodology and limitations of this report.

No recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No controlled recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No de minimus conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

No historic recognized environmental conditions were noted on the subject property based on the site reconnaissance, interviews and regulatory agency records review.

## 7.0 OPINIONS

It is the opinion of the environmental professional who completed this report that this assessment has not revealed any evidence of recognized environmental conditions in connection with the subject property, subject to the methodology and limitations of this report.

## 8.0 CONCLUSIONS

This assessment was performed at the Client's request using the methods and procedures consistent with good commercial or customary practice designed to conform with acceptable industry standards.

This report is expressly and exclusively for the sole use and benefit of the Client identified on the first page of this report and is not for the use or benefit of, nor may it be relied upon by, any other person or entity without the advance written consent of NPV.

The independent conclusions represent NPV's best professional judgment based on information and data available to the consultant during the course of this assignment. NPV's evaluations, analyses and opinions are not representations regarding either the design integrity, structural soundness or actual value of the property. Factual information including operations, site conditions and available test data provided by the Client or their representative have been assumed to be correct and complete. The conclusions presented are based on the data provided, observations and conditions that existed on the date of the assessment.

## 9.0 DEVIATIONS & ADDITIONAL SERVICES

### 9.1 Deviations

This report was completed in accordance with the standards set forth in the ASTM E 1527-13 and the USEPA AAI. No deviations from these standards were undertaken during the completion of this report.

### 9.2 Additional Services

A Tier 1 Vapor Encroachment Condition (VEC) Assessment was conducted as part of this Phase I ESA, due to the proximity of several spill incidents. The assessment was conducted in accordance with the methods and procedures, outlined within ASTM E2600-15, Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions.

For this assessment, under conditions where the direction of groundwater flow can be ascertained, critical search distances are used to determine if a VEC exists. Specifically, the following distances are applied to the Tier I Assessment:

Upgradient Sources

1,760 feet for Chemical of Concern (COC)  
520 feet for petroleum hydrocarbons

Cross-gradient Sources

365 feet for COC  
165 feet for petroleum hydrocarbon LNAPL sources & 95 feet dissolved petroleum hydrocarbon sources with plume considerations

Down-gradient Sources

100 feet for COC/petroleum hydrocarbon LNAPL sources  
30 feet dissolved petroleum hydrocarbon sources

A review of the regulatory agency database report provided for the subject property identified several sites located within the critical distances which documented an active activity which could result in a release. A review of the regulatory agency information related to these sites indicate that any issues were addressed to the satisfaction of the overseeing agency or did not engage in an activity which could impact the subject property. Based on the information reviewed, it is concluded that a VEC does not exist or is not likely to exist. Therefore, the subject property is not expected to be adversely affected by a VEC.

No other additional services were included in this report.

10.0 SIGNATURE OF ENVIRONMENTAL PROFESSIONAL

*We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312, and*

*We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the "All Appropriate Inquiries" in conformance with the standards and practices set forth in 40 CFR Part 312.*

2/5/2021  
Date

Steven J. McGinn  
Steven J. McGinn, CEI  
Partner/Division Manger

2/5/2021  
Date

Eric C. Arnesen  
Eric C. Arnesen, PG  
Project Manager/Hydrogeologist

## 11.0 REFERENCES

- American Society for Testing and Materials (ASTM), 2013, Standard Practice for Environmental Site Assessments, as published in ASTM E 1527-13, Washington, D.C.
- United States Environmental Protection Agency (USEPA), 2013, Federal Register Volume 70, No 210, 40 CFR Part 312 Standards and Practices for All Appropriate Inquiries: Final Rule, Washington D.C.
- Cohen, Philip, and O.L. Franke, B.L. Foxworthy, 1968, An Atlas of Long Island's Water Resources, U.S. Geological Survey in cooperation with the New York State Water Resources Commission, New York Water Resources Commission Bulletin 62, Albany, New York.
- Deer, W.A., Howie R. A., and J. Zussman, 1975, An Introduction to the Rock-Forming Minerals, Longman Group LTD., London.
- Doriski, Thomas P., 1987, Potentiometric–Surface of the Water Table, Magothy, and Lloyd Aquifers on Long Island, New York, in 1984, USGS Water Investigations Report 86-4189, Syosset, New York.
- Freeze, Allan R.; Cherry, John A., 1979, Groundwater, Englewood Cliffs, New Jersey: Prentice-Hall, Inc.
- Gross, Frank D., 1989, Environmental Evaluations for Real Estate Transactions A Technical and Business Guide, Diagnostic Engineering Inc., Government Institutes Inc., Rockville, Maryland.
- Hurlbut, Cornelius J., 1971, Dana's Manual of Mineralogy, John Wiley & Sons, Inc.
- Koppelman, Lee, 1978, 208 Areawide Waste Treatment Management, Hauppauge, New York: Nassau–Suffolk Regional Planning Board.
- Koppelman, Lee, 1982, Long Island Segment of the Nationwide Urban Runoff Program, Hauppauge, New York: Long Island Regional Planning Board.
- Long Island Regional Planning Board., 1983, Non Point Source Management Handbook, Hauppauge, New York: LIRPB.
- New York State, 1984, Environmental Conservation Law, Book 17 1/2, ECL, 16–0101 to 33-end, McKinney's Consolidated Laws of New York Annotated, West Publishing Co., St. Paul, Minnesota.

- New York State, 1987, Part 56 of Title 12 of the Official Compilation of Codes, Rules and Regulations of the State of New York, Article 30 of the New York State Labor Law. Department of Labor, Albany.
- New York State Department of Environmental Conservation, Water Quality Regulations - Surface Water and Groundwater Classifications and Standards, New York State Codes, Rules and Regulations, Title 6, Chapter X, Parts 700-705.
- New York State Department of Transportation (NYSDOT), 1981, Topographic Map, 2,000 scale DOT reproduction of USGS Quadrangle.
- Safe Buildings Alliance, 1987, What You Should Know About Asbestos in Buildings, Safe Buildings Alliance, Washington, D.C.
- Sax, N. Irving, and Richard J. Lewis, Sr., 1987, Hazardous Chemicals Desk Reference, Van Nostrand Reinhold, New York, New York.
- Skoog, Robert F., and Robert Twombly, 1985, The Asbestos Abatement Workers Handbook, SourceFinders Information Corporation, Mount Laurel, New Jersey.
- Smolensky, D.A. and H.T. Buxton, P.K. Shernoff, 1989, Hydrologic Framework of Long Island, New York, Hydrologic Investigations Atlas, Atlas HA-709, Department of the Interior U.S. Geological Survey, Published by the Geological Survey, Washington, D.C.
- United States Environmental Protection Agency, March 31, 2020, Second Year Five Year Review Report, Lawrence Aviation Industries Superfund Site, Wading River, Suffolk County, New York, USEPA Region 2, New York, New York
- Warner et al., 1975, Soil Survey of Suffolk County, New York, Washington, D.C.: U.S. Department of Agriculture, Soil Conservation Service, in cooperation with Cornell Agriculture Experiment Station, U.S. Government Printing Office.

---

## FIGURES


---



**FIGURE 1  
LOCATION MAP**

Source: ESRI WMS  
Scale: 1 inch = 1,139.444444 feet


**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**



**FIGURE 1**  
**PROPOSED BORING LOCATION MAP**

Source: NYS Orthophotography, 2020  
Scale: 1 inch = 500 feet

**Pinelawn Industrial  
Park  
Wyandanch**  
**Environmental Assessment**



**FIGURE 1**  
**PROPOSED BORING LOCATION MAP**

Source: NYS Orthophotography, 2020  
 Scale: 1 inch = 500 feet


**Pinelawn Industrial  
 Park  
 Wyandanch**  
**Environmental Assessment**



**FIGURE 2**  
**AERIAL PHOTO MAP**

Source: NYS Orthophotography, 2020  
Scale: 1 inch = 500 feet

**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**




**FIGURE 3  
LAND USE MAP**

Source: NYS Orthophotography, 2016  
Scale: 1 inch = 700 feet

Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA





**FIGURE 4  
ZONING MAP**

**Pinelawn Industrial  
Park  
Wyandanch**

**Phase I ESA**

Source: ESRI WMS; Town of Babylon, 1998  
Scale: 1 inch = 1,000 feet






**FIGURE 5  
SOIL MAP**

Source: ESRI WMS; NRCS  
Scale: 1 inch = 400 feet

**Pinelawn Industrial  
Park  
Wyandanch**

**Phase I ESA**




**FIGURE 6  
TOPOGRAPHY MAP**

Source: USGS WMS  
Scale: 1 inch = 1,000 feet

Pinelawn Industrial  
Park  
Wyandanch

Phase I ESA






**NPV**

**FIGURE 7  
WATER TABLE MAP**

Source: ESRI WMS; USGS SIM 3398, 2016 data  
Scale: 1 inch = 2,000 feet



**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**



SCWA distribution  
area 12

Article 6 Groundwater  
Monitoring Zone III  
near Zone I and Zone VI

observation  
well

Landscape Dr  
Well Field

Circle Drive  
Well Field

Wyandanch Ave  
Well Field


Gordon Ave  
Well Field



**FIGURE 8  
WATER SUPPLY MAP**

**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**

Source: ESRI WMS; SCWA data  
Scale: 1 inch = 2,000 feet





**NPV**

**FIGURE 9  
NYSDEC WETLANDS MAP**

Source: ESRI WMS; NYSDEC  
Scale: 1 inch = 2,000 feet


**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**



**FIGURE 10  
NATIONAL WETLANDS  
INVENTORY MAP**

Source: ESRI WMS; US F&W NWI  
Scale: 1 inch = 2,000 feet

**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**



- Wyandanch Edited
- Flood Zone**
- A
- AE
- AO
- OPEN WATER
- V
- VE
- X

**FIGURE 11  
FEMA FLOOD HAZARD MAP**

**Pinelawn Industrial  
Park  
Wyandanch  
Phase I ESA**

Source: ESRI WMS; FEMA  
Scale: 1 inch = 2,000 feet



---

## APPENDICES

*NOTE: Appendices for this report can be viewed on [www.townofbabylon.com](http://www.townofbabylon.com)*

---

---

**APPENDIX A  
SUPPLEMENTAL STATEMENT OF CONDITIONS  
ENVIRONMENTAL AUDITS**

---

## SUPPLEMENTAL STATEMENT OF CONDITIONS ENVIRONMENTAL AUDITS

*Charles J. Voorhis is Certified as an Environmental Inspector (CEI) with the Environmental Assessment Association (EAA). The Association provides technical support and is acting to standardize the industry with regard to procedures and techniques for report preparation. The EAA has established an outline of responsibilities for the Environmental Inspector as well as a Statement of Limiting Conditions. This information is reproduced below in order for clients and loan agencies to understand responsibilities and limitations under this contract.*

Certification: The Environmental Inspector certifies to the Buyer, Seller and/or lender in a transaction as named in the inspection report "Principal Parties"; and the Inspector and the Principal Parties agree that:

1. The Environmental Inspector has no present or contemplated future (a) partnership with Principal Parties nor (b) an interest in the property inspected which could adversely affect the Inspector's ability to perform an objective inspection; and neither the employment of the inspector to conduct the inspection, nor the compensation for it, is contingent on the results of the inspection.
2. The Environmental Inspector has no personal interest in or bias with respect to the subject matter of the inspection report or any parties who may be part of a financial transaction involving the property. The conclusions and recommendations of the report are not based in whole or in part upon the race, color, creed, sex or national origin of any of the Principal Parties.
3. The Environmental Inspector has personally inspected the property, both inside and out and has made visual inspection of adjacent properties, to the extent possible by readily available access. The inspection does not include the removal of any soil, water or air samples, the moving of furniture or fixtures, or any type of inspection that would require extraordinary effort to access.
4. All contingent and limiting conditions are contained herein (imposed by the terms of the inspection assignment or by the undersigned affecting the conclusions and recommendations contained in the report).
5. This Environmental Inspection report has been made in conformity with and is subject to the requirements of the Code of Professional Ethics of the Environmental Assessment Association.
6. All opinions, conclusions and recommendations concerning the inspected property that are set forth in the inspection report were prepared by the Environmental Inspector whose signature appears on the report. No change of any item in the report shall be made by anyone other than the Inspector, and the Inspector shall have no responsibility for any such unauthorized change.



Contingent and Limiting Conditions: The certification of the Environmental Inspector appearing in the environmental inspection report is subject to the following conditions and to such other specific and limiting conditions as are set forth by the Inspector in the report.

1. The Inspector assumes no responsibility for matters of legal nature affecting the property inspected or the title thereto. The property is inspected assuming responsible ownership.
2. Any sketch appearing in or attached to the inspection report, or any statement of dimensions, capacities, quantities or distances, are approximate and are included to assist the reader in visualizing the property. The inspector has made no survey of the property.
3. The Inspector is not required to give testimony or appear in court because of having made the inspection with reference to the property in question, unless arrangements have been previously made therefor.
4. This report is not intended to have any direct effect on the value of the property inspected but simply to provide a visual Environmental Assessment solely for the benefit of the Principal Parties.
5. The Inspector assumes that there are no hidden, unapparent, or latent conditions or defects in or of the property, subsoil, or structures, other than those noted on the inspection report or any addendum to the report which the Inspector has included. The Inspector assumes no responsibility for such conditions, or for the inspection, engineering or repair which might be required to discover or correct such factors.
6. Information, estimates and opinions furnished to the Inspector, and contained in the report, were obtained from sources considered reliable and believed to be true and correct. However, the Inspector has made no independent investigation as to such matters and undertakes no responsibility for the accuracy of such items.
7. The Inspection and Inspection Report are made by the Inspector solely for the benefit and personal use of the Principal Parties. No disclosure may be made of the Inspection Report without the prior written consent of the Inspector and the Inspector undertakes no responsibility for harm or damages to any party other than the Principal Parties.
8. Neither the Inspection Report, any part thereof, nor any copy of the same (including conclusions or recommendations, the identity of the Inspector, professional designation, reference to any professional organization, or the firm with which the Inspector is connected), shall be used for any purposes by anyone but the Principal Parties. The report shall not be conveyed by anyone to the public through advertising, public relations, news, sales, or other media, without the prior written consent and approval of the Inspector.

---

## APPENDIX B RESUMES OF KEY PERSONNEL

---

## PERSONAL PROFESSIONAL QUALIFICATIONS

**CHARLES J. VOORHIS, CEP, AICP**

### **Licensing and Certification:**

Certified Environmental Professional (CEP)  
American Institute of Certified Planners (AICP)  
Certified Environmental Inspector, Environmental Assessment Association  
US Coast Guard Master Steam and Auxiliary Sail Vessels

### **Experience:**

- \* Managing Partner of Firm, Nelson, Pope & Voorhis, LLC; Melville, New York (1/97-Present)
- \* Principal of Firm, Charles Voorhis & Associates, Inc.; Miller Place, New York (8/88-1/97)
- \* Director, Division of Environmental Protection, Department of Planning, Environment and Development; Town of Brookhaven, New York (3/86-8/88)
- \* Environmental Analyst, Division of Environmental Protection, Department of Planning, Environment and Development; Town of Brookhaven, New York (8/82-3/86)
- \* Private and Public Consultant, Planning and Environmental Issues (8/82-3/87)
- \* Public Health Sanitarian, Suffolk County Department of Health Services; Hauppauge, New York (1/80-8/82)
- \* Environmentalist I, Suffolk County Department of Environmental Control, Central Islip, New York (2/78- 8/79)

### **Education:**

- \* SUNY at Stony Brook; Master of Science in Environmental Engineering, concentration in Water Resource Management, 1984
- \* Princeton Associates; Groundwater Pollution and Hydrology Short Course, Princeton, New Jersey, 1983
- \* New York State Health Department, Environmental Health Training Course, Hauppauge, New York, 1982
- \* Southampton College of Long Island University; Bachelor of Science in Environmental Geology, 1977



### **Significant Professional Achievements:**

- \* Airport International Plaza, DEIS, 1996
- \* Patchogue Lace Mill, Phase I ESA, 1996
- \* Price Club @ New Rochelle, DEIS and FEIS, 1995
- \* Commack Campus Park @ Commack DEIS and FEIS, 1994
- \* Water Mill Shops @ Water Mill DEIS, 1993
- \* PJ Venture Wholesale Club @ Commack DEIS and FEIS, 1993
- \* Dowling College NAT Center DEIS and FEIS, 1992
- \* Final EIS Angel Shores @ Southold, 1991
- \* Town of Brookhaven Boat Mooring Plan, 1991
- \* Draft EIS Round Hill @ Old Westbury, 1990
- \* Draft EIS St. Elsewhere @ Nesconset, 1989
- \* GEIS Commercial Rezonings on the Towns Own Motion, 1988
- \* GEIS Large Lot Rezonings on the Towns Own Motion, 1988
- \* Award for Environmentally Sensitive Land Design, Pine Barrens Review Comm., 1988
- \* EQBA, Acquisition Study for Brookhaven Town, 1987
- \* Town of Brookhaven Land Use Plan, 1987
- \* Discussion of Hydrogeologic Zone Boundaries in the Vicinity of S. Yaphank, LI, NY, 1986
- \* Duck Farms in Brookhaven Town, Land Restoration Techniques, 1985
- \* Coastal Energy Impact Program, 1984
- \* Comprehensive Review of Industrial Zoned Land in the Sensitive Hydrogeologic Zone, Town of Brookhaven, 1983
- \* Groundwater Supply and Early Groundwater Use in Brookhaven Township, Suffolk County, New York 1983

### **Professional & Other Organizations (past and present):**

- \* American Institute of Certified Planners
- \* American Planning Association, Washington, D.C.
- \* National Association of Environmental Professionals, Alexandria, VA
- \* Environmental Assessment Association, Scottsdale, Arizona
- \* American Water Resources Association, Syracuse, New York
- \* National Water Well Association, Worthington, Ohio
- \* New York Planning Federation, Albany, New York
- \* New York Water Pollution Control Association, Riverdale, New York
- \* Water Pollution Control Federation, Washington, D.C.
- \* Long Island Seaport & EcoCenter, Inc., Director/Trustee, Port Jefferson, NY
- \* Boy Scouts of America, Trained Scoutmaster, Nathaniel Woodhull District, NY
- \* Alumni Association, LIU, Southampton College, New York
- \* Historical Society of Port Jefferson, Trustee, Port Jefferson, NY
- \* Environmental Conservation Board, Inc. Village of Port Jefferson, NY
- \* Port Jefferson Village, Waterfront Advisory Committee, Port Jefferson, NY
- \* Town of Brookhaven Mount Sinai Harbor Advisory Committee, Medford, NY
- \* Brookhaven Conservation Advisory Council, Medford, New York



## PERSONAL PROFESSIONAL QUALIFICATIONS

### STEVEN J. McGINN, CEI

#### Licensing and Certification:

OSHA 40 Hour HAZWOPER  
Certified Environmental Inspector, Environmental Assessment Association (CEI)  
New York State Department of Labor - Licensed Asbestos Inspector  
USEPA Certified Risk Assessor for Lead Based Paint

#### Experience:

- Partner/Division Manager, Nelson, Pope & Voorhis, LLC (July 2005 to Present)
- Sr. Environmental Analyst, Nelson, Pope & Voorhis, LLC (January 1997 to July 2005)
- Environmental Analyst, Nelson & Pope, LLP (July 1989 to January 1997)
- Project Manager, Middleton Kontokosta & Associates (May 1988 to July 1989)
- Planning Aide, Town of Huntington Planning Department (January 1987 to May 1988)

#### Education:

- EPA Model Lead Risk Assessor Initial Training, August , 2006
- EPA Model Lead Inspector Technician Training, August, 2006
- Training Course in the Theory and Practice of Applying Subsurface Interface Radar in Engineering and Geophysical Investigation, March, 2004
- 40-Hour Course Hazardous Materials Training, December, 1998
- Project Managers Bootcamp, PSMJ Resources, Inc., January 1998
- Performing Phase I Environmental Inspections, Environmental Assessment Association, Sept. 1997
- Environmental Regulations Course, Executive Enterprises, June 1996
- Environmental Impact Statements, Cook College/Rutgers University, December 1994
- State University of New York at Cortland - Bachelor of Science in Geography, January 1986

#### Significant Professional Achievements:

- 940 Bryant Avenue, Bronx - Phase I ESA
- 1345 Seneca Avenue, Bronx - Phase I ESA
- Red Roof Farms, Rye Brook - Phase I & II ESA
- Thomas Dodge Subaru, Port Jefferson - Phase I & II ESA



- 221 Skip Lane, Bay Shore - Phase I & II ESA
- 121 Maple Avenue (Shore Line Marina), Bay Shore - Phase I & II ESA
- 950 West Main Street, Riverhead - Phase I ESA
- Long Island Galleria/Price Club Plaza, Westbury - DEIS & FEIS
- Currans Road Development, Middle Island - DEIS & FEIS
- Timber Ridge at the Plains, Greenlawn - DEIS & FEIS
- Greene's Creek Marina, Sayville - DEIS
- Town of Brookhaven Marine Reconstruction Projects, Patchogue, Blue Point, Port Jefferson, Mount Sinai, - Tidal Wetland Permits
- Village of Lake Success, Lake Success - Land Use and Zoning Analyses
- Ridgehaven Estates, Ridge - DEIS & FEIS
- K-Mart @ Farmingville - Part III EAF
- Long Lake Estates, Coram - DEIS & FEIS

**Professional Responsibilities:**

- Partner/Division Manager for the preparation of Phase I and Phase II Environmental Site Assessments, Site Remediation, Lead Based Paint Surveys and Asbestos Surveys for lending institutions and Governmental Agencies.
- Author of numerous Phase I & II Environmental Site Assessments.
- Site Supervisor for numerous large and small scale site remediation projects.
- Author of numerous environmental impact statements in both draft and final formats for major large scale, high-profile projects.
- Other responsibilities include the preparation of various environmental, planning and zoning studies and the preparation of various state and federal applications such as: land use and zoning studies, noise and air quality assessments, Phase I Environmental Site Assessments, feasibility studies, economic analyses, freshwater and tidal wetland permits, etc.
- Interaction with various Town, County, State and Federal officials, attorneys, developers, engineers, Town Boards, Planning Boards, and Zoning Boards of Appeals.

**Professional Organizations:**

- National Association of Environmental Professionals, Alexandria, VA
- Environmental Assessment Association, Scottsdale, Arizona
- National Groundwater Association, Assoc. of Groundwater Scientists and Engineers
- National Drillers Association, Brunswick, Ohio



---

# APPENDIX C

## DATABASE SEARCH INFORMATION

---

# **T**OXICS TARGETING

## **PHASE I**

# **ENVIRONMENTAL DATABASE REPORT**

**PINELAWN INDUSTRIAL PARK  
WYANDANCH, NY 11798**

**FEBRUARY 04, 2021**

## **LIMITED WARRANTY AND DISCLAIMER OF LIABILITY**

### **Who is Covered**

This limited warranty is extended by Toxics Targeting, Inc. only to the original purchaser of the accompanying Environmental Report ("Report"). It may not be assigned to any other person.

### **What is Warranted**

Toxics Targeting, Inc. warrants that it uses reasonable care to accurately transcribe the information contained in this Report from the sources from which it is obtained. This limited warranty is in lieu of all other express warranties which might otherwise arise with respect to the Report. No one is authorized to change or add to this limited warranty.

### **What We Will Do**

If during the warranty period there is shown to be a material error in the transcription of the information contained in this Report from the sources from which it was obtained, Toxics Targeting, Inc. shall refund to the original purchaser the full purchase price paid for the Report. The remedy stated above is the exclusive remedy extended to the Purchaser by Toxics Targeting, Inc. for any failure of the Report to conform with this Warranty, or otherwise for breach of this Warranty or any other warranty, whether expressed or implied.

### **What We Won't Cover**

Toxics Targeting, Inc. has not and can not verify the accuracy, correctness or completion of the information contained in this Report. Information is obtained from government agencies, site owners, and other sources, and errors are common in such information. Because Toxics Targeting, Inc. can not control the accuracy of the information contained in this Report, or the uses which may be made of the information, TOXICS TARGETING, INC. DISCLAIMS LIABILITY TO ANYONE FOR ANY EVENTS ARISING OUT OF THE USE OF THE INFORMATION. TOXICS TARGETING, INC. SHALL NOT BE LIABLE FOR ANY DAMAGE CAUSED BY THIS REPORT, WHETHER DIRECT OR INDIRECT, AND WHETHER OR NOT TOXICS TARGETING, INC. HAS BEEN ADVISED OF OR HAS KNOWLEDGE OF THE POSSIBILITY OF SUCH DAMAGES. TOXICS TARGETING, INC. EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

### **Period of Warranty**

The period of warranty coverage is ninety days from the date of purchase of this Report. There shall be no warranty after the period of coverage. ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR USE SHALL HAVE NO GREATER DURATION THAN THE PERIOD OF WARRANTY STATED HERE, AND SHALL TERMINATE AUTOMATICALLY UPON THE EXPIRATION OF SUCH PERIOD. Some jurisdictions do not allow limitations on how long an implied warranty lasts, so the above exclusion or limitation may not apply to you.

**PLEASE REFER TO PAGES ONE AND FIVE FOR A DESCRIPTION OF SOME OF THE LIMITATIONS OF THIS ENVIRONMENTAL REPORT.**

# Table of Contents

**Introduction..... 1**

- *The Three Sections of Your Report*
- *How to Use Your Report*
- *Toxic Site Databases Analyzed In Your Report*
- *Limitations Of the Information In Your Report*

**Section One: Your Report Summary..... 6**

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close-up Map*

**Section Two: Toxic Site Profiles**

**Section Three: Appendices**

- *USEPA ERNS Check*
- *Unmappable Sites*
- *Hazardous Waste Codes*
- *How Toxic Sites Are Mapped*
- *Information Source Guide*

## ***Introduction***

*Toxics Targeting* has combined environmental database searches, extensive regulatory analysis and sophisticated mapping techniques to produce your *Environmental Report*. It checks for the presence of 21 categories of government-reported toxic sites and provides detailed, up-to-date information on each identified site. The findings of your report are presented in an easy-to-understand format that:

1. ***Maps*** the approximate locations of selected government-reported toxic sites identified on or near a specified target address.
2. ***Estimates*** the distance and direction between the target address and each identified toxic site.
3. ***Reports*** air and water permit non-compliance and other regulatory violations.
4. ***Profiles*** some aspects of the usage, manufacture, storage, handling, transport or disposal of toxic chemicals at individual sites.
5. ***Summarizes*** some potential health effect information and drinking water standards for selected chemicals reported at individual sites.

## ***The Three Sections Of Your Report***

The first section highlights your report's findings by summarizing identified sites according to: **a)** distance intervals, **b)** direction, **c)** proximity to the target address and **d)** individual site categories. In addition, the locations of all identified toxic sites are illustrated on individual maps for each radius search distance used in your report. A close-up map illustrates the locations of all identified toxic sites, at the shortest radius search distance used in your report. Finally, a map of tax parcels and a table of selected information about those parcels are included.

The second section of your report contains *Toxic Site Profiles* that provide detailed information on each identified toxic site. The information in each *Toxic Site Profile* varies according to its source. Some toxic site categories have extensive information, some have limited information. All the information is updated on a regular basis.

The third section of the report contains appendices that identify: **1)** on-site spills reported to the national Emergency Response Notification System (ERNS), **2)** various toxic sites that cannot be mapped due to incomplete or erroneous addresses or other mapping problems, **3)** codes that characterize hazardous wastes reported at various facilities, **4)** methods used to map toxic sites identified in your report and **5)** information sources used in your report.


## ***How to Use Your Report***

- Check Table One to see the number of identified sites by distance intervals.
- Check Table Two to see identified sites sorted by direction.
- Check Table Three to see identified sites sorted by site categories.
- Check Table Four to see identified sites ranked by proximity to the target address.
- Use Table Five to get info for the subject parcel and every parcel found on the Tax Parcel Map
- Refer to the various maps to see the locations of identified toxic sites. Refer to the *Toxic Site Profile* and *Appendix* sections for additional information.

# *Toxic Site Databases Analyzed In Your Report*


## Search Radius

One-Mile




1) ***National Priority List for Federal Superfund Cleanup***: a listing of sites known to pose environmental or health hazards that are being investigated or cleaned up under the Federal Superfund program.

Half-Mile




2) ***Delisted National Priority List Sites***: a listing of NPL sites that have been removed from the National Priority List.

One-Mile



3) ***New York Inactive Hazardous Waste Disposal Site Registry***: a state listing of sites that can pose environmental or public health hazards requiring investigation or clean up.

One-Mile




4) ***New York Inactive Hazardous Waste Disposal Site Registry Qualifying***: a state listing of sites that qualify for possible inclusion to the NYS DEC Inactive Haz. Waste Disposal Site Registry.

One-Mile




5) ***New York and Federal RCRA Corrective Action Activity (CORRACTS)***: waste facilities with RCRA corrective action activity reported by the USEPA and NYS DEC.

Half-Mile



6) ***CERCLIS*** (Comprehensive Environmental Response, Compensation and Liability Information System): a federal listing of Non-NFRAP sites that can pose environmental or public health hazards requiring investigation or clean up.

Half-Mile



7) ***CERCLIS NFRAP***: a federal listing of CERCLIS sites that have no further remedial action planned.

Half-Mile




8) ***New York State Brownfield Cleanup Sites***: a listing of sites that are abandoned, idled or under-used industrial and commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination.

Half-Mile



9) ***New York Solid Waste Facilities Registry***: active and inactive landfills, incinerators, transfer stations or other solid waste management facilities.

Half-Mile



10) ***New York and Federal Hazardous Waste Treatment, Storage or Disposal Facilities***: sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRIS). Also includes the following database:

- ***RCRA violations***: waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act..

Half-Mile



11) **Toxic Spills: active and inactive or closed** spills reported to state environmental authorities, including *remediated* and *unremediated* leaking underground storage tanks. This database includes the following categories:

- Tank Failures
- Tank Test Failures
- Unknown Spill Cause or Other Spill Causes
- Miscellaneous Spill Causes

Quarter-Mile



12) **New York State Major Oil Storage Facilities:** sites with more than a 400,000-gallon capacity for storing petroleum products.

Quarter-Mile



13) **New York and Local Petroleum Bulk Storage Facilities:** sites with more than a 1,100-gallon capacity for storing petroleum products.

Quarter-Mile



14) **New York and Federal Hazardous Waste Generators and Transporters:** sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRA). Also includes the following database:


- **RCRA violations:** waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act.

Quarter-Mile



15) **New York Chemical Bulk Storage Facilities:** sites storing hazardous substances listed in 6 NYCRR Part 597 in aboveground tanks with capacities of 185 gallons or more and/or underground tanks of any size

Half-Mile



16) **New York Hazardous Substance Disposal Site Draft Study:** a state listing of sites contaminated with toxic substances that can pose environmental or public health hazards. These sites are not eligible for state clean up funding programs.

Quarter-Mile



17) **Federal Toxic Release Inventory Facilities:** discharges of selected toxic chemicals to air, land, water or treatment facilities.

Quarter-Mile



18) **Federal Air Discharges:** Air pollution point sources monitored by U.S. EPA and/or state and local air regulatory agencies.

Quarter-Mile



19) **Federal Permit Compliance System Toxic Wastewater Discharges:** permitted toxic wastewater discharges.

Quarter-Mile



20) **Federal Civil and Administrative Enforcement Docket:** judiciary cases filed on behalf of the U. S. Environmental Protection Agency by the Department of Justice.

Property only



21) ***ERNS: Federal Emergency Response Notification System Spills:*** a listing of federally reported spills.

## *Limitations Of The Information In Your Report*

The information presented in your *Environmental Report* has been obtained from various local, state and federal government agencies. Please be aware that: **1)** additional information on individual sites may be available, **2)** newly discovered sites are continually reported and **3)** all map locations are approximate. As a result, this report is intended to be the **FIRST STEP** in the process of identifying and evaluating possible environmental threats to specific properties and can only serve as a guide for conducting on-site visits or additional, more detailed toxic hazard research.

*Toxics Targeting* tries to ensure that the information in your report is presented accurately and with minimal alteration. The only systematic changes that are made correct obvious address errors in order to allow sites to be mapped. Any address changes that are made are noted in the map information section at the top of each corresponding *Toxic Site Profile*. Since the information presented in your report is not edited, please be aware that it can contain reporting errors or typographical mistakes made by the site owners/operators or government agencies that produced the information. Please be aware of some other limitations of the information in your report:

- The map used by *Toxics Targeting* is the same one used by the U. S. Census. While the map is generally accurate, no map is perfect. In addition, *Toxics Targeting's* mapping methods estimate where toxic site addresses are located if the address is not specifically designated on the Census map. **FOR THESE REASONS, ALL MAP LOCATIONS OF ADDRESSES AND REPORTED TOXIC SITES SHOULD BE CONSIDERED APPROXIMATE AND SHOULD BE VERIFIED BY ON-SITE VISITS;**
- **UNDISCOVERED, UNREPORTED OR UNMAPPABLE TOXIC SITES MIGHT NOT BE IDENTIFIED BY THIS REPORT'S CHECK OF 21 TOXIC SITE CATEGORIES. TOXIC SITES REPORTED IN OTHER GOVERNMENT DATABASES MIGHT ALSO EXIST. FOR THESE REASONS, YOUR REPORT MIGHT NOT IDENTIFY ALL THE TOXIC SITES THAT EXIST IN THE AREA IT SEARCHES;**
- The appendix of your report contains a listing of sites that could not be mapped due to incomplete or erroneous address information or other mapping problems. This listing includes unmappable toxic sites in zip code areas within one mile of the target address as well as toxic sites without zip codes reported in the same county. **IF YOU WOULD LIKE INFORMATION ON ANY OF THE LISTED SITES, PLEASE CONTACT TOXICS TARGETING AND REFER TO THE SITE ID NUMBER.**
- Some toxic sites identified in your report may be classified as **known hazards**. Most of the toxic sites identified in your report involve **potential hazards** related to the on-site use, manufacture, handling, storage, transport or disposal of toxic chemicals. Some of the toxic sites identified in your report may be the addresses of parties responsible for toxic sites located elsewhere. **YOU SHOULD ONLY CONCLUDE THAT TOXIC HAZARDS ACTUALLY EXIST AT A SPECIFIC SITE WHEN GOVERNMENT AUTHORITIES MAKE THAT DETERMINATION OR WHEN THAT CONCLUSION IS FULLY DOCUMENTED BY THE FINDINGS OF AN APPROPRIATE SITE INVESTIGATION UNDERTAKEN BY LICENSED PROFESSIONALS;**
- Compass directions and distances are approximate. Compass directions are calculated from the subject property address to the mapped location of each identified toxic site. The compass direction does not necessarily refer to the closest property boundary of an identified toxic site. The compass direction also can vary substantially for toxic sites that are located very close to the subject property address.
- The information presented in your report is a summary of the information that *Toxics Targeting* obtains from government agencies on reported toxic sites. **YOU MAY BE ABLE TO OBTAIN ADDITIONAL INFORMATION ABOUT REPORTED SITES WITH THE FREEDOM OF INFORMATION REQUEST FORM LETTERS THAT ARE PROVIDED ON THE INSIDE OF THE BACK COVER.**

# Section One:

## Report Summary

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close up Map*

## NUMBER OF IDENTIFIED SITES BY DISTANCE INTERVAL

Database Searched	0 – 100 ft	100 ft – 1/8 mi	1/8 mi – 1/4 mi	1/4 mi – 1/2 mi	1/2 mi – 1 mi	Site Category Totals
<b>ASTM–Required 1 Mile Search</b>						
National Priority List (NPL) Sites	0	0	0	0	0	0
NYS Inactive Hazardous Waste Disposal Site Registry	0	0	0	0	7	7
NYS Inactive Haz Waste Disposal Site Registry Qualifying	0	0	0	0	5	5
RCRA Corrective Action (CORRACTS) Sites	0	0	0	0	3	3
<b>ASTM–Required 1/2 Mile Search</b>						
Delisted National Priority List (NPL) Sites	0	0	0	0	Not searched	0
CERCLIS Superfund Non–NFRAP Sites	0	0	0	0	Not searched	0
CERCLIS Superfund NFRAP Sites	0	0	0	0	Not searched	0
<b>Brownfields Sites</b>						
Voluntary Cleanup Program	0	0	0	0	Not searched	0
Environmental Restoration Program	0	0	0	0	Not searched	0
Brownfield Cleanup Program	0	0	0	0	Not searched	0
NYSDEC Solid Waste Facilities / Landfills	0	0	0	0	Not searched	0
RCRA Hazardous Waste Treatment, Storage, Disposal Sites	0	0	0	0	Not searched	0
<b>NYS Toxic Spills</b>						
Active Tank Failures	0	0	0	0	Not searched	0
Active Tank Test Failures	0	0	0	0	Not searched	0
Active Spills – Unknown / Other Causes	0	0	1	0	Not searched	1
Active Spills – Miscellaneous Causes	0	1	0	2	Not searched	3
Closed Tank Failures	0	0	0	2	Not searched	2
Closed Tank Test Failures	0	1	1	4	Not searched	6
Closed Spills – Unknown / Other Causes	1	6	10	20	Not searched	37
Closed Spills – Miscellaneous Causes	6	7	18	42	Not searched	73
<b>ASTM–Required Property &amp; Adjacent Property (1/4 Mile Search)</b>						
NYS Major Oil Storage Facilities	0	0	0	Not searched	Not searched	0
Local & State Petroleum Bulk Storage Sites	0	10	6	Not searched	Not searched	16
RCRA Hazardous Waste Generators & Transporters	0	3	4	Not searched	Not searched	7
NYS Chemical Bulk Storage Sites	0	0	0	Not searched	Not searched	0
Emergency Response Notification System (ERNS)	0	Not searched	Not searched	Not searched	Not searched	0
Institutional Controls / Engineering Controls (IC/EC)	See databases for NPL, CERCLIS, Inactive Hazardous Waste Disposal Site Registry and Brownfield Sites.					
<b>ASTM–Required Databases Distance Interval Totals</b>	<b>7</b>	<b>28</b>	<b>40</b>	<b>70</b>	<b>15</b>	<b>160</b>

NOTE: Table continues on next page.

**Non-ASTM Databases 1/2 Mile Search**

Hazardous Substance Waste Disposal Sites	0	0	0	0	Not searched	0
--	---	---	---	---	--------------	---

**Non-ASTM Databases 1/4 Mile Search**

Toxic Release Inventory Sites (TRI)	0	0	0	Not searched	Not searched	0
-------------------------------------	---	---	---	--------------	--------------	---

Permit Compliance System (PCS) Toxic Wastewater Discharges	0	1	0	Not searched	Not searched	1
--	---	---	---	--------------	--------------	---

Air Discharges	0	0	0	Not searched	Not searched	0
----------------	---	---	---	--------------	--------------	---

Civil & Administrative Enforcement Docket Facilities	0	0	0	Not searched	Not searched	0
--	---	---	---	--------------	--------------	---

---

<b>Non-ASTM Databases Distance Interval Totals</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>Not Searched</b>	<b>1</b>
--	----------	----------	----------	----------	---------------------	----------

---

<b><i>Distance Interval Totals</i></b>	<b>7</b>	<b>29</b>	<b>40</b>	<b>70</b>	<b>15</b>	<b>161</b>
--	----------	-----------	-----------	-----------	-----------	------------

# Identified Toxic Sites by Direction

## Pinelawn Industrial Park Wyandanch, NY 11798

\* Compass directions can vary substantially for sites located very close to the subject property address.

### Sites less than 100 feet from subject property sorted by distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
65	UNK	N 28TH STREET	0 feet	Closed Status Spill (Misc. Spill Cause)
66	LI RAILROAD ACCESS	LONG ISLAND AVENUE/SOUTH 28TH ST	62 feet to the ESE*	Closed Status Spill (Misc. Spill Cause)
28	ABANDONED S/S	LITTLE E NECK RD & LI AVE	66 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
67	METRO S/S	LITTLE E NECK RD/LI AVE	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
68	UNKNOWN	LITTLE EAST NECK ROAD	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
69	UNKNOWN	LITTLE EAST NECK ROAD/LI AVENUE	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
70	UNKNOWN	LONG ISLAND AVE & SO 34TH	66 feet to the SSE*	Closed Status Spill (Misc. Spill Cause)

### Sites between 100 ft and 660 ft from the subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
141	SCWA CIRCLE DR WELLFIELD	CIRCLE DR	137 feet to the N*	Petroleum Bulk Storage Site
74	MELENDEZ RESIDENCE	15 CIRCLE DRIVE	328 feet to the N	Closed Status Spill (Misc. Spill Cause)
34	WHALE OIL CO TRUCK	COLONIAL SPRINGS ROAD	658 feet to the N	Closed Status Spill (Unk/Other Cause)
154	ABC CLEANERS	34 COLONIAL SPRINGS ROAD	112 feet to the NNE*	Hazardous Waste Generator/Transporter
139	RAPID CLEANERS OF SUFFOLK	34 COLONIAL SPRINGS RD	131 feet to the NNE*	Petroleum Bulk Storage Site
140	ABC CLEANERS & TAILOR	34 COLONIAL SPRINGS RD	131 feet to the NNE*	Petroleum Bulk Storage Site
161	WHEATLEY HEIGHTS LAUNDROMAT	2B COLONIAL SPRINGS	177 feet to the NNE*	Wastewater Discharge Facility
144	WHEATLEY HEIGHTS LAUNDROMAT	2 B COLONIAL SPRINGS RD	216 feet to the NNE	Petroleum Bulk Storage Site
138	ARJ GAS & MART INC	4 COLONIAL SPRINGS RD	129 feet to the NE*	Petroleum Bulk Storage Site
142	WHEATLEY HEIGHTS POST OFFICE	6 COLONIAL SPRINGS RD	153 feet to the NE*	Petroleum Bulk Storage Site
22	USPO	COLONIAL SPRINGS ROAD	163 feet to the NE*	Closed Status Tank Test Failure
31	ROLAND NOWELL RESIDENCE	182 NORTH 27TH STREET	181 feet to the NE*	Closed Status Spill (Unk/Other Cause)
156	STAR ENTERPRISE	TEXACO S/S COLONIAL SPRINGS &	253 feet to the NE	Hazardous Waste Generator/Transporter
146	WADE ASSOCIATES INC	201 MAIN AVE	627 feet to the NE	Petroleum Bulk Storage Site
147	WADE ASSOC	201 MAIN AVE	627 feet to the NE	Petroleum Bulk Storage Site
32	UNKNOWN	153 NORTH 27TH STREET	320 feet to the ENE	Closed Status Spill (Unk/Other Cause)
73	GAINEY RESIDENCE	153 NORTH 27TH STREET	320 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
145	CONTINO BROS AUTO SPECIALISTS INC	154 LONG ISLAND AVE	413 feet to the E	Petroleum Bulk Storage Site
76	RESIDENTIAL/COUNTY PROPERTY	NEXT TO 135 NORTH 26TH ST	518 feet to the E	Closed Status Spill (Misc. Spill Cause)
77	UNKNOWN	LONG ISLAND AVE AT 26TH S	521 feet to the E	Closed Status Spill (Misc. Spill Cause)

33	UNKNOWN	139 NORTH 26TH STREET	593 feet to the E	Closed Status Spill (Unk/Other Cause)
75	RICHARDSON RESIDENCE	119 SO 28TH STREET	347 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
72	WEEDERBURH RESIDENCE	101 35TH STREET SOUTH	189 feet to the S*	Closed Status Spill (Misc. Spill Cause)
29	METRO RESOURCES	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
30	VALERO GAS STATION	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
71	COASTAL	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
143	VALERO S/S	10 LONG ISLAND AVE	179 feet to the SSW*	Petroleum Bulk Storage Site
155	SURAJ & BROTHERS CORPORATION	10 LONG ISLAND AVE	197 feet to the SSW*	Hazardous Waste Generator/Transporter
17	WILLIAMS RESIDENCE	168 RIDGE RD	501 feet to the NW	Active Haz Spill (Misc. Spill Cause)

### Sites equal to or greater than 660 ft from subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
151	H KAUFMAN CAMP GROUNDS	75 COLONIAL SPRINGS RD	1068 feet to the N	Petroleum Bulk Storage Site
23	HENRY KUFMAN CAMP GROUNDS	75 COLONIAL SPRINGS ROAD	1078 feet to the N	Closed Status Tank Test Failure
78	SPILL NUMBER 9506795	MAIN AVE & NO 25TH ST	767 feet to the NE	Closed Status Spill (Misc. Spill Cause)
47	UNKNOWN	IFO NO 22ND ST & MAIN AVENUE	1520 feet to the NE	Closed Status Spill (Unk/Other Cause)
48	UNKNOWN	MAIN AVENUE & CONKLIN	1520 feet to the NE	Closed Status Spill (Unk/Other Cause)
97	UNK	MAIN AVE & NO 22ND STREET	1520 feet to the NE	Closed Status Spill (Misc. Spill Cause)
98	HOLMES RESIDENCE	172 CONKLINS AVENUE	1546 feet to the NE	Closed Status Spill (Misc. Spill Cause)
51	PERALTA RESIDENCE	155 MAIN AVENUE	1698 feet to the NE	Closed Status Spill (Unk/Other Cause)
119	UNK	38 LEE AVENUE	2128 feet to the NE	Closed Status Spill (Misc. Spill Cause)
26	TAUKOMAS SCHOOL	31 LEE AVENUE	2395 feet to the NE	Closed Status Tank Test Failure
59	EARLY CHILDHOOD SCHOOL	31 LEE AVENUE	2395 feet to the NE	Closed Status Spill (Unk/Other Cause)
60	JAMES ALLEN ALTERNATIVE SCHOOL	31 LEE AVE/CONKLIN	2395 feet to the NE	Closed Status Spill (Unk/Other Cause)
81	BLOOM RESIDENCE	142 24TH STREET/WASHINGTON AVENUE	959 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
84	UNKNOWN	IFO 161 NORTH 24TH ST	1020 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
39	VACANT HOUSE	167 NORTH 24TH STREET	1088 feet to the ENE	Closed Status Spill (Unk/Other Cause)
90	ROSCOE BROWN RESIDENCE	140 NORTH 23RD STREET	1204 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
41	CASTRO RESIDENCE	152 NORTH 23RD STREET	1206 feet to the ENE	Closed Status Spill (Unk/Other Cause)
100	UNKNOWN	133 NORTH 22ND STREET	1591 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
52	PRUIT RESIDENCE	116 NORTH 21ST STREET	1703 feet to the ENE	Closed Status Spill (Unk/Other Cause)
104	SPILL NUMBER 9710230	118 NORTH 21ST STREET	1705 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
106	UNKNOWN	NORTH 21ST STREET/WASHINGTON	1769 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
53	CAROL WINTON RESIDENCE	143 NORTH 21ST STREET	1852 feet to the ENE	Closed Status Spill (Unk/Other Cause)
54	WINTONS RESIDENCE	143 NO 21ST STREET	1852 feet to the ENE	Closed Status Spill (Unk/Other Cause)
56	KAREEM RESIDENCE	134 NORTH 20TH STREET	1943 feet to the ENE	Closed Status Spill (Unk/Other Cause)
123	PIERRE RESIDENCE	105 NORTH 19TH STREET	2341 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
128	RESIDENCE	92 NORTH 18TH STREET	2469 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
132	RESIDENCE	97 NORTH 18TH STREET	2592 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
157	SUFFOLK COUNTY ENGINE CO	181 LONG ISLAND AVE	821 feet to the E	Hazardous Waste Generator/Transporter
79	UNKNOWN	188 LONG ISLAND AVENUE	914 feet to the E	Closed Status Spill (Misc. Spill Cause)

80	WYANDANCH ENGINE REBUILDE	188 LONG ISLAND AVENUE	914 feet to the E	Closed Status Spill (Misc. Spill Cause)
159	D ENGINE REBUILDERS INC	188 LONG ISLAND AVE	923 feet to the E	Hazardous Waste Generator/Transporter
160	AMERICAN ENVIRONMENTAL ASSESSMENT CORP	188 LONG ISLAND AVE	923 feet to the E	Hazardous Waste Generator/Transporter
149	LONG ISLAND ENGINE INSTALL. CO	188 LONG ISLAND AVE	937 feet to the E	Petroleum Bulk Storage Site
150	AMERICAN ENVIRONMENTAL ASSESSMENT	188 LONG ISLAND AVE	937 feet to the E	Petroleum Bulk Storage Site
85	UNK	LONG ISLAND AVE & S 24TH	1029 feet to the E	Closed Status Spill (Misc. Spill Cause)
152	ROEVER ASSOCIATES INC	200 LONG ISLAND AVE	1180 feet to the E	Petroleum Bulk Storage Site
91	RESIDENCE	64 GARDEN CITY AVENUE	1272 feet to the E	Closed Status Spill (Misc. Spill Cause)
92	UNK	MERRIT AVE & 23RD STREET	1272 feet to the E	Closed Status Spill (Misc. Spill Cause)
45	UNKNOWN	96 NORTH 22ND STREET	1478 feet to the E	Closed Status Spill (Unk/Other Cause)
46	VAVAL RESIDENCE	96 NORTH 22ND STREET	1478 feet to the E	Closed Status Spill (Unk/Other Cause)
49	MCGEE RESIDENCE	99 NORTH 22ND STREET	1610 feet to the E	Closed Status Spill (Unk/Other Cause)
111	COWAN SYSTEMS	263 MERRIT AVENUE	1969 feet to the E	Closed Status Spill (Misc. Spill Cause)
112	COMBINED CONTAINER INDUSTRY	263 MERRITT AVENUE	1969 feet to the E	Closed Status Spill (Misc. Spill Cause)
116	WYANDANCH FIRE DEPT	LONG ISLAND AVE & SOUTH 20TH STREET	2032 feet to the E	Closed Status Spill (Misc. Spill Cause)
118	LILCO	265 MERIT AVENUE	2067 feet to the E	Closed Status Spill (Misc. Spill Cause)
121	VACANT HOUSE	32 GARDEN CITY AVENUE	2192 feet to the E	Closed Status Spill (Misc. Spill Cause)
126	INDUSTRIAL BLDG	271 MERRITT AVE	2439 feet to the E	Closed Status Spill (Misc. Spill Cause)
61	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E	Closed Status Spill (Unk/Other Cause)
127	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E	Closed Status Spill (Misc. Spill Cause)
129	RAILROAD TRACKS	NORTH 18TH ST/LONG ISLAND AVE	2517 feet to the E	Closed Status Spill (Misc. Spill Cause)
63	UNK	LONG ISLAND AVE/SOUTH 18TH	2528 feet to the E	Closed Status Spill (Unk/Other Cause)
27	CONSERVATIVE GAS	18TH STREET & MERIT ROAD	2529 feet to the E	Closed Status Tank Test Failure
64	CONSERVATIVE LP GAS	18TH ST & MERRITT AVENUE	2529 feet to the E	Closed Status Spill (Unk/Other Cause)
136	RICARD NOMEIO RESIDENCE	16 SOUTH 18TH STREET	2609 feet to the E	Closed Status Spill (Misc. Spill Cause)
137	WOLFGANG	43 SOUTH 18TH STREET	2620 feet to the E	Closed Status Spill (Misc. Spill Cause)
1	37 COMMONWEALTH DRIVE	37 COMMONWEALTH DRIVE	3724 feet to the E	NYSDEC Inactive Haz Waste Disposal Site
37	RESIDENCE	96 SOUTH 27TH STREET	966 feet to the ESE	Closed Status Spill (Unk/Other Cause)
18	RESIDENCE	71 SOUTH 23RD ST	1560 feet to the ESE	Active Haz Spill (Misc. Spill Cause)
102	WILSON RESIDENCE	48 JAMAICA AVENUE	1657 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
21	RUSSELL RESIDENCE	66 SOUTH 25TH STREET	1872 feet to the ESE	Closed Status Tank Failure
58	FENWYK RESIDENCE	32 SOUTH 22ND STREET	2121 feet to the ESE	Closed Status Spill (Unk/Other Cause)
122	RESIDENCE	41 SOUTH 21ST STREET	2198 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
130	WYANDANCH LIBRARY	14 SOUTH 20TH STREET	2541 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
131	PUBLIC LIBRARY	14 SOUTH 20TH	2541 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
38	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE	Closed Status Spill (Unk/Other Cause)
82	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE	Closed Status Spill (Misc. Spill Cause)
83	RESIDENCE	95 B SOUTH 31 STREET	1017 feet to the SE	Closed Status Spill (Misc. Spill Cause)
87	EPPS RESIDENCE	87 SOUTH 30TH STREET	1075 feet to the SE	Closed Status Spill (Misc. Spill Cause)
89	SMITH RESIDENCE	89 SOUTH 31ST STREET	1160 feet to the SE	Closed Status Spill (Misc. Spill Cause)
94	RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE	Closed Status Spill (Misc. Spill Cause)
95	USHER RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE	Closed Status Spill (Misc. Spill Cause)
44	RESIDENCE	93 JAMAICA AVENUE	1293 feet to the SE	Closed Status Spill (Unk/Other Cause)
96	CRAWFORD RESIDENCE	68 JAMAICA AVENUE	1441 feet to the SE	Closed Status Spill (Misc. Spill Cause)
99	LANIER RESIDENCE	75 S 29TH STREET	1554 feet to the SE	Closed Status Spill (Misc. Spill Cause)
101	SAUNDERS RESIDENCE	69 SOUTH 27TH STREET	1627 feet to the SE	Closed Status Spill (Misc. Spill Cause)
105	BAYNES RESIDENCE	65 SOUTH 28TH STREET	1747 feet to the SE	Closed Status Spill (Misc. Spill Cause)
108	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE	Closed Status Spill (Misc. Spill Cause)
109	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE	Closed Status Spill (Misc. Spill Cause)
57	PETITFRERE RESIDENCE	58 SOUTH 27TH STREET	1970 feet to the SE	Closed Status Spill (Unk/Other Cause)
113	BACCUS RESIDENCE	56 SOUTH 28TH	1985 feet to the SE	Closed Status Spill (Misc. Spill Cause)

114	BACCHUS RESIDENCE	56 SOUTH 28TH STREET	1985 feet to the SE	Closed Status Spill (Misc. Spill Cause)
115	HERNANDEZ RESIDENCE	51 SOUTH 30TH STREET	2012 feet to the SE	Closed Status Spill (Misc. Spill Cause)
117	RESIDENCE	52 SOUTH 28TH STREET	2058 feet to the SE	Closed Status Spill (Misc. Spill Cause)
62	KIMBROUGH RESIDENCE	34 SOUTH 27TH STREET	2507 feet to the SE	Closed Status Spill (Unk/Other Cause)
2	RON LYN, INC.	1357 STRAIGHT PATH	3895 feet to the SE	NYSDEC Inactive Haz Waste Disposal Site
24	WYANDANCH HIGH SCHOOL	36 GARDEN CITY ONE	1642 feet to the SSE	Closed Status Tank Test Failure
25	WYANDANCH HIGH SCHOOL	32ND STREET	1642 feet to the SSE	Closed Status Tank Test Failure
50	WYANDANCH MEMORIAL HS	54 SOUTH 32ND STREET	1642 feet to the SSE	Closed Status Spill (Unk/Other Cause)
107	TENANT RESIDENCE	28 SOUTH 34TH STREET	1846 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
120	RESIDENCE	81 BROOKLYN AVENUE	2139 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
124	UNKNOWN	41 SOUTH 31ST STREET	2401 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
133	RUDY STEAN RESIDENCE	30 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
134	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
135	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
12	SOUTH NANCY STREET	SOUTH NANCY STREET	5207 feet to the SSE	NYSDEC Inactive Haz Waste Registry Qual.
35	MILTON L OLIVEMIDDLE SCH	140 GARDEN CITY AVENUE	846 feet to the S	Closed Status Spill (Unk/Other Cause)
36	UNKNOWN	140 GARDEN CITY AVENUE	846 feet to the S	Closed Status Spill (Unk/Other Cause)
148	MILTON OLIVE JR HIGH SCHOOL	140 GARDEN CITY AVE	855 feet to the S	Petroleum Bulk Storage Site
158	MIDDLE OLIVE MIDDLE SCHOOL	140 GARDEN CITY AVENUE	884 feet to the S	Hazardous Waste Generator/Transporter
4	PRIDE SOLVENTS AND CHEMICAL CO.	78-88 LAMAR STREET	4379 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
5	BABYLON PLUME TRACKING	LAMARR STREET	4393 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
13	NYSDEC (PRIDE SOLVENTS & CHEMICAL CO INC)	78-88 LAMAR ST	4443 feet to the S	RCRA Corrective Action Site
6	MIDDLE KEAN STREET SITE	75 KEAN STREET	4543 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
7	MID KEAN STREET SITE	KEAN ST.	4852 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
8	RICHARD MANNO AND COMPANY	42 LAMAR STREET	5130 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
9	RICHARD MANNO AND COMPANY	42 LAMAR STREET	5134 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
10	SOUTH LAMAR STREET SITE	SOUTH LAMAR STREET	5183 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
11	SOUTH MAHAN STREET SITE	SOUTH MAHAN STREET	5199 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
3	BABYLON LANDFILL	GLEAM STREET	4091 feet to the SSW	NYSDEC Inactive Haz Waste Disposal Site
14	LAWRENCE RIPAK CO	400 PATTON AVE	5233 feet to the SSW	RCRA Corrective Action Site
15	LAWRENCE RIPAK CO INC	400 PATTON AVENUE	5240 feet to the SSW	RCRA Corrective Action Site
153	COLONIAL SPRINGS GOLF COURSE	1 LONG ISLAND AVE	1221 feet to the SW	Petroleum Bulk Storage Site
16	RESIDENCE	127 RIDGE ROAD	679 feet to the WNW	Active Haz Spill (Unknown/Other Cause)
88	WEBB RESIDENCE	19 HOMESTEAD DRIVE	1103 feet to the NW	Closed Status Spill (Misc. Spill Cause)
42	MCDERMOTT RESIDENCE	41 BRIARWOOD ROAD	1252 feet to the NW	Closed Status Spill (Unk/Other Cause)
43	INGNESE RESIDENCE	22 HOMESTEAD DRIVE	1260 feet to the NW	Closed Status Spill (Unk/Other Cause)
93	GRAHAM RESIDENCE	33 BROOKWOOD DRIVE	1273 feet to the NW	Closed Status Spill (Misc. Spill Cause)
103	DESMONDE RESIDENCE	9 BROOKWOOD DRIVE	1663 feet to the NW	Closed Status Spill (Misc. Spill Cause)
20	CHAKMAKIAN RESIDENCE	10 BURNDAL COURT	1668 feet to the NW	Closed Status Tank Failure
110	NICKNAM RESIDENCE	2 NORWOOD PLACE	1866 feet to the NW	Closed Status Spill (Misc. Spill Cause)
55	LILCO	CLEARVIEW ST & BRIARWOOD	1919 feet to the NW	Closed Status Spill (Unk/Other Cause)
19	HARMON RESIDENCE	6 NORWOOD PLACE	1960 feet to the NW	Active Haz Spill (Misc. Spill Cause)
125	BOGGS RESIDENCE	36 CLEARVIEW DRIVE	2401 feet to the NW	Closed Status Spill (Misc. Spill Cause)
86	CHANDLER RESIDENCE	14 FOXWOOD DRIVE	1038 feet to the NNW	Closed Status Spill (Misc. Spill Cause)
40	RESIDENCE	10 FOXWOOD DRIVE	1095 feet to the NNW	Closed Status Spill (Unk/Other Cause)

# Identified Toxic Sites by Category

## Pinelawn Industrial Park Wyandanch, NY 11798

\* Compass directions can vary substantially for sites located very close to the subject property address.

<b>NYSDEC Inactive Haz. Waste Disposal Site Registry --- Total Sites - 7</b>				<b>Database searched at 1 MILE - ASTM required search distance: 1 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
1	152195	37 COMMONWEALTH DRIVE	37 COMMONWEALTH DRIVE	3724 feet to the E	
2	152112	RON LYN, INC.	1357 STRAIGHT PATH	3895 feet to the SE	
3	152039	BABYLON LANDFILL	GLEAM STREET	4091 feet to the SSW	
4	152025	PRIDE SOLVENTS AND CHEMICAL CO.	78-88 LAMAR STREET	4379 feet to the S	
5	152131	BABYLON PLUME TRACKING	LAMARR STREET	4393 feet to the S	
6	152143	MIDDLE KEAN STREET SITE	75 KEAN STREET	4543 feet to the S	
9	152171	RICHARD MANNO AND COMPANY	42 LAMAR STREET	5134 feet to the S	
<b>Inactive Haz. Waste Disposal Site Registry Qualifying --- Total Sites - 5</b>				<b>Database searched at 1 MILE - ASTM required search distance: 1 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
7		MID KEAN STREET SITE	KEAN ST.	4852 feet to the S	
8		RICHARD MANNO AND COMPANY	42 LAMAR STREET	5130 feet to the S	
10		SOUTH LAMAR STREET SITE	SOUTH LAMAR STREET	5183 feet to the S	
11		SOUTH MAHAN STREET SITE	SOUTH MAHAN STREET	5199 feet to the S	
12		SOUTH NANCY STREET	SOUTH NANCY STREET	5207 feet to the SSE	
<b>RCRA Corrective Action Sites --- Total Sites - 3</b>				<b>Database searched at 1 MILE - ASTM required search distance: 1 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
13	NYD057722258	NYSDEC (PRIDE SOLVENTS & CHEMICAL CO INC)	78-88 LAMAR ST	4443 feet to the S	
14	NYD064730294	LAWRENCE RIPAK CO	400 PATTON AVE	5233 feet to the SSW	
15	152236	LAWRENCE RIPAK CO INC	400 PATTON AVENUE	5240 feet to the SSW	
<b>Active Haz Spills (Unknown Causes &amp; Other Causes) --- Total Sites - 1</b>				<b>Database searched at 1/2 MILE - ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
16	2003122	RESIDENCE	127 RIDGE ROAD	679 feet to the WNW	
<b>Active Haz Spills (Miscellaneous Spill Causes) --- Total Sites - 3</b>				<b>Database searched at 1/2 MILE - ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
17	2005523	WILLIAMS RESIDENCE	168 RIDGE RD	501 feet to the NW	
18	2005625	RESIDENCE	71 SOUTH 23RD ST	1560 feet to the ESE	
19	1911068	HARMON RESIDENCE	6 NORWOOD PLACE	1960 feet to the NW	
<b>Closed Status Tank Failures --- Total Sites - 2</b>				<b>Database searched at 1/2 MILE - ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
20	9413125	CHAKMAKIAN RESIDENCE	10 BURNDALE COURT	1668 feet to the NW	
21	0409811	RUSSELL RESIDENCE	66 SOUTH 25TH STREET	1872 feet to the ESE	
<b>Closed Status Tank Test Failures --- Total Sites - 6</b>				<b>Database searched at 1/2 MILE - ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION	
22	9007216	USPO	COLONIAL SPRINGS ROAD	163 feet to the NE*	
23	9712235	HENRY KUFMAN CAMP GROUNDS	75 COLONIAL SPRINGS ROAD	1078 feet to the N	
24	0409137	WYANDANCH HIGH SCHOOL	36 GARDEN CITY ONE	1642 feet to the SSE	
25	0407679	WYANDANCH HIGH SCHOOL	32ND STREET	1642 feet to the SSE	
26	9703844	TAUKOMAS SCHOOL	31 LEE AVENUE	2395 feet to the NE	
27	8600205	CONSERVATIVE GAS	18TH STREET & MERIT ROAD	2529 feet to the E	

**Closed Status Spills (Unknown Causes & Other Causes) --- Total Sites -- 37 Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile**

MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
28	9410271	ABANDONED S/S	LITTLE E NECK RD & LI AVE	66 feet to the SSW*
29	8805449	METRO RESOURCES	10 LONG ISLAND AVENUE	171 feet to the SSW*
30	0409467	VALERO GAS STATION	10 LONG ISLAND AVENUE	171 feet to the SSW*
31	9415650	ROLAND NOWELL RESIDENCE	182 NORTH 27TH STREET	181 feet to the NE*
32	0002918	UNKNOWN	153 NORTH 27TH STREET	320 feet to the ENE
33	0609241	UNKNOWN	139 NORTH 26TH STREET	593 feet to the E
34	8601467	WHALE OIL CO TRUCK	COLONIAL SPRINGS ROAD	658 feet to the N
35	0325081	MILTON L OLIVEMIDDLE SCH	140 GARDEN CITY AVENUE	846 feet to the S
36	0301588	UNKNOWN	140 GARDEN CITY AVENUE	846 feet to the S
37	9815175	RESIDENCE	96 SOUTH 27TH STREET	966 feet to the ESE
38	0000017	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE
39	9913663	VACANT HOUSE	167 NORTH 24TH STREET	1088 feet to the ENE
40	1011276	RESIDENCE	10 FOXWOOD DRIVE	1095 feet to the NNW
41	0613475	CASTRO RESIDENCE	152 NORTH 23RD STREET	1206 feet to the ENE
42	0009602	MCDERMOTT RESIDENCE	41 BRIARWOOD ROAD	1252 feet to the NW
43	9306215	INGNESE RESIDENCE	22 HOMESTEAD DRIVE	1260 feet to the NW
44	0413548	RESIDENCE	93 JAMAICA AVENUE	1293 feet to the SE
45	9706203	UNKNOWN	96 NORTH 22ND STREET	1478 feet to the E
46	9706201	VAVAL RESIDENCE	96 NORTH 22ND STREET	1478 feet to the E
47	9412641	UNKNOWN	IFO NO 22ND ST & MAIN AVENUE	1520 feet to the NE
48	8908277	UNKNOWN	MAIN AVENUE & CONKLIN	1520 feet to the NE
49	0612612	MCGEE RESIDENCE	99 NORTH 22ND STREET	1610 feet to the E
50	0325071	WYANDANCH MEMORIAL HS	54 SOUTH 32ND STREET	1642 feet to the SSE
51	0300488	PERALTA RESIDENCE	155 MAIN AVENUE	1698 feet to the NE
52	9512738	PRUIT RESIDENCE	116 NORTH 21ST STREET	1703 feet to the ENE
53	9112405	CAROL WINTON RESIDENCE	143 NORTH 21ST STREET	1852 feet to the ENE
54	9112244	WINTONS RESIDENCE	143 NO 21ST STREET	1852 feet to the ENE
55	9207243	LILCO	CLEARVIEW ST & BRIARWOOD	1919 feet to the NW
56	9400768	KAREEM RESIDENCE	134 NORTH 20TH STREET	1943 feet to the ENE
57	9314126	PETITFRERE RESIDENCE	58 SOUTH 27TH STREET	1970 feet to the SE
58	0109795	FENWYK RESIDENCE	32 SOUTH 22ND STREET	2121 feet to the ESE
59	9102892	EARLY CHILDHOOD SCHOOL	31 LEE AVENUE	2395 feet to the NE
60	0704428	JAMES ALLEN ALTERNATIVE SCHOOL	31 LEE AVE/CONKLIN	2395 feet to the NE
61	9805698	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E
62	0510908	KIMBROUGH RESIDENCE	34 SOUTH 27TH STREET	2507 feet to the SE
63	8904472	UNK	LONG ISLAND AVE/SOUTH 18TH	2528 feet to the E
64	9005446	CONSERVATIVE LP GAS	18TH ST & MERRITT AVENUE	2529 feet to the E

**Closed Status Spills (Miscellaneous Spill Causes) --- Total Sites -- 73 Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile**

MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
65	9211191	UNK	N 28TH STREET	0 feet
66	0502176	LI RAILROAD ACCESS	LONG ISLAND AVENUE/SOUTH 28TH ST	62 feet to the ESE*
67	9402968	METRO S/S	LITTLE E NECK RD/LI AVE	66 feet to the SSW*
68	0100149	UNKNOWN	LITTLE EAST NECK ROAD	66 feet to the SSW*
69	0013614	UNKNOWN	LITTLE EAST NECK ROAD/LI AVENUE	66 feet to the SSW*
70	9002511	UNKNOWN	LONG ISLAND AVE & SO 34TH	66 feet to the SSE*
71	9810054	COASTAL	10 LONG ISLAND AVENUE	171 feet to the SSW*
72	1908022	WEEDERBURH RESIDENCE	101 35TH STREET SOUTH	189 feet to the S*
73	0002766	GAINNEY RESIDENCE	153 NORTH 27TH STREET	320 feet to the ENE
74	1511972	MELENDEZ RESIDENCE	15 CIRCLE DRIVE	328 feet to the N

75	9209040	RICHARDSON RESIDENCE	119 SO 28TH STREET	347 feet to the ESE
76	2004985	RESIDENTIAL/COUNTY PROPERTY	NEXT TO 135 NORTH 26TH ST	518 feet to the E
77	0703403	UNKNOWN	LONG ISLAND AVE AT 26TH S	521 feet to the E
78	9506795	SPILL NUMBER 9506795	MAIN AVE & NO 25TH ST	767 feet to the NE
79	9709590	UNKNOWN	188 LONG ISLAND AVENUE	914 feet to the E
80	9512974	WYANDANCH ENGINE REBUILDE	188 LONG ISLAND AVENUE	914 feet to the E
81	9111655	BLOOM RESIDENCE	142 24TH STREET/WASHINGTON AVENUE	959 feet to the ENE
82	0300708	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE
83	0811449	RESIDENCE	95 B SOUTH 31 STREET	1017 feet to the SE
84	9801868	UNKNOWN	IFO 161 NORTH 24TH ST	1020 feet to the ENE
85	9002369	UNK	LONG ISLAND AVE & S 24TH	1029 feet to the E
86	0110937	CHANDLER RESIDENCE	14 FOXWOOD DRIVE	1038 feet to the NNW
87	1610829	EPPS RESIDENCE	87 SOUTH 30TH STREET	1075 feet to the SE
88	1409049	WEBB RESIDENCE	19 HOMESTEAD DRIVE	1103 feet to the NW
89	1301604	SMITH RESIDENCE	89 SOUTH 31ST STREET	1160 feet to the SE
90	9213613	ROSCOE BROWN RESIDENCE	140 NORTH 23RD STREET	1204 feet to the ENE
91	1505974	RESIDENCE	64 GARDEN CITY AVENUE	1272 feet to the E
92	9606578	UNK	MERRIT AVE & 23RD STREET	1272 feet to the E
93	0400786	GRAHAM RESIDENCE	33 BROOKWOOD DRIVE	1273 feet to the NW
94	9711421	RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE
95	9609387	USHER RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE
96	1710098	CRAWFORD RESIDENCE	68 JAMAICA AVENUE	1441 feet to the SE
97	9412489	UNK	MAIN AVE & NO 22ND STREET	1520 feet to the NE
98	0806350	HOLMES RESIDENCE	172 CONKLINS AVENUE	1546 feet to the NE
99	1902291	LANIER RESIDENCE	75 S 29TH STREET	1554 feet to the SE
100	2004105	UNKNOWN	133 NORTH 22ND STREET	1591 feet to the ENE
101	1606969	SAUNDERS RESIDENCE	69 SOUTH 27TH STREET	1627 feet to the SE
102	1412125	WILSON RESIDENCE	48 JAMAICA AVENUE	1657 feet to the ESE
103	9409618	DESMONDE RESIDENCE	9 BROOKWOOD DRIVE	1663 feet to the NW
104	9710230	SPILL NUMBER 9710230	118 NORTH 21ST STREET	1705 feet to the ENE
105	9710413	BAYNES RESIDENCE	65 SOUTH 28TH STREET	1747 feet to the SE
106	9000210	UNKNOWN	NORTH 21ST STREET/WASHINGTON	1769 feet to the ENE
107	9408576	TENANT RESIDENCE	28 SOUTH 34TH STREET	1846 feet to the SSE
108	1911617	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE
109	0303534	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE
110	0512987	NICKNAM RESIDENCE	2 NORWOOD PLACE	1866 feet to the NW
111	1906745	COWAN SYSTEMS	263 MERRIT AVENUE	1969 feet to the E
112	1007266	COMBINED CONTAINER INDUSTRY	263 MERRITT AVENUE	1969 feet to the E
113	1903164	BACCUS RESIDENCE	56 SOUTH 28TH	1985 feet to the SE
114	1902985	BACCHUS RESIDENCE	56 SOUTH 28TH STREET	1985 feet to the SE
115	9613190	HERNANDEZ RESIDENCE	51 SOUTH 30TH STREET	2012 feet to the SE
116	8905529	WYANDANCH FIRE DEPT	LONG ISLAND AVE & SOUTH 20TH STREET	2032 feet to the E
117	1204788	RESIDENCE	52 SOUTH 28TH STREET	2058 feet to the SE
118	9103957	LILCO	265 MERIT AVENUE	2067 feet to the E
119	9103631	UNK	38 LEE AVENUE	2128 feet to the NE
120	9505249	RESIDENCE	81 BROOKLYN AVENUE	2139 feet to the SSE
121	9912996	VACANT HOUSE	32 GARDEN CITY AVENUE	2192 feet to the E
122	9806860	RESIDENCE	41 SOUTH 21ST STREET	2198 feet to the ESE
123	9301457	PIERRE RESIDENCE	105 NORTH 19TH STREET	2341 feet to the ENE
124	9925101	UNKNOWN	41 SOUTH 31ST STREET	2401 feet to the SSE
125	9511970	BOGGS RESIDENCE	36 CLEARVIEW DRIVE	2401 feet to the NW
126	1806296	INDUSTRIAL BLDG	271 MERRITT AVE	2439 feet to the E
127	9700191	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E

128	0900570	RESIDENCE	92 NORTH 18TH STREET	2469 feet to the ENE
129	1112682	RAILROAD TRACKS	NORTH 18TH ST/LONG ISLAND AVE	2517 feet to the E
130	0812362	WYANDANCH LIBRARY	14 SOUTH 20TH STREET	2541 feet to the ESE
131	0801347	PUBLIC LIBRARY	14 SOUTH 20TH	2541 feet to the ESE
132	0813008	RESIDENCE	97 NORTH 18TH STREET	2592 feet to the ENE
133	9504060	RUDY STEAN RESIDENCE	30 30TH STREET	2598 feet to the SSE
134	0403009	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE
135	0402723	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE
136	9001083	RICARD NOMEIO RESIDENCE	16 SOUTH 18TH STREET	2609 feet to the E
137	8905456	WOLFGANG	43 SOUTH 18TH STREET	2620 feet to the E

**Petroleum Bulk Storage Sites --- Total Sites - 16**

MAP ID	FACILITY ID	FACILITY NAME
138	NYSF00509	ARJ GAS & MART INC
139	NYSF01600	RAPID CLEANERS OF SUFFOLK
140	NYSF02897	ABC CLEANERS & TAILOR
141	NYSF02341	SCWA CIRCLE DR WELLFIELD
142	NYSF00546	WHEATLEY HEIGHTS POST OFFICE
143	NYSF02627	VALERO S/S
144	NYSF00930	WHEATLEY HEIGHTS LAUNDROMAT
145	NYSF00613	CONTINO BROS AUTO SPECIALISTS INC
146	NYSF17326	WADE ASSOCIATES INC
147	NYSF17394	WADE ASSOC
148	NYSF02612	MILTON OLIVE JR HIGH SCHOOL
149	NYSF01362	LONG ISLAND ENGINE INSTALL. CO
150	NYSF01538	AMERICAN ENVIRONMENTAL ASSESSMENT
151	NYSF02804	H KAUFMAN CAMP GROUNDS
152	NYSF02560	ROEVER ASSOCIATES INC
153	NYSF00855	COLONIAL SPRINGS GOLF COURSE

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
4 COLONIAL SPRINGS RD	129 feet to the NE*
34 COLONIAL SPRINGS RD	131 feet to the NNE*
34 COLONIAL SPRINGS RD	131 feet to the NNE*
CIRCLE DR	137 feet to the N*
6 COLONIAL SPRINGS RD	153 feet to the NE*
10 LONG ISLAND AVE	179 feet to the SSW*
2 B COLONIAL SPRINGS RD	216 feet to the NNE
154 LONG ISLAND AVE	413 feet to the E
201 MAIN AVE	627 feet to the NE
201 MAIN AVE	627 feet to the NE
140 GARDEN CITY AVE	855 feet to the S
188 LONG ISLAND AVE	937 feet to the E
188 LONG ISLAND AVE	937 feet to the E
75 COLONIAL SPRINGS RD	1068 feet to the N
200 LONG ISLAND AVE	1180 feet to the E
1 LONG ISLAND AVE	1221 feet to the SW

**Hazardous Waste Generators, Transporters --- Total Sites - 7**

MAP ID	FACILITY ID	FACILITY NAME
154	NYD980785323	ABC CLEANERS
155	NYR000178921	SURAJ & BROTHERS CORPORATION
156	NYD982793002	STAR ENTERPRISE
157	NYD061965901	SUFFOLK COUNTY ENGINE CO
158	NYR000000315	MIDDLE OLIVE MIDDLE SCHOOL
159	NYD061965901	D ENGINE REBUILDERS INC
160	NYR000044412	AMERICAN ENVIRONMENTAL ASSESSMENT CORP

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
34 COLONIAL SPRINGS ROAD	112 feet to the NNE*
10 LONG ISLAND AVE	197 feet to the SSW*
TEXACO S/S COLONIAL SPRINGS &	253 feet to the NE
181 LONG ISLAND AVE	821 feet to the E
140 GARDEN CITY AVENUE	884 feet to the S
188 LONG ISLAND AVE	923 feet to the E
188 LONG ISLAND AVE	923 feet to the E

**Wastewater Discharge Facilities --- Total Sites - 1**

MAP ID	FACILITY ID	FACILITY NAME
161	NY0222283	WHEATLEY HEIGHTS LAUNDROMAT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET	DISTANCE & DIRECTION
2B COLONIAL SPRINGS	177 feet to the NNE*

# Identified Toxic Sites by Proximity

## Pinelawn Industrial Park, Wyandanch, NY 11798

\* Compass directions can vary substantially for sites located very close to the subject property address.

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
65	UNK	N 28TH STREET	0 feet	Closed Status Spill (Misc. Spill Cause)
66	LI RAILROAD ACCESS	LONG ISLAND AVENUE/SOUTH 28TH ST	62 feet to the ESE*	Closed Status Spill (Misc. Spill Cause)
28	ABANDONED S/S	LITTLE E NECK RD & LI AVE	66 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
67	METRO S/S	LITTLE E NECK RD/LI AVE	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
68	UNKNOWN	LITTLE EAST NECK ROAD	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
69	UNKNOWN	LITTLE EAST NECK ROAD/LI AVENUE	66 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
70	UNKNOWN	LONG ISLAND AVE & SO 34TH	66 feet to the SSE*	Closed Status Spill (Misc. Spill Cause)
154	ABC CLEANERS	34 COLONIAL SPRINGS ROAD	112 feet to the NNE*	Hazardous Waste Generator/Transporter
138	ARJ GAS & MART INC	4 COLONIAL SPRINGS RD	129 feet to the NE*	Petroleum Bulk Storage Site
139	RAPID CLEANERS OF SUFFOLK	34 COLONIAL SPRINGS RD	131 feet to the NNE*	Petroleum Bulk Storage Site
140	ABC CLEANERS & TAILOR	34 COLONIAL SPRINGS RD	131 feet to the NNE*	Petroleum Bulk Storage Site
141	SCWA CIRCLE DR WELLFIELD	CIRCLE DR	137 feet to the N*	Petroleum Bulk Storage Site
142	WHEATLEY HEIGHTS POST OFFICE	6 COLONIAL SPRINGS RD	153 feet to the NE*	Petroleum Bulk Storage Site
22	USPO	COLONIAL SPRINGS ROAD	163 feet to the NE*	Closed Status Tank Test Failure
29	METRO RESOURCES	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
30	VALERO GAS STATION	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Unk/Other Cause)
71	COASTAL	10 LONG ISLAND AVENUE	171 feet to the SSW*	Closed Status Spill (Misc. Spill Cause)
161	WHEATLEY HEIGHTS LAUNDROMAT	2B COLONIAL SPRINGS	177 feet to the NNE*	Wastewater Discharge Facility
143	VALERO S/S	10 LONG ISLAND AVE	179 feet to the SSW*	Petroleum Bulk Storage Site
31	ROLAND NOWELL RESIDENCE	182 NORTH 27TH STREET	181 feet to the NE*	Closed Status Spill (Unk/Other Cause)
72	WEEDERBURH RESIDENCE	101 35TH STREET SOUTH	189 feet to the S*	Closed Status Spill (Misc. Spill Cause)
155	SURAJ & BROTHERS CORPORATION	10 LONG ISLAND AVE	197 feet to the SSW*	Hazardous Waste Generator/Transporter
144	WHEATLEY HEIGHTS LAUNDROMAT	2 B COLONIAL SPRINGS RD	216 feet to the NNE	Petroleum Bulk Storage Site
156	STAR ENTERPRISE	TEXACO S/S COLONIAL SPRINGS &	253 feet to the NE	Hazardous Waste Generator/Transporter
32	UNKNOWN	153 NORTH 27TH STREET	320 feet to the ENE	Closed Status Spill (Unk/Other Cause)
73	GAINNEY RESIDENCE	153 NORTH 27TH STREET	320 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
74	MELENDEZ RESIDENCE	15 CIRCLE DRIVE	328 feet to the N	Closed Status Spill (Misc. Spill Cause)
75	RICHARDSON RESIDENCE	119 SO 28TH STREET	347 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
145	CONTINO BROS AUTO SPECIALISTS INC	154 LONG ISLAND AVE	413 feet to the E	Petroleum Bulk Storage Site
17	WILLIAMS RESIDENCE	168 RIDGE RD	501 feet to the NW	Active Haz Spill (Misc. Spill Cause)
76	RESIDENTIAL/COUNTY PROPERTY	NEXT TO 135 NORTH 26TH ST	518 feet to the E	Closed Status Spill (Misc. Spill Cause)
77	UNKNOWN	LONG ISLAND AVE AT 26TH S	521 feet to the E	Closed Status Spill (Misc. Spill Cause)
33	UNKNOWN	139 NORTH 26TH STREET	593 feet to the E	Closed Status Spill (Unk/Other Cause)
146	WADE ASSOCIATES INC	201 MAIN AVE	627 feet to the NE	Petroleum Bulk Storage Site
147	WADE ASSOC	201 MAIN AVE	627 feet to the NE	Petroleum Bulk Storage Site
34	WHALE OIL CO TRUCK	COLONIAL SPRINGS ROAD	658 feet to the N	Closed Status Spill (Unk/Other Cause)
16	RESIDENCE	127 RIDGE ROAD	679 feet to the WNW	Active Haz Spill (Unknown/Other Cause)
78	SPILL NUMBER 9506795	MAIN AVE & NO 25TH ST	767 feet to the NE	Closed Status Spill (Misc. Spill Cause)
157	SUFFOLK COUNTY ENGINE CO	181 LONG ISLAND AVE	821 feet to the E	Hazardous Waste Generator/Transporter
35	MILTON L OLIVEMIDDLE SCH	140 GARDEN CITY AVENUE	846 feet to the S	Closed Status Spill (Unk/Other Cause)
36	UNKNOWN	140 GARDEN CITY AVENUE	846 feet to the S	Closed Status Spill (Unk/Other Cause)
148	MILTON OLIVE JR HIGH SCHOOL	140 GARDEN CITY AVE	855 feet to the S	Petroleum Bulk Storage Site
158	MIDDLE OLIVE MIDDLE SCHOOL	140 GARDEN CITY AVENUE	884 feet to the S	Hazardous Waste Generator/Transporter
79	UNKNOWN	188 LONG ISLAND AVENUE	914 feet to the E	Closed Status Spill (Misc. Spill Cause)
80	WYANDANCH ENGINE REBUILDE	188 LONG ISLAND AVENUE	914 feet to the E	Closed Status Spill (Misc. Spill Cause)

159	D ENGINE REBUILDERS INC	188 LONG ISLAND AVE	923 feet to the E	Hazardous Waste Generator/Transporter
160	AMERICAN ENVIRONMENTAL ASSESSMENT CORP	188 LONG ISLAND AVE	923 feet to the E	Hazardous Waste Generator/Transporter
149	LONG ISLAND ENGINE INSTALL. CO	188 LONG ISLAND AVE	937 feet to the E	Petroleum Bulk Storage Site
150	AMERICAN ENVIRONMENTAL ASSESSMENT	188 LONG ISLAND AVE	937 feet to the E	Petroleum Bulk Storage Site
81	BLOOM RESIDENCE	142 24TH STREET/WASHINGTON AVENUE	959 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
37	RESIDENCE	96 SOUTH 27TH STREET	966 feet to the ESE	Closed Status Spill (Unk/Other Cause)
38	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE	Closed Status Spill (Unk/Other Cause)
82	TEMPRO RESIDENCE	95 SOUTH 29TH STREET	995 feet to the SE	Closed Status Spill (Misc. Spill Cause)
83	RESIDENCE	95 B SOUTH 31 STREET	1017 feet to the SE	Closed Status Spill (Misc. Spill Cause)
84	UNKNOWN	IFO 161 NORTH 24TH ST	1020 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
85	UNK	LONG ISLAND AVE & S 24TH	1029 feet to the E	Closed Status Spill (Misc. Spill Cause)
86	CHANDLER RESIDENCE	14 FOXWOOD DRIVE	1038 feet to the NNW	Closed Status Spill (Misc. Spill Cause)
151	H KAUFMAN CAMP GROUNDS	75 COLONIAL SPRINGS RD	1068 feet to the N	Petroleum Bulk Storage Site
87	EPPS RESIDENCE	87 SOUTH 30TH STREET	1075 feet to the SE	Closed Status Spill (Misc. Spill Cause)
23	HENRY KUFMAN CAMP GROUNDS	75 COLONIAL SPRINGS ROAD	1078 feet to the N	Closed Status Tank Test Failure
39	VACANT HOUSE	167 NORTH 24TH STREET	1088 feet to the ENE	Closed Status Spill (Unk/Other Cause)
40	RESIDENCE	10 FOXWOOD DRIVE	1095 feet to the NNW	Closed Status Spill (Unk/Other Cause)
88	WEBB RESIDENCE	19 HOMESTEAD DRIVE	1103 feet to the NW	Closed Status Spill (Misc. Spill Cause)
89	SMITH RESIDENCE	89 SOUTH 31ST STREET	1160 feet to the SE	Closed Status Spill (Misc. Spill Cause)
152	ROEVER ASSOCIATES INC	200 LONG ISLAND AVE	1180 feet to the E	Petroleum Bulk Storage Site
90	ROSCOE BROWN RESIDENCE	140 NORTH 23RD STREET	1204 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
41	CASTRO RESIDENCE	152 NORTH 23RD STREET	1206 feet to the ENE	Closed Status Spill (Unk/Other Cause)
153	COLONIAL SPRINGS GOLF COURSE	1 LONG ISLAND AVE	1221 feet to the SW	Petroleum Bulk Storage Site
42	MCDERMOTT RESIDENCE	41 BRIARWOOD ROAD	1252 feet to the NW	Closed Status Spill (Unk/Other Cause)
43	INGNESE RESIDENCE	22 HOMESTEAD DRIVE	1260 feet to the NW	Closed Status Spill (Unk/Other Cause)
91	RESIDENCE	64 GARDEN CITY AVENUE	1272 feet to the E	Closed Status Spill (Misc. Spill Cause)
92	UNK	MERRIT AVE & 23RD STREET	1272 feet to the E	Closed Status Spill (Misc. Spill Cause)
93	GRAHAM RESIDENCE	33 BROOKWOOD DRIVE	1273 feet to the NW	Closed Status Spill (Misc. Spill Cause)
94	RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE	Closed Status Spill (Misc. Spill Cause)
95	USHER RESIDENCE	103 JAMAICA AVENUE	1289 feet to the SE	Closed Status Spill (Misc. Spill Cause)
44	RESIDENCE	93 JAMAICA AVENUE	1293 feet to the SE	Closed Status Spill (Unk/Other Cause)
96	CRAWFORD RESIDENCE	68 JAMAICA AVENUE	1441 feet to the SE	Closed Status Spill (Misc. Spill Cause)
45	UNKNOWN	96 NORTH 22ND STREET	1478 feet to the E	Closed Status Spill (Unk/Other Cause)
46	VAVAL RESIDENCE	96 NORTH 22ND STREET	1478 feet to the E	Closed Status Spill (Unk/Other Cause)
47	UNKNOWN	IFO NO 22ND ST & MAIN AVENUE	1520 feet to the NE	Closed Status Spill (Unk/Other Cause)
48	UNKNOWN	MAIN AVENUE & CONKLIN	1520 feet to the NE	Closed Status Spill (Unk/Other Cause)
97	UNK	MAIN AVE & NO 22ND STREET	1520 feet to the NE	Closed Status Spill (Misc. Spill Cause)
98	HOLMES RESIDENCE	172 CONKLINS AVENUE	1546 feet to the NE	Closed Status Spill (Misc. Spill Cause)
99	LANIER RESIDENCE	75 S 29TH STREET	1554 feet to the SE	Closed Status Spill (Misc. Spill Cause)
18	RESIDENCE	71 SOUTH 23RD ST	1560 feet to the ESE	Active Haz Spill (Misc. Spill Cause)
100	UNKNOWN	133 NORTH 22ND STREET	1591 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
49	MCGEE RESIDENCE	99 NORTH 22ND STREET	1610 feet to the E	Closed Status Spill (Unk/Other Cause)
101	SAUNDERS RESIDENCE	69 SOUTH 27TH STREET	1627 feet to the SE	Closed Status Spill (Misc. Spill Cause)
24	WYANDANCH HIGH SCHOOL	36 GARDEN CITY ONE	1642 feet to the SSE	Closed Status Tank Test Failure
25	WYANDANCH HIGH SCHOOL	32ND STREET	1642 feet to the SSE	Closed Status Tank Test Failure
50	WYANDANCH MEMORIAL HS	54 SOUTH 32ND STREET	1642 feet to the SSE	Closed Status Spill (Unk/Other Cause)
102	WILSON RESIDENCE	48 JAMAICA AVENUE	1657 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
103	DESMONDE RESIDENCE	9 BROOKWOOD DRIVE	1663 feet to the NW	Closed Status Spill (Misc. Spill Cause)
20	CHAKMAKIAN RESIDENCE	10 BURNDAL COURT	1668 feet to the NW	Closed Status Tank Failure
51	PERALTA RESIDENCE	155 MAIN AVENUE	1698 feet to the NE	Closed Status Spill (Unk/Other Cause)
52	PRUIT RESIDENCE	116 NORTH 21ST STREET	1703 feet to the ENE	Closed Status Spill (Unk/Other Cause)
104	SPILL NUMBER 9710230	118 NORTH 21ST STREET	1705 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
105	BAYNES RESIDENCE	65 SOUTH 28TH STREET	1747 feet to the SE	Closed Status Spill (Misc. Spill Cause)



106	UNKNOWN	NORTH 21ST STREET/WASHINGTON	1769 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
107	TENANT RESIDENCE	28 SOUTH 34TH STREET	1846 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
53	CAROL WINTON RESIDENCE	143 NORTH 21ST STREET	1852 feet to the ENE	Closed Status Spill (Unk/Other Cause)
54	WINTONS RESIDENCE	143 NO 21ST STREET	1852 feet to the ENE	Closed Status Spill (Unk/Other Cause)
108	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE	Closed Status Spill (Misc. Spill Cause)
109	RESIDENCE	61 SOUTH 28TH STREET	1862 feet to the SE	Closed Status Spill (Misc. Spill Cause)
110	NICKNAM RESIDENCE	2 NORWOOD PLACE	1866 feet to the NW	Closed Status Spill (Misc. Spill Cause)
21	RUSSELL RESIDENCE	66 SOUTH 25TH STREET	1872 feet to the ESE	Closed Status Tank Failure
55	LILCO	CLEARVIEW ST & BRIARWOOD	1919 feet to the NW	Closed Status Spill (Unk/Other Cause)
56	KAREEM RESIDENCE	134 NORTH 20TH STREET	1943 feet to the ENE	Closed Status Spill (Unk/Other Cause)
19	HARMON RESIDENCE	6 NORWOOD PLACE	1960 feet to the NW	Active Haz Spill (Misc. Spill Cause)
111	COWAN SYSTEMS	263 MERRIT AVENUE	1969 feet to the E	Closed Status Spill (Misc. Spill Cause)
112	COMBINED CONTAINER INDUSTRY	263 MERRITT AVENUE	1969 feet to the E	Closed Status Spill (Misc. Spill Cause)
57	PETITFRERE RESIDENCE	58 SOUTH 27TH STREET	1970 feet to the SE	Closed Status Spill (Unk/Other Cause)
113	BACCUS RESIDENCE	56 SOUTH 28TH	1985 feet to the SE	Closed Status Spill (Misc. Spill Cause)
114	BACCHUS RESIDENCE	56 SOUTH 28TH STREET	1985 feet to the SE	Closed Status Spill (Misc. Spill Cause)
115	HERNANDEZ RESIDENCE	51 SOUTH 30TH STREET	2012 feet to the SE	Closed Status Spill (Misc. Spill Cause)
116	WYANDANCH FIRE DEPT	LONG ISLAND AVE & SOUTH 20TH STREET	2032 feet to the E	Closed Status Spill (Misc. Spill Cause)
117	RESIDENCE	52 SOUTH 28TH STREET	2058 feet to the SE	Closed Status Spill (Misc. Spill Cause)
118	LILCO	265 MERIT AVENUE	2067 feet to the E	Closed Status Spill (Misc. Spill Cause)
58	FENWYK RESIDENCE	32 SOUTH 22ND STREET	2121 feet to the ESE	Closed Status Spill (Unk/Other Cause)
119	UNK	38 LEE AVENUE	2128 feet to the NE	Closed Status Spill (Misc. Spill Cause)
120	RESIDENCE	81 BROOKLYN AVENUE	2139 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
121	VACANT HOUSE	32 GARDEN CITY AVENUE	2192 feet to the E	Closed Status Spill (Misc. Spill Cause)
122	RESIDENCE	41 SOUTH 21ST STREET	2198 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
123	PIERRE RESIDENCE	105 NORTH 19TH STREET	2341 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
26	TAUKOMAS SCHOOL	31 LEE AVENUE	2395 feet to the NE	Closed Status Tank Test Failure
59	EARLY CHILDHOOD SCHOOL	31 LEE AVENUE	2395 feet to the NE	Closed Status Spill (Unk/Other Cause)
60	JAMES ALLEN ALTERNATIVE SCHOOL	31 LEE AVE/CONKLIN	2395 feet to the NE	Closed Status Spill (Unk/Other Cause)
124	UNKNOWN	41 SOUTH 31ST STREET	2401 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
125	BOGGS RESIDENCE	36 CLEARVIEW DRIVE	2401 feet to the NW	Closed Status Spill (Misc. Spill Cause)
126	INDUSTRIAL BLDG	271 MERRITT AVE	2439 feet to the E	Closed Status Spill (Misc. Spill Cause)
61	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E	Closed Status Spill (Unk/Other Cause)
127	BARNES RESIDENCE	35 SOUTH 19TH STREET	2451 feet to the E	Closed Status Spill (Misc. Spill Cause)
128	RESIDENCE	92 NORTH 18TH STREET	2469 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
62	KIMBROUGH RESIDENCE	34 SOUTH 27TH STREET	2507 feet to the SE	Closed Status Spill (Unk/Other Cause)
129	RAILROAD TRACKS	NORTH 18TH ST/LONG ISLAND AVE	2517 feet to the E	Closed Status Spill (Misc. Spill Cause)
63	UNK	LONG ISLAND AVE/SOUTH 18TH	2528 feet to the E	Closed Status Spill (Unk/Other Cause)
27	CONSERVATIVE GAS	18TH STREET & MERIT ROAD	2529 feet to the E	Closed Status Tank Test Failure
64	CONSERVATIVE LP GAS	18TH ST & MERRITT AVENUE	2529 feet to the E	Closed Status Spill (Unk/Other Cause)
130	WYANDANCH LIBRARY	14 SOUTH 20TH STREET	2541 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
131	PUBLIC LIBRARY	14 SOUTH 20TH	2541 feet to the ESE	Closed Status Spill (Misc. Spill Cause)
132	RESIDENCE	97 NORTH 18TH STREET	2592 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
133	RUDY STEAN RESIDENCE	30 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
134	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
135	STEAN RESIDENCE	30 SOUTH 30TH STREET	2598 feet to the SSE	Closed Status Spill (Misc. Spill Cause)
136	RICARD NOMEIO RESIDENCE	16 SOUTH 18TH STREET	2609 feet to the E	Closed Status Spill (Misc. Spill Cause)
137	WOLFGANG	43 SOUTH 18TH STREET	2620 feet to the E	Closed Status Spill (Misc. Spill Cause)
1	37 COMMONWEALTH DRIVE	37 COMMONWEALTH DRIVE	3724 feet to the E	NYSDEC Inactive Haz Waste Disposal Site
2	RON LYN, INC.	1357 STRAIGHT PATH	3895 feet to the SE	NYSDEC Inactive Haz Waste Disposal Site
3	BABYLON LANDFILL	GLEAM STREET	4091 feet to the SSW	NYSDEC Inactive Haz Waste Disposal Site
4	PRIDE SOLVENTS AND CHEMICAL CO.	78-88 LAMAR STREET	4379 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
5	BABYLON PLUME TRACKING	LAMARR STREET	4393 feet to the S	NYSDEC Inactive Haz Waste Disposal Site

13	NYSDEC (PRIDE SOLVENTS & CHEMICAL CO INC)	78-88 LAMAR ST	4443 feet to the S	RCRA Corrective Action Site
6	MIDDLE KEAN STREET SITE	75 KEAN STREET	4543 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
7	MID KEAN STREET SITE	KEAN ST.	4852 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
8	RICHARD MANNO AND COMPANY	42 LAMAR STREET	5130 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
9	RICHARD MANNO AND COMPANY	42 LAMAR STREET	5134 feet to the S	NYSDEC Inactive Haz Waste Disposal Site
10	SOUTH LAMAR STREET SITE	SOUTH LAMAR STREET	5183 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
11	SOUTH MAHAN STREET SITE	SOUTH MAHAN STREET	5199 feet to the S	NYSDEC Inactive Haz Waste Registry Qual.
12	SOUTH NANCY STREET	SOUTH NANCY STREET	5207 feet to the SSE	NYSDEC Inactive Haz Waste Registry Qual.
14	LAWRENCE RIPAK CO	400 PATTON AVE	5233 feet to the SSW	RCRA Corrective Action Site
15	LAWRENCE RIPAK CO INC	400 PATTON AVENUE	5240 feet to the SSW	RCRA Corrective Action Site



# Toxics Targeting 1/2 Mile Buffer Search Map


Excludes Closed Spills  
Pinelawn Industrial Park  
Wyandanch, NY 11798



Suffolk County

-  Delisted NPL Site
-  CERCLIS Superfund Non-NFRAP Site
-  CERCLIS Superfund NFRAP Site
-  Hazardous Waste Treater, Storer, Disposer
-  Hazardous Substance Waste Disposal Site
-  Solid Waste Facility
-  Brownfields Site
-  Active Spill
-  MTBE Gasoline Additive Spill



-  Subject Area
-  Waterbody
-  County Border
-  Railroad Tracks
-  1 Mile Radius
-  1/2 Mile Radius
-  1/4 Mile Radius
-  1/8 Mile Radius




Scale: 1 inch = 1302 feet

# Toxics Targeting 1/2 Mile Buffer Search Map

Closed Spills only  
Pinelawn Industrial Park  
Wyandanch, NY 11798



Suffolk County





- ★ Closed Spill
- ★ (Red Circle) MTBE Gasoline Additive Spill

- |                 |                 |
|-----------------|-----------------|
| Subject Area    | Waterbody       |
| County Border   | Railroad Tracks |
| 1 Mile Radius   | 1/2 Mile Radius |
| 1/4 Mile Radius | 1/8 Mile Radius |


Scale: 1 inch = 1302 feet

# Toxics Targeting 1/4 Mile Buffer Search Map

Pinelawn Industrial Park  
Wyandanch, NY 11798



Suffolk County





- |                            |                                    |
|----------------------------|------------------------------------|
| Major Oil Storage Facility | Enforcement Docket Facility        |
| Chemical Storage Facility  | Air Release                        |
| Toxic Release              | Petroleum Bulk Storage Facility    |
| Wastewater Discharge       | Hazardous Waste Generator, Transp. |
| Subject Area               | Waterbody                          |
| County Border              | Railroad Tracks                    |
| 1/4 Mile Radius            | 1/8 Mile Radius                    |

Scale: 1 inch = 908 feet

# Toxics Targeting 1/4 Mile Buffer Closeup Map

Pinelawn Industrial Park  
Wyandanch, NY 11798



Suffolk County



- |   |  |
|---|--|
| National Priority List (NPL) *                    | Delisted NPL Site **                         |
| CERCLIS Superfund Non-NFRAP Site **               | CERCLIS Superfund NFRAP Site **              |
| Inactive Hazardous Waste Disposal Registry Site * | Inact. Haz Waste Disp. Registry Qualifying * |
| Hazardous Waste Treater, Storer, Disposer **      | RCRA Corrective Action Facility *            |
| Hazardous Substance Waste Disposal Site **        | Solid Waste Facility **                      |
| Major Oil Storage Facility ***                    | Brownfields Site **                          |
| Chemical Storage Facility ***                     | Hazardous Material Spill **                  |
| Toxic Release ***                                 | MTBE Gasoline Additive Spill **              |
| Wastewater Discharge ***                          | Petroleum Bulk Storage Facility ***          |
| Enforcement Docket Facility ***                   | Hazardous Waste Generator, Transp. ***       |
| Air Release ***                                   | Remediation Site Borders                     |
| Subject Area                                      | Waterbody                                    |
| County Border                                     | Railroad Tracks                              |
| 1/4 Mile Radius                                   | 1/8 Mile Radius                              |

Scale: 1 inch = 908 feet

\* 1 Mile Search Radius  
\*\*\* 1/4 Mile Search Radius

\*\* 1/2 Mile Search Radius

## Section Two: Toxic Site Profiles

The heading of each *Toxic Site Profile* refers to the site's map location and details:

- The facility name, address, city, state, and zip code.
- Any changes that were made to a site's address in order to map its location.
- The site mapping method that was used (see *How Sites are Located*, at the end of this section for more information).

*Toxic Site Profiles* summarize information provided by site owners or operators and government agencies regarding various toxic chemical activities reported at each site, such as:

- Whether chemicals were stored, produced, transported, discharged or disposed of.
- The name of chemicals and their Chemical Abstract Series (CAS) numbers.
- The amount of chemicals and the units (gallons/pounds) the chemical was measured in.
- Whether the site or storage tanks at the site are currently active or inactive.
- Special codes used by government agencies to regulate hazardous waste activities at some sites, or a complete description of the codes follows the profiles section.

For selected individual chemicals reported at various toxic sites, some potential health effect summary information appears below the site profile. Each potential health effect summary identifies chemicals by name and by Chemical Abstract Series (CAS) Number. An "x" under each potential health effect heading indicates positive toxicity testing results reported by the National Institute of Occupational Safety and Health's Registry of Toxic Effects of Chemical Substances (RTECS). Some chemicals (mostly appearing in profiles of Hazardous Waste facilities), are reported as mixtures, and RTECS health effect information is only available for individual chemicals. In addition, RTECS only provides information on approximately 100,000 common chemicals. Consequently, the absence of potential health effect summary information for a particular chemical identified in a Toxic Site Profile does not necessarily mean that the chemical does not pose potential health effects.

The Maximum Contaminant Level (MCL) in drinking water allowed for selected chemicals is also noted. In most cases, the only applicable MCL has been set by the New York State Department of Health (NYSDOH). Where NYSDOH has not set an MCL, the federal standard, if one exists, is listed and is marked by an asterisk.

Presented below are column headings that describe the health effect definitions used in RTECS and applicable New York State and federal drinking water standards. Reference sources for information presented in this section are also provided.

**ACUTE TOX:** **Acute Toxicity:** Short-term exposure to this chemical can cause lethal and non-lethal toxicity effects not included in the following four categories.

**TUMOR TOX:** **Tumorigenic Toxicity:** The chemical can cause an increase in the incidence of tumors.

MUTAG TOX: **Mutagenic Toxicity:** The chemical can cause genetic alterations that are passed from one generation to the next.

REPRO TOX: **Reproductive Toxicity:** May signify one of the following effects: maternal effects, paternal effects, effects on fertility, effects on the embryo or fetus, specific developmental abnormalities, tumorigenic effects, or effects on the newborn (only positive reproductive effects data for mammalian species are referenced).

IRRIT TOX: **Primary Irritant:** The chemical can cause eye or skin irritation.

MCL: **Drinking Water Standard - Maximum Contaminant Level (MCL)** listed under Drinking Water Supplies, 10 NYCRR Part 5, Subparts 1.51(f),(g), and (h) for NYDOH MCL's and under the Safe Drinking Water Act, 40 CFR 141, Subparts B and G, (\* indicates value for total trihalomethanes) for federal MCL's.

Reference Source for Toxicity Information: Registry of Toxic Effects of Chemical Substances (RTECS), NIOSH (on-line database); For further information, contact: NIOSH, 4676 Columbia Parkway, Cincinnati, OH, 45226, 800/35-NIOSH.

Reference Source for Drinking Water Standards: New York State Department of Health, Bureau of Toxic Substances Assessment, 2 University Place, Room 240, Albany, NY 12203, 518/458-6373.

U.S. Environmental Protection Agency, Office of Drinking Water, 401 M St SW, Mailstop WH-556, Washington, DC, 20460, 202/260-5700.

Inactive Hazardous Waste Disposal Site Classifications:

- 1 -- Causing or presenting an imminent danger of causing irreversible or irreparable damage to the public health or the environment -- immediate action required;
- 2 -- Significant threat to the public health or environment -- action required;
- 3 -- Does not Present a significant threat to the environment or public health -- action may be deferred;
- 4 -- Site properly closed --requires continued management;
- 5 -- Site properly closed, no evidence of present or potential adverse impact -- no further action required;
- 2a -- This temporary classification has been assigned to sites where there is inadequate data to assign them to the five classifications specified by law;
- A -- Work underway and not yet complete;
- P -- Potential Site;
- D<sub>1</sub>, 2, 3 -- Delisted Site (1: hazardous waste not found; 2: remediated; 3: consolidated site or site incorrectly listed);
- C -- Remediation Complete (formerly D2).



***NO NATIONAL PRIORITIES LIST (NPL) SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



**INACTIVE HAZ WASTE DISPOSAL REGISTRY OR REGISTRY-QUALIFYING SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 1**

**37 COMMONWEALTH DRIVE**  
37 COMMONWEALTH DRIVE

WYANDANCH, NY 11798

**Facility Id: 152195**  
TT-Id: 120A-0008-824

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 3724 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: N	REGION: 1	SITE CODE: 152195
CLASSIFICATION CODE DESCRIPTION: No further action		DEC ID: 59001
NAME OF SITE: 37 Commonwealth Drive		TOWN: Babylon
STREET ADDRESS: 37 Commonwealth Drive		COUNTY: Suffolk
CITY: Wyandanch	ZIP: 11798	ESTIMATED SIZE: 1.3 Acres
SITE TYPE: Dump- Structure- Lagoon- Landfill- Treatment Pond-		
INSTITUTIONAL/ENGINEERING CONTROLS: None reported		
CROSS REFERENCES:		
IDENTIFIER	SOURCE	
-----	-----	

The following cross reference(s) have been deleted from the registry. Data reflects previous information.  
NYR000140236 CERCLA EPA ID No.

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

CURRENT OWNER(S):

NAME: TOWN OF BABYLON  
 TOWN OF BABYLON  
 ADDRESS: 37 COMMONWEALTH DRIVE  
 WYANDANCH, NY 11798-3208

Owner Type: Local Government

OWNER(S) DURING DISPOSAL:

OPERATOR(S) DURING DISPOSAL:

HAZARDOUS WASTE DISPOSAL PERIOD:

SITE DESCRIPTION:

This property at the corner of Commonwealth Avenue and Doe Street is undeveloped, owned by the Town, and is included in the Town's Empire Zone. The property is not an officially designated wetland but it has the characteristics of a wetland site. The Carll's River is in close proximity to the site. There is no indication that the site has been built on but much of it is open (not forested) and has been subjected to unregulated dumping. The Town has periodically responded to public complaints regarding the condition of the property by removing some of the discarded materials. This site may be located in an environmental justice community. This site has not been identified as a potential inactive hazardous waste disposal site but the NYSDEC conducted a preliminary investigation of the property utilizing USEPA Targeted Site Assessment grant funding. No hazardous waste disposal was identified during the investigation. This site was accepted into the DEC Environmental Restoration Program for remediation but has not been funded. See site number E152195.

CONFIRMED HAZARDOUS WASTE DISPOSED:

None reported

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

No effects on fish and wildlife have been identified. The on-site contamination is limited to the surface soils and does not appear to be affecting the groundwater.

ASSESSMENT OF HEALTH PROBLEMS:

None provided

PROJECT COMPLETIONS:

Operable Unit 01 - Targeted Site Assessment

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization		09/22/2006	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE:  
GROUNDWATER DEPTH:

LEGAL ACTION:	Type:	State-	Federal-
STATUS:	Negotiation in Progress-	Order Signed-	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-
NATURE OF ACTION:			

Map Identification Number 2

**RON LYN, INC.**  
1357 STRAIGHT PATH

BABYLON, NY 11798

Facility Id: 152112  
TT-Id: 120A-0007-557

MAP LOCATION INFORMATION

Site location mapped by: MAP COORDINATE (1)  
Approximate distance from property: 3895 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: N	REGION: 1	SITE CODE: 152112
CLASSIFICATION CODE DESCRIPTION: No further action		DEC ID: 58740

NAME OF SITE: Ron Lyn, Inc.  
STREET ADDRESS: 1357 Straight Path  
CITY: Babylon ZIP: 11798

TOWN: Babylon  
COUNTY: Suffolk

ESTIMATED SIZE: 0.5 Acre

The following site type information has been deleted from the registry. Data reflects previous information.

SITE TYPE: Dump- Structure- Lagoon-X Landfill- Treatment Pond-

INSTITUTIONAL/ENGINEERING CONTROLS:  
None reported

CROSS REFERENCES:	
IDENTIFIER	SOURCE

-----  
-----  
The following cross reference(s) have been deleted from the registry. Data reflects previous information.  
NYD075786111 CERCLA EPA ID No.

## SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

## CURRENT OWNER(S):

NAME: MANUEL J. TORRES Owner Type: Corporate or Commercial  
ADDRESS: 399 WYANDANCH AVE.  
NORTH BABYLON, NY 11704

NAME: Mr. Bruce Soloff  
ADDRESS: 399 Wyandanch Avenue  
North Babylon, NY 11704

## OWNER(S) DURING DISPOSAL:

NAME: MANUEL J. TORRES  
ADDRESS:

## OPERATOR(S) DURING DISPOSAL:

NAME: Manuel J. Torres Operator Type: Corporate or Commercial  
ADDRESS: 1357 STRAIGHT PATH  
WYANDANCH, NY 11798

The following disposal period has been deleted from the registry. Data reflects previous information.

HAZARDOUS WASTE DISPOSAL PERIOD: from 1973 to 1986

## SITE DESCRIPTION:

This site was a metal plating operation for lamps and novelties. Electroplating bath wastes were dumped into an on-site cesspool. The cesspool was cleaned out and backfilled in April 1982. Ron Lyn stopped using the pool in late 1983 or early 1984. Waste oils and other solvents were dumped on the other side of a border fence located within 200 feet of a groundwater recharge basin. A pungent odor was noted on site during an inspection in July 1985. A Phase I Investigation was completed in 1987. A Phase II investigation was completed in 1992. The results of the Phase II investigation which included groundwater sampling could not document the disposal of hazardous waste at this site.

## CONFIRMED HAZARDOUS WASTE DISPOSED:

None reported

## ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

There are no environmental problems associated with the disposal of hazardous waste at this site.

## ASSESSMENT OF HEALTH PROBLEMS:

None provided

PROJECT COMPLETIONS:

Operable Unit 01 - RON LYN, INC.

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization		03/01/1992	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE:

GROUNDWATER DEPTH:

LEGAL ACTION:	Type:	State-	Federal-
STATUS:	Negotiation in Progress-	Order Signed-	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-
NATURE OF ACTION:			

Map Identification Number 3



**BABYLON LANDFILL**  
GLEAM STREET

WEST BABYLON, NY 11704

**Facility Id: 152039**  
TT-Id: 120A-0009-545

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE  
Approximate distance from property: 4091 feet to the SSW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Special Note: This site is one of 421 Inactive Hazardous Waste Disposal Sites that reportedly are being reinvestigated for chlorinated solvents that may pose soil gas vapor intrusion hazards. Prior to 2003, many of these sites were determined to be cleaned up or not to pose hazards.

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: 02

REGION: 1

SITE CODE: 152039  
DEC ID: 55832

CLASSIFICATION CODE DESCRIPTION:

Significant threat to the public health or environment - action required.

NAME OF SITE: Babylon Landfill  
STREET ADDRESS: Gleam Street  
CITY: West Babylon

ZIP: 11704

TOWN: Babylon  
COUNTY: Suffolk

ESTIMATED SIZE: 68 Acres

SITE TYPE: Dump- Structure- Lagoon- Landfill-X Treatment Pond-

INSTITUTIONAL/ENGINEERING CONTROLS:

CONTROL:	IN-PLACE DATE:
Ground Water Use Restriction	10/27/2011
Deed Restriction	10/27/2011
Cover System	10/27/2011
Monitoring Plan	10/27/2011
O&M Plan	10/27/2011

CROSS REFERENCES:

IDENTIFIER	SOURCE
-----	-----
52-S-01#	Muni. Waste ID
NYD980762728	EPA Site ID

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

CURRENT OWNER(S):

NAME: TOWN OF BABYLON DEPT OF ENVIRONMENTAL CONTROL	Owner Type: Local Government
MR. JOSEPH GUARINO	
ADDRESS: 281 PHELPS LANE	
NORTH BABYLON, NY 11703	

NAME: Town of Babylon  
ADDRESS: 200 East Sunrise Highway  
North Lindenhurst, NY 11757

OWNER(S) DURING DISPOSAL:

NAME: TOWN OF BABYLON  
ADDRESS:  
NY

OPERATOR(S) DURING DISPOSAL:

NAME: TOWN OF BABYLON	Operator Type: Local Government
ADDRESS: 200 EAST SUNRISE HWY.	
NORTH LINDENHURST, NY	

NAME: Town of Babylon

ADDRESS: 200 East Sunrise Highway  
North Lindenhurst, NY 11757

HAZARDOUS WASTE DISPOSAL PERIOD: from 1947 to present

SITE DESCRIPTION:

Location: The Babylon Landfill Site is located in a suburban area near the Hamlet of Wyandanch, Town of Babylon, in southwestern Suffolk County. A few private residences are located to the east and west. The site is bounded to the west by Gleam Street, to the east by Jersey Street, to the north by Patton Avenue and to the south by Edison Avenue.

Site Features: The landfill occupies 68 acres on an 85 acre property which is also the site of the Town of Babylon's Resource Recovery Facility and ash landfills.

Current Zoning/Use(s): The area is currently zoned commercial / light industrial. Large cemeteries are located to the north and south of the site. A few private residences are located in the commercial areas to the east and west and a residential district is located about a quarter mile to the south.

Historic Use(s): The Babylon Landfill operated from 1947 to 1991, accepting residential, commercial, industrial and construction/demolition wastes. In addition to land filling, the Town of Babylon also accepted and processed scavenger cesspool waste from 1955 until 1978 and operated incinerators for municipal waste from 1955 to 1978 and from 1989 to present. The Resource Recovery Facility (RRF) is a waste to energy operation. Ashfill cells are piggybacked onto the south side of the inactive landfill. A landfill cell for waste bypassing the RRF is in the northern portion of the site. During the period of 1976 - 1979 the landfill was found to be in violation of 6NYCRR Part 360 regulations for uncontrolled leachate migration and blowing papers. A response to an ECL Hazardous Waste Questionnaire by Lunn Industries indicates that from 1963 until 1979 spent solvents containing methylene chloride and acetone used in their facility were disposed at the Landfill. Prior to disposal hardeners were added to the spent solvents creating a solid or gel. The total quantity disposed is unknown. In 1982 Suffolk County Department of Health Services investigated the landfill for methane migration and blowing garbage. In 1987 an active landfill gas migration control system at the perimeter was in place.

In July of 1989 the Town entered an Order on Consent to implement a Remedial Program.

Operable Units: The site was divided into {two} operable units in 1991. An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination. Operable unit 1 (OU1) is the on-site source area. OU2 consists of impacts from the landfill to off-site groundwater, surface water and stream sediments.

Site Geology and Hydrogeology: Soils beneath the landfill are mapped as "made land, gravel pit, and cut and fill land". The landfill is located on a glacial outwash plain at approximately 60' above mean sea level. The uppermost water bearing unit is the Upper Glacial Aquifer (UGA), and depth to water ranges from 3 to 18 feet below ground surface. Flow of water in the UGA is generally to the south east, with discharge to the Santapogue Creek approximately 1.8 miles to the southeast. The UGA is underlain by the Gardiner's Clay unit, in turn underlain by the Magothy Aquifer, which sits atop the Raritan Clay unit, which is underlain by the Lloyd Aquifer.

CONFIRMED HAZARDOUS WASTE DISPOSED:

TYPE	QUANTITY
ACETONE BASED SOLVENT	UNKNOWN
METHYLENE CHLORIDE BASED SOLVENT	UNKNOWN

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

Nature and Extent of Contamination: Prior to Remediation: A leachate plume approximately 2 miles long by 90' deep by 1900' wide beneath the landfill tapering to 700' wide at the downgradient edge characterized by elevated hardness (alkalinity up to 750 parts per million (ppm), specific conductivity, chloride (up to 420 ppm), ammonia (up to 12,000 parts per billion (ppb), nitrogen (up to 6.6 ppm, TKN (Total Kjeldahl Nitrogen) up to 96 ppm), TDS (total dissolved solids, up to 6,000 ppm), barium (up to 1.91 ppb), calcium (up to 192 ppm), iron (up to 74.3 ppm), magnesium (up to 45.4 ppm), manganese (up to 15.3 ppm), potassium (up to 100 ppm) and sodium (up to 246 ppm).

Post Remediation: The final landfill closure system consisting of a modified Part 360 cap (modification due to steep side slopes that could not be avoided), passive gas venting system, and monitor program was completed in December 1997. Since then the areal extent and concentration of leachate in down-gradient groundwater has gradually diminished. Special Resources Impacted/Threatened: A Fish and Wildlife Impact Analysis was conducted prior to implementation of the remedy. The study indicated the site posed minimal risk to fish and wildlife.

ASSESSMENT OF HEALTH PROBLEMS:

The potential for people to come into contact with site-related contamination is minimal since landfill closure activities are complete.

PROJECT COMPLETIONS:

Operable Unit 01 - LF		END DATE	STATUS
PROJECT	DESCRIPTION		
Remedial Investigation		02/01/1993	Actual
Remedial Design		08/01/1993	Actual
Remedial Action		01/01/1998	Actual
Operable Unit 02 - OFF-SITE GW & SW		END DATE	STATUS
PROJECT	DESCRIPTION		
Remedial Investigation		03/01/1994	Actual
Remedial Design		03/01/1995	Actual
Remedial Action		12/01/1996	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-X	Surface Water-	Groundwater-X	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-X	Drinking Water-X	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE: Sand.  
 GROUNDWATER DEPTH: Range: 1 to 5 feet.

LEGAL ACTION:	Type: Consent Order -EQBA	State-X	Federal-
STATUS:	Negotiation in Progress-	Order Signed-X	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-X
NATURE OF ACTION:	Engineered cap + groundwater pump & treat.		

Map Identification Number 4

**PRIDE SOLVENTS AND CHEMICAL CO.**  
78-88 LAMAR STREET

BABYLON, NY 11704

**Facility Id: 152025**  
TT-Id: 120A-0009-022

MAP LOCATION INFORMATION

Site location mapped by: MAP COORDINATE (1)  
Approximate distance from property: 4379 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
 DIVISION OF ENVIRONMENTAL REMEDIATION  
 INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: 02 REGION: 1  
 CLASSIFICATION CODE DESCRIPTION:  
 Significant threat to the public health or environment - action required.

SITE CODE: 152025  
DEC ID: 58889

NAME OF SITE: Pride Solvents and Chemical Co.  
 STREET ADDRESS: 78-88 Lamar Street  
 CITY: Babylon ZIP: 11704

TOWN: Babylon  
COUNTY: Suffolk

ESTIMATED SIZE: 1.3 Acres

SITE TYPE: Dump- Structure-X Lagoon- Landfill- Treatment Pond-

INSTITUTIONAL/ENGINEERING CONTROLS:  
None reported

CROSS REFERENCES:

IDENTIFIER	SOURCE
-----	-----
NYD057722258	EPA Site ID
NYD057722258	RCRA EPA ID No.
PRIDE SOLVENTS & CHEMICAL CO INC	Alternate Site Name

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

CURRENT OWNER(S):

NAME: 78-88 Lamar Street Realty Corporation  
Arthur W. Dhom

Owner Type: PRP - Class 2 HazSubs

ADDRESS: 6 Long Island Avenue  
Holtsville, NY 11742

NAME: 78 - 88 Lamar Street Realty Corporation  
Arthur Dhom, Sr.; Arthur Dhom, Jr.; Robert Dhom

Owner Type: Corporate or Commercial

ADDRESS: 78 - 88 Lamar Street  
West Babylon, NY 11704

OWNER(S) DURING DISPOSAL:

NAME: 78-88 Lamar Street Realty Corporation  
Arthur Dhom, Jr.

ADDRESS: 78-88 Lamar Street  
West Babylon, NY 11704

OPERATOR(S) DURING DISPOSAL:

NAME: 78-88 Lamar Street Realty Corporation  
Arthur Dohm, Jr.

ADDRESS: 78-88 Lamar Street  
West Babylon, NY 11704

DOCUMENT REPOSITORY(S):

NAME: West Babylon Public Library  
Nicole Haas - Reference Librarian

ADDRESS: 211 Route 109  
West Babylon, NY 11704

HAZARDOUS WASTE DISPOSAL PERIOD: from 1973 to present

SITE DESCRIPTION:

Location: The Pride Solvents site is located at both 78 and 88 Lamar Street, in the "West Babylon" or "Pinelawn Industrial Area" of Suffolk County, NY. It is about 500 feet east, crossgradient, of the Babylon Landfill, Site No. 152039, a Class 2 site.

Site Features: The site is 1.3 acres with two occupied buildings. The remainder of the site is paved except for two small, grassy areas directly in front of the buildings.

Current Zoning and Land Use: Current zoning and uses are commercial in nature. Surrounding parcels are used for commercial and light industrial purposes.

Past Use of the Site: This site was occupied by Pride Solvents from 1960 and was operated as a chemical and solvent distribution

and reclamation facility from 1973 to the late 1990's/early 2000's. Presently, the property is owned by Pride and leased to a roll-off container distributing company and an autobody shop. The facility was formerly permitted to operate as a Treatment, Storage and Disposal Facility under the Resource Conservation and Recovery Act (RCRA) program. The site has been included in the USEPA's tracking system under GPRA (Government Performance and Results Act) for corrective action. The RCRA Corrective Action Program requires investigation and cleanup of releases of hazardous wastes and hazardous constituents that pose an unacceptable risk at RCRA hazardous waste treatment, storage and disposal facilities. This site has not reached compliance with the RCRA Corrective Action Program.

Pride Solvents and Chemicals received, and stored waste solvents both inside and outside, and then reclaimed the material via a filtration and distillation process. The operation at 78 Lamar Street included storage and reclamation of chlorinated and fluorinated solvents by distillation. Operations at the 88 Lamar Street facility were reportedly limited to bulk storage, drum packaging, and distribution.

Contamination associated with the Pride site was first identified in 1982 to 1983 by the Suffolk County Department of Health. A Phase I Preliminary Site Assessment was conducted in 1984 followed by a hydrogeologic investigation in 1991. In 1993 the Babylon Industrial area site boundaries were modified to remove all parcels except Pride Solvents. Various investigations were conducted by Pride under the RCRA program in 1992, 1993, and 1996, until the Division of Environmental Remediation took over the project at the end of 1999.

Prior to January 1991, the northernmost yard of 88 Lamar Street contained 16 underground storage tanks. 12 underground storage tanks were removed and 4 underground storage tanks were filled with concrete and left in place. Despite the reported good condition of the tanks, about 50 cubic yards of soil were removed and disposed off-site during the tank removal. No tank tightness testing data are available.

Operable Units: The site was divided into two operable units. An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination.

The Operable Units (OU) were defined in 2011 to identify the two remedial areas to be addressed; OU1 Shallow Groundwater and Soil Down to 20 feet below ground surface (bgs), and OU2 Deep Groundwater Greater than 20 feet bgs.

Site Geology and Hydrogeology: Groundwater is present between 10 feet and 20 feet bgs and flows to the south-southeast. The site is immediately underlain by the moderately to highly permeable sand, gravel and cobble outwash deposits of the upper glacial aquifer. For most of the site, a clay layer is found at about 83-92 feet bgs that is below the upper glacial aquifer and serves as a confining unit between the upper glacial aquifer and the underlying Magothy aquifers. This clay layer, however, was not found in the northern area of the site, instead, a clear contact between the Magothy's gray-white fine sand and the Upper Glacial's medium to coarse sand, gravel, and cobbles was found.

CONFIRMED HAZARDOUS WASTE DISPOSED:

TYPE	QUANTITY
1,1,1-TRICHLOROETHANE	UNKNOWN
TRICHLOROETHENE (TCE)	UNKNOWN
TETRACHLOROETHYLENE (PCE)	UNKNOWN

ORGANIC SOLVENTS (TCE, TOLUENE, METHYL CHLORIDE)	UNKNOWN
HEAVY METALS (IRON, MANGANESE)	UNKNOWN
1,1,1-TCA, METHYLENE CHLORIDE, TETRACHLOROETHENE	UNKNOWN
FREON-113, 1,1,3-TRIMETHYLBENZENE	UNKNOWN
tetrachloroethene (PCE)	UNKNOWN
1,1,1 TCA	UNKNOWN

## ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

Nature and Extent of Contamination: Two contaminated groundwater plumes originating on-site were identified; a shallow plume above 20 feet below ground surface (ft bgs), and a deep plume below 20 ft bgs. For Operable Unit 1 (OU1): Shallow Groundwater and Soil Down to 20 ft bgs. Based upon investigations conducted to date, the primary contaminants of concern for OU1 include tetrachloroethene (PCE), trichloroethene (TCE), and their break down products. Soil - Both PCE and TCE plus toluene and methylene chloride were also found in on-site dry wells and/or storm drains at 88 Lamar, as well as in the on-site soils around and under the former UST and ASTs.

Surface Water - No current or potential site-related surface water impacts have been identified.

Indoor Air - Concentrations of TCE in indoor air of on- and off-site buildings range from non-detect to 3,200 micrograms per cubic meter (ug/m3); PCE concentrations in the indoor air range from non-detect to 3,500 ug/m3; and concentrations of 1,1,1-trichloroethane (TCA) in indoor air range from non-detect to 160 ug/m3. Soil Vapor - Concentrations of TCE in sub-slab soil vapor of on- and off-site buildings range from 7 ug/m3 to 54,000 ug/m3; PCE concentrations in the sub-slab range from 210 ug/m3 to 540,000 ug/m3; and TCA concentrations in the sub-slab soil vapor range from non-detect to 930 ug/m3. For OU2: Deep Groundwater Greater than 20 ft bgs. Based upon investigations conducted to date, the contaminants of concern for OU2 include tetrachloroethene (PCE), trichloroethene (TCE), 1,1,1-trichloroethane (TCA), and their break down products.

Groundwater - Site related contamination is impacting groundwater in the Upper Glacial Aquifer which shows concentrations of PCE ranging from non-detect to 1900 ug/L, TCE up to 610 ug/L, and TCA up to 950 ug/L. Groundwater standards are 5 ug/L.

## ASSESSMENT OF HEALTH PROBLEMS:

People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since the site is covered by asphalt and buildings, people will not come into contact with contaminated groundwater or residual soil contamination unless they dig below these materials. Volatile organic compounds in the groundwater or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Soil vapor intrusion sampling identified impacts to indoor air quality in on- and off- site buildings and this represents a health concern.

## PROJECT COMPLETIONS:

PROJECT	DESCRIPTION	END DATE	STATUS
Operable Unit 01 - Shallow Groundwater and Soil Down to 20 ft bgs			
Remedial Investigation		03/27/2013	Actual
Remedial Design		11/02/2015	Actual

Operable Unit 01A - IRM - Underground Storage Tank - Soil Removal

PROJECT	DESCRIPTION	END DATE	STATUS
Remedial Action		01/01/1990	Actual
Operable Unit 01B - IRM - Cleanout of Underground Injection Control Features			
PROJECT	DESCRIPTION	END DATE	STATUS
Remedial Action		01/01/1998	Actual
Operable Unit 02 - Deep Groundwater Greater than 20 ft bgs			
PROJECT	DESCRIPTION	END DATE	STATUS
Remedial Investigation		03/27/2013	Actual
Remedial Design	Pre-Design Investigation	04/06/2020	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-X	Soil-X	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-X	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE: Sand-rich loam.  
 GROUNDWATER DEPTH: Range: 10 to 15 feet.

LEGAL ACTION:	Type:	State-	Federal-
STATUS:	Negotiation in Progress-	Order Signed-	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-
NATURE OF ACTION:			

**Map Identification Number 5**



**BABYLON PLUME TRACKING**  
 LAMARR STREET

BABYLON, NY 11704

**Facility Id: 152131**  
 TT-Id: 120A-0007-563

MAP LOCATION INFORMATION

Site location mapped by: MAP COORDINATE - LARGE SITE  
 Approximate distance from property: 4393 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: LAMARR ST  
 Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
 DIVISION OF ENVIRONMENTAL REMEDIATION  
 INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

SITE CODE: 152131

CLASSIFICATION CODE: N REGION: 1 DEC ID: 338748  
CLASSIFICATION CODE DESCRIPTION:  
No further action

NAME OF SITE: Babylon Plume Tracking  
STREET ADDRESS: Lamarr Street TOWN: Babylon  
CITY: Babylon ZIP: 11704 COUNTY: Suffolk

SITE TYPE: Dump- Structure- Lagoon- Landfill- Treatment Pond- ESTIMATED SIZE:

INSTITUTIONAL/ENGINEERING CONTROLS:  
None reported

CROSS REFERENCES:  
None reported

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:  
None reported

HAZARDOUS WASTE DISPOSAL PERIOD:

SITE DESCRIPTION:

The Babylon Plume Tracking investigation was conducted by DEC at the Pinelawn Industrial Area in the Town of Babylon. The Pinelawn Industrial Area is a high density industrial area, encompassing approximately one-half square mile between Patton Avenue and Edison Avenue to the north and south and between Wellwood Avenue and Little East Neck Road to the west and east. Cemeteries and open land bound the site to the north, south, and west, and a residential area lies to the east. Regional groundwater flow is south-southeasterly towards the south shore of Long Island. The Babylon Town Landfill (site ID # 152039) sits in the center of the Industrial Area. At the time the investigation took place in 1992 the following Registry sites were also within the Industrial Area: Pride Solvents and Chemical Co. (152025), U.S. Electroplating Corporation (152027), Spectrum Finishing Corp. (152029), and NTU Circuits, Inc. (152086). This investigation was undertaken as a result of the discovery of VOC contamination in groundwater in the Upper Glacial aquifer in the vicinity of the Babylon Landfill. Previous studies identified at least 2 separate VOC plumes whose source areas appeared to be within the Pinelawn Industrial Area, both to the east of and to the west of the landfill. This investigation was intended to identify sources and potentially responsible parties for this contamination. In addition to finding additional evidence of organic solvent usage/storage/spillage at some of the existing Registry sites in the Industrial Area, the following areas were identified for further investigation as potential source locations: South Nancy Street (152141), Nassau Tools (152142), Middle Kean Street Site (152143), South Mahon Street Site (152144), and Field-Gleam Street Area (152145).

CONFIRMED HAZARDOUS WASTE DISPOSED:  
None reported

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

The primary VOCs detected in the groundwater beneath the site were PCE, TCE, 1,2-DCE, 1,1-DCE, 1,1-DCA, and 1,1,1-TCA. PCE and

TCE were the most prevalent compounds, especially in the deeper zone of the aquifer where total VOC levels were as high as 402 parts per billion.

ASSESSMENT OF HEALTH PROBLEMS:  
None provided

PROJECT COMPLETIONS:

Operable Unit 01 - BABYLON PLUME TRACKING

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization		09/01/1992	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE:  
GROUNDWATER DEPTH:

LEGAL ACTION:	Type:	State-	Federal-
STATUS:	Negotiation in Progress-	Order Signed-	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-
NATURE OF ACTION:			

Map Identification Number 6



MIDDLE KEAN STREET SITE

75 KEAN STREET

WEST BABYLON, NY 11704

Facility Id: 152143

TT-Id: 120A-0007-655

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 4543 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: N

REGION: 1

SITE CODE: 152143  
DEC ID: 338752

CLASSIFICATION CODE DESCRIPTION:

No further action

NAME OF SITE: Middle Kean Street Site

STREET ADDRESS: 75 Kean Street

CITY: West Babylon

ZIP: 11704

TOWN: Babylon

COUNTY: Suffolk

ESTIMATED SIZE:

SITE TYPE: Dump- Structure- Lagoon- Landfill- Treatment Pond-

INSTITUTIONAL/ENGINEERING CONTROLS:

None reported

CROSS REFERENCES:

None reported

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

None reported

HAZARDOUS WASTE DISPOSAL PERIOD:

SITE DESCRIPTION:

Description Not Available

CONFIRMED HAZARDOUS WASTE DISPOSED:

None reported

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

None provided

ASSESSMENT OF HEALTH PROBLEMS:

None provided

PROJECT COMPLETIONS:

Operable Unit 01 - MID KEAN ST.

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization		07/01/1999	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE:  
GROUNDWATER DEPTH:

LEGAL ACTION:	Type:	State-	Federal-
STATUS:	Negotiation in Progress-	Order Signed-	
REMEDIAL ACTION:	Proposed- Under Design-	In Progress-	Completed-
NATURE OF ACTION:			

**Map Identification Number 7**

**MID KEAN STREET SITE**  
KEAN ST.

BABYLON, NY

**Facility Id: 1-007**  
TT-Id: 180A-0003-677

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 4852 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11704

This facility has been deleted from the reported data. Data reflects last reported information.

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF HAZARDOUS WASTE REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL REPORT  
REGION: 1

NAME OF SITE: Mid Kean Street Site  
STREET ADDRESS: Kean St.  
TOWN/CITY: Babylon COUNTY: Suffolk

Registry Qualifying Investigations Underway as of 04/1994

**Map Identification Number 8**

**RICHARD MANNO AND COMPANY**  
42 LAMAR STREET

WEST BABYLON, NY

**Facility Id: 1-047**  
TT-Id: 180A-0003-597

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 5130 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11704

This facility has been deleted from the reported data. Data reflects last reported information.

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF HAZARDOUS WASTE REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL REPORT  
REGION: 1

NAME OF SITE: Richard Manno and Company  
STREET ADDRESS: 42 Lamar Street  
TOWN/CITY: West Babylon COUNTY: Suffolk

Registry Qualifying Investigations Underway as of 10/2001

Map Identification Number 9

**RICHARD MANNO AND COMPANY**  
42 LAMAR STREET

WEST BABYLON, NY 11704-

Facility Id: 152171  
TT-Id: 120A-0007-586

MAP LOCATION INFORMATION

Site location mapped by: MAP COORDINATE (1)  
Approximate distance from property: 5134 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

CLASSIFICATION CODE: N  
CLASSIFICATION CODE DESCRIPTION:  
No further action

REGION: 1

SITE CODE: 152171  
DEC ID: 55901

NAME OF SITE: Richard Manno and Company  
STREET ADDRESS: 42 Lamar Street  
CITY: West Babylon ZIP: 11704-

TOWN: Babylon  
COUNTY: Suffolk

SITE TYPE: Dump- Structure- Lagoon- Landfill- Treatment Pond-

ESTIMATED SIZE:

INSTITUTIONAL/ENGINEERING CONTROLS:

None reported

CROSS REFERENCES:

None reported

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

None reported

HAZARDOUS WASTE DISPOSAL PERIOD:

SITE DESCRIPTION:

The results of a Preliminary Site Assessment found that the facility's sanitary system, which was cleaned out in 1997 due to elevated levels of chlorinated solvents, is currently not the source of groundwater contamination. No further investigation is necessary. The site did not qualify for addition to the Registry of Inactive Hazardous Disposal Sites.

CONFIRMED HAZARDOUS WASTE DISPOSED:

None reported

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

None provided

ASSESSMENT OF HEALTH PROBLEMS:

None provided

PROJECT COMPLETIONS:

Operable Unit 01 - RICHARD MANNO AND COMPANY

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization		10/07/2002	Actual

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR:	Air-	Surface Water-	Groundwater-	Soil-	Sediment-
APPLICABLE STANDARDS EXCEEDED IN:	Groundwater-	Drinking Water-	Surface Water-	Air-	

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE:

GROUNDWATER DEPTH:

LEGAL ACTION:

STATUS:	Type:	State-	Federal-
REMEDIAL ACTION:	Negotiation in Progress-	Order Signed-	
NATURE OF ACTION:	Proposed- Under Design-	In Progress-	Completed-



TOWN/CITY: Babylon

COUNTY: Suffolk

Registry Qualifying Investigations Underway as of 04/1994

**Map Identification Number 12**



**SOUTH NANCY STREET**  
**SOUTH NANCY STREET**

BABYLON, NY

**Facility Id: 1-005**  
TT-Id: 180A-0003-680

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 5207 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11704

This facility has been deleted from the reported data. Data reflects last reported information.

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF HAZARDOUS WASTE REMEDIATION  
INACTIVE HAZARDOUS WASTE DISPOSAL REPORT  
REGION: 1

NAME OF SITE: South Nancy Street

STREET ADDRESS: South Nancy Street

TOWN/CITY: Babylon

COUNTY: Suffolk

Registry Qualifying Investigations Underway as of 04/1994



**RCRA CORRECTIVE ACTION SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 13**

**NYSDEC (PRIDE SOLVENTS & CHEMICAL CO INC)**

**Facility Id: NYD057722258**



EPA (RCRA) Name: PRIDE SOLVENTS & CHEMICAL CO INC  
 EPA (RCRA) Address: 88 LAMAR ST

78-88 LAMAR ST  
 BABYLON, NY 11704  
 WEST BABYLON, NY 11704

TT-Id: 200A-0000-369  
 Source: USEPA

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 4443 feet to the S

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

GENERATOR TYPE: Small Quantity Generator – Large Quantity Generator – X Treatment, Storer, Disposal Facility – X

**HANDLERS WITH CORRECTIVE ACTION ACTIVITY (CORRACTS)**

CORRACTS EVENT CODE	CORRACTS DATE	CORRACTS EVENT DESCRIPTION
HQCA050	11/29/1985	RFA COMPLETED
HQCA070YE	05/08/1986	DETERMINATION OF NEED FOR A RFI-RFI IS NECESSARY
HQCA100	05/08/1986	RFI IMPOSITION
HQCA140	11/14/1990	INVESTIGATION WORKPLAN NOTICE OF DEFICIENCY ISSUED
HQCA150	05/30/1991	RFI WORKPLAN APPROVED
HQCA180	08/09/1991	INVESTIGATION IMPLEMENTATION BEGUN
O2CA205	10/10/1991	RFI DRAFT REPORT RECEIVED
HQCA075ME	02/24/1993	CA PRIORITIZATION-MEDIUM CA PRIORITY
HQCA190	07/14/1993	INVESTIGATION REPORT RECEIVED
HQCA155	03/18/1994	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
HQCA155	07/25/1994	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
HQCA225IN	09/16/1994	STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY
HQCA225IN	09/30/1994	STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY
HQCA110	10/25/1994	INVESTIGATION WORKPLAN RECEIVED
HQCA140	11/15/1994	INVESTIGATION WORKPLAN NOTICE OF DEFICIENCY ISSUED
NYCA145	12/31/1994	RFI WORKPLAN RESUBMITTED
HQCA155	04/06/1995	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
HQCA160	05/31/1995	INVESTIGATION SUPPLEMENTAL INFORMATION RECEIVED
HQCA100	06/22/1995	RFI IMPOSITION
HQCA150	07/18/1995	RFI WORKPLAN APPROVED

HQCA180	09/05/1995	INVESTIGATION IMPLEMENTATION BEGUN
HQCA190	07/22/1996	INVESTIGATION REPORT RECEIVED
HQCA600	07/23/1996	STABILIZATION/INTERIM MEASURES DECISION
NYCA605	07/23/1996	INTERIM MEASURES PLAN RECEIVED
NYCA610	07/23/1996	INTERIM MEASURES PLAN APPROVED
HQCA155	04/27/1998	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
HQCA160	05/21/1998	INVESTIGATION SUPPLEMENTAL INFORMATION RECEIVED
HQCA170	05/21/1998	INVESTIGATION SUPPLEMENTAL INFO DEEMED SATISFACT
NYCA615	07/28/1998	INTERIM MEASURES IMPLEMENTED/BEGUN
HQCA650	07/29/1998	STABILIZATION CONSTRUCTION COMPLETED
NYCA677	08/30/1998	INTERIM CORRECTIVE MEASURES EVALUATION
HQCA100	10/05/1999	RFI IMPOSITION
HQCA150	04/24/2003	RFI WORKPLAN APPROVED
NYCA028	11/26/2004	SV WORKPLAN APPROVED
HQCA050	03/25/2005	RFA COMPLETED
HQCA400	03/27/2013	DATE FOR REMEDY SELECTION (CM IMPOSED)

**Map Identification Number 14**

 **LAWRENCE RIPAK CO**  
 400 PATTON AVE  
 EPA (RCRA) Name: RIPAK AEROSPACE PROCESSING – LAWRENCE RI  
 EPA (RCRA) Address: 400 PATTON AVE

WEST BABYLON, NY 11704  
 WEST BABYLON, NY 11704

**Facility Id: NYD064730294**  
 TT-Id: 200A-0000-354  
 Source: USEPA

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 5233 feet to the SSW

**ADDRESS CHANGE INFORMATION**  
 Revised street: 400 PATTON AVENUE  
 Revised zip code: NO CHANGE

GENERATOR TYPE: Small Quantity Generator – Large Quantity Generator – X Treatment, Storer, Disposal Facility – X

**HANDLERS WITH CORRECTIVE ACTION ACTIVITY (CORRACTS)**

CORRACTS EVENT CODE	CORRACTS DATE	CORRACTS EVENT DESCRIPTION
HQCA050	02/09/1988	RFA COMPLETED
HQCA075LO	04/19/1994	CA PRIORITIZATION-LOW CA PRIORITY
HQCA400	09/15/2017	DATE FOR REMEDY SELECTION (CM IMPOSED)
HQCA550NR	09/15/2017	REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED
HQCA725YE	09/15/2017	HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
HQCA750YE	09/15/2017	RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
HQCA800YE	09/15/2017	READY FOR ANTICIPATED USE DETERMINATION – READY FOR ANTICIPATED USE
HQCA999NF	09/15/2017	CA PROCESS IS TERMINATED-NO FURTHER ACTION
HQCA999NF	06/25/2012	CA PROCESS IS TERMINATED-NO FURTHER ACTION

The following corrective action(s) has been deleted from the corracts database. Data reflects last reported information.

Map Identification Number 15

LAWRENCE RIPAK CO INC

WEST BABYLON, NY 11704

Facility Id: 152236

TT-Id: 210A-0000-127

Source: NYSDEC



400 PATTON AVENUE

MAP LOCATION INFORMATION

Site location mapped by: MAP COORDINATE (1)

Approximate distance from property: 5240 feet to the SSW

ADDRESS CHANGE INFORMATION

Revised street: 400 PATTON AVE

Revised zip code: NO CHANGE

\*\*\*\*\*

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF ENVIRONMENTAL REMEDIATION  
RCRA CORRECTIVE ACTION PROGRAM

CLASSIFICATION CODE: PR  
CLASSIFICATION CODE DESCRIPTION:  
Potential RCRA Corrective Action

REGION: 1

SITE CODE: 152236  
DEC ID: 447039

NAME OF SITE: Lawrence Ripak Co Inc  
STREET ADDRESS: 400 Patton Avenue  
CITY: West Babylon

ZIP: 11704

TOWN: Babylon  
COUNTY: Suffolk

SITE TYPE: Dump- Structure- Lagoon- Landfill- Treatment Pond-

ESTIMATED SIZE:

INSTITUTIONAL/ENGINEERING CONTROLS:  
None reported

CROSS REFERENCES:

IDENTIFIER

SOURCE

nyd064730294

RCRA EPA ID No.

SITE OWNER/OPERATOR/REPOSITORY INFORMATION:

CURRENT OWNER(S):

NAME: Island-Wide Equities, LLC  
ADDRESS: 5 Tammi Ct.  
Kings Park, NY 11754

Owner Type: Corporate or Commercial

OWNER(S) DURING DISPOSAL:

OPERATOR(S) DURING DISPOSAL:

NAME: Lawrence Ripak Co Inc.  
Lawrence Ripak

Operator Type: Corporate or Commercial

ADDRESS: 165 Field Street  
West Babylon, NY 11704

APPLICANT REQUESTOR(S):

HAZARDOUS WASTE DISPOSAL PERIOD:

SITE DESCRIPTION:

The approximately .9 acre property contains a 16000 sqare foot single story structure. The facility once operated as a RCRA Hazardous Waste Management Facility under interim status. These operations ceased in 2000. The site is located in an industrial park with a large cemetary to the north and the Babyon Landfill to the northeast.

CONFIRMED HAZARDOUS WASTE DISPOSED:

None reported

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

The 400 Patton Avenue facility (a former RCRA Hazardous Waste Management Facility) ceased operations on February 29, 2000. Shortly thereafter steps were taken to properly close the thirteen on-site drainage pools. A plan for cleaning and pumping out these thirteen on-site drainage pools was approved by the Suffolk County Department of Health Services in May of 2000. Upon completion of sampling, Pool #1 was found to exceed the SCDHS Action Level for chromium. As a result, further cleaning of Pool #1 was conducted. Because chromium was still present, Geoprobe samples were collected from Pool #1 at depths ranging to 27 feet -deeper than could be obtained by pumping out. Again, chromium was present. Since chromium still remained above the Cleanup Objective an indicator round of groundwater samples was collected by Geoprobe on October 11, 2000. This data suggested that some chromium and lead were found in the upgradient groundwater and that the Ripak plant may have contributed some of the same contaminants. Since there was apparent contamination of groundwater in the vicinity of the plant, SCDHS, after consulting with DEC, indicated that a more formal groundwater investigation would be required. A plan for installation and sampling of monitoring wells was prepared, submitted, reviewed by SCDHS, and approved. Recurrent sampling of groundwater was conducted with the final round of sampling being conducted in September 2011. Results of the sampling indicated no detections for VOCs and minor detections of metals, but all concentrations were below the state groundwater quality standards. RCRA closure was approved in June 2012.

ASSESSMENT OF HEALTH PROBLEMS:

As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.

PROJECT COMPLETIONS:

Operable Unit 01 - Remedial Program

PROJECT	DESCRIPTION	END DATE	STATUS
Site Characterization	Records Search	09/08/2017	Actual

\*\*\*\*\*



***NO CERCLIS SUPERFUND SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO BROWNFIELDS SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO SOLID WASTE FACILITIES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO HAZARDOUS WASTE TREATMENT/STORAGE/DISPOSERS IDENTIFIED WITHIN THE 1/2 MILE SEARCH RADIUS***



***NO ACTIVE TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO ACTIVE TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**ACTIVE UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 16** **RESIDENCE** **Spill Number: 2003122** **Close Date:**  
 127 RIDGE ROAD WYANDANCH, NY TT-Id: 520A-0364-005

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 679 feet to the WNW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: UNKNOWN Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: WJGABIN Contact for more spill info: MIKE Contact Person Phone: (631) 484-0320

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/21/2020		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL

Caller Remarks:

tank failure, 275 gal above ground tank

DEC Investigator Remarks:

7/21/20, 1315 hrs. JF t/c w/ Mike Rosati: inspection at Fannie Mae foreclosed house found empty outdoor 275 gallon AST that corroded and spilled an unknown quantity #2 fuel oil to soil at some time in the past. Contamination extended at least 2' bgs. A

second AST is installed next to the one that leaked. AB Environmental is submitting a cleanup proposal to the property owner.



**ACTIVE HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS.**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 17**      **WILLIAMS RESIDENCE**      **Spill Number: 2005523**      **Close Date:**  
 168 RIDGE RD      WHEATLEY HEIGHTS, NY      TT-Id: 520A-0366-711

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 501 feet to the NW

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING      Spiller: WILLIAMS RESIDENCE      Spiller Phone:  
 Notifier Type: Other      Notifier Name:  
 Caller Name:      Caller Agency:      Notifier Phone:  
 DEC Investigator: TMCUFF      Contact for more spill info: MIKE VIZZINI      Caller Phone:  
 Contact Person Phone: (516) 379-1500

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/15/2020		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

cleanup in progress

DEC Investigator Remarks:

09/17/2020-14:50 NH spoke with Vizzini.. outside 275 AST under ground return line failed, could have been up to 200 gals lost to soil. Milro to perform the clean. Allstate ins. covering the spill's damage.

11/18/2020: Milro removed approx. 17 tons of contaminated soil to extent practicable. Bottom sample PID reading at 8 foot depth was 6.1 ppm. No further action required. TC

**Map Identification Number 18**  **RESIDENCE** **Spill Number: 2005625** **Close Date:**  
 71 SOUTH 23RD ST WYANDANCH, NY TT-Id: 520A-0366-721

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1560 feet to the ESE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: VINCENT – RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: RJPOCZKA Contact for more spill info: VINCENT Contact Person Phone: 631) 956-1208

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/19/2020		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL IMPERVIOUS SURFACE

Caller Remarks:  
 unk amount of product freed to grass and asphalt. clean up pending

DEC Investigator Remarks:  
 9/21/20, 1300 hrs. JF t/c w/ Vincent: outdoor 275 gal. AST failed and spilled unknown quantity #2 fuel oil onto concrete slab and soil. The homeowner transferred oil into drums and the AST is now empty. The most recent delivery was 6/1/20, 141 gals. The Romanelli tech visually estimated the spill to be 2 gals. but they are not positive how much soaked into the soil.

USGS DTW 23'.

**Map Identification Number 19** **HARMON RESIDENCE**  
 6 NORWOOD PLACE

**Spill Number: 1911068**  
 WHEATLEY HEIGHTS, NY

**Close Date:**  
 TT-Id: 520A-0361-812

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1960 feet to the NW

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: RJPOCZKA

Spiller: KENDRA ANDREA HARMON – HARMON RESIDENCE  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: CAROL

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (516) 932-7000

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/01/2020		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	UNKNOWN	0.00	UNKNOWN	SOIL IMPERVIOUS SURFACE

Caller Remarks:

5 gal of product freed. product freed to concrete slabbed and dirt. clean up pending.

DEC Investigator Remarks:

3/1/20 @ 1145 Hrs: t/c with Carol from Slomin's oil. Per Carol, AST 275 gal corroded and leaked #2 fuel oil onto pad and soil. Drip pan is being used to contain the spill. Tech responded, stopped the leak and applied speedy dri. Homeowner was advised to contact her insurance co. for cleanup. Cleanup is pending insurance coverage.(WG)

USGS DTW 91'. RJP.



**CLOSED STATUS TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 20** **CHAKMAKIAN RESIDENCE** **Spill Number: 9413125** **Close Date: 06/30/1999**  
 10 BURNDALE COURT WHEATLEY HEIGHTS, NY TT-Id: 520A-0175-452

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1668 feet to the NW

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: CHAKMAKIAN RESIDENCE Spiller Phone: (516) 643-7832  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: S DITTA Caller Agency: GIFFORDS Caller Phone: (516) 576-3000  
 DEC Investigator: BFMATTHE Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/02/1995		TANK FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TANK LET GO, 15 GALLONS ON BASEMENT CEMENT FLOOR

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was MATTHEWS

**Map Identification Number 21** **RUSSELL RESIDENCE** **Spill Number: 0409811** **Close Date: 06/18/2007**  
 66 SOUTH 25TH STREET WYANDANCH, NY TT-Id: 520A-0169-227

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1872 feet to the ESE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: VIRGINIA RUSSELL – RUSSELL RESIDENCE Spiller Phone: (631) 491-5808  
 Notifier Type: Responsible Party Notifier Name: VIRGINIA RUSSELL Notifier Phone: (631) 491-5808  
 Caller Name: VIRGINIA RUSSELL Caller Agency: Contact Person Phone: (631) 491-5808  
 DEC Investigator: BXDONOVA Contact for more spill info: VIRGINIA RUSSELL

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/10/2004		TANK FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	250.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

CORROSION HOLE AT BOTTOM OF TANK, FOUND DURING DELIVERY: INTERIOR CLEANED UP AND NOW TESTING SOIL:

**DEC Investigator Remarks:**

COULD NOT CONFIRM ANY PRIOR REPORT BY SEARCHING DATABASE 12/2 1415 CALLED, NO ANSWER, NO ANSWERING MACHINE  
 CONTAMINATED SOIL EXCAVATED, IMPACT TO GW UNLIKELY



**CLOSED STATUS TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 22** **USPO** **Spill Number: 9007216** **Close Date: 01/29/2004**  
 COLONIAL SPRINGS ROAD WHEATLEY HEIGHTS, NY TT-Id: 520A-0169-831

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 163 feet to the NE\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: USPO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: HAROLD GOLDBERG Caller Agency: U.S POST OFFICE Caller Phone: (516) 755-2974  
 DEC Investigator: KAKISPER Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/01/1990		TANK TEST FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER
MTBE (METHYL-TERT-BUTYL ETHER)	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	GROUNDWATER
BTEX	OXYGENATES	0	UNKNOWN	0	UNKNOWN	GROUNDWATER

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

Caller Remarks:

550 TANK. VACUUM TEST, SYSTEM TEST. BLDG LEASED FROM A PRIVATE LANDLORD. TANK TO BE PUMPED OUT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was KISPERT WELL PIPE LEAK, WILL DIG UP AND EXPOSE

**Map Identification Number 23**      **HENRY KUFMAN CAMP GROUNDS**      **Spill Number: 9712235**      **Close Date: 11/03/2003**  
 75 COLONIAL SPRINGS ROAD      WHEATLEY HEIGHTS, NY      TT-Id: 520A-0165-138

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1078 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL      Spiller: JEFF COOPERSMITH – HENRY KUFMAN CAMP GROUNDS      Spiller Phone: (914) 735-2718  
 Notifier Type: Tank Tester      Notifier Name: MICHAEL SEPE      Notifier Phone: (516) 586-4900  
 Caller Name: MICHAEL SEPE      Caller Agency: FENLEY & NICOLS      Caller Phone: (516) 586-4900  
 DEC Investigator: T/T/F      Contact for more spill info:      Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/02/1998		TANK TEST FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

TANK TEST INFORMATION

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
1	1000	Horner EZ Check I or II	-0.18	UNKNOWN

Caller Remarks:

TANK HAS FAILED TEST

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 24** **WYANDANCH HIGH SCHOOL** **Spill Number: 0409137** **Close Date: 03/17/2005**  
 36 GARDEN CITY ONE WYANDANCH, NY TT-Id: 520A-0169-935

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1642 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: MICHEAL BREEN – WYANDANCH HIGH SCHOOL Spiller Phone: (631) 491-1002  
 Notifier Type: Tank Tester Notifier Name: STEVE MERTENS Notifier Phone: (516) 250-5968  
 Caller Name: STEVE MERTENS Caller Agency: G & M DEGE Caller Phone: (516) 250-5968  
 DEC Investigator: HMCIRRIT Contact for more spill info: MICHEAL BREEN Contact Person Phone: (631) 491-1002

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/11/2004		TANK TEST FAILURE	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

PBS No: 1-0854

DEC Investigator Remarks:

TELECON STEVE-DEGE, TANK PASSED TANK ALONE ON 2/23/05, REPAIR MADE TO REMOTE FILL, WILL DO A SYSTEMS TEST ON 2/25 WEATHER PERMITTING

**Map Identification Number 25** **WYANDANCH HIGH SCHOOL** **Spill Number: 0407679** **Close Date: 12/14/2007**  
 32ND STREET WYANDANCH, NY TT-Id: 520A-0169-931

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1642 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: 32ND ST  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MIKE BREEN – WYANDANCH UNION FREE SCHOOL DISTRICT Spiller Phone: (631) 491-1018  
 Notifier Type: Tank Tester Notifier Name: STEVE MERTENS Notifier Phone: (516) 250-5968  
 Caller Name: STEVE MERTENS Caller Agency: G & M DEGE Caller Phone: (516) 250-5968  
 DEC Investigator: HMCIRRIT Contact for more spill info: MIKE BREEN Contact Person Phone: (631) 491-1018

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/11/2004		TANK TEST FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	

TANK TEST INFORMATION

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
0000	25000	Horner EZ Check I or II	-0.07	UNKNOWN

Caller Remarks:

Suffolk County Health Dept. ID # 1-0853

DEC Investigator Remarks:

TELECON CALLER-SLOW STEADY LEAK, REMAINED AT CONSTANT RATE THROUGHOUT 3 HR TEST, WILL CHECK ALL FITTINGS AND TRY A RETEST  
 2/24/05 TELECON STEVE, DEGE, TANK FAILED TANK ALONE ON 2/24, TANK IS BEING PUMPED OUT  
 TANK REMOVED, NO CONTAMINATED SOIL

**Map Identification Number 26** **TAUKOMAS SCHOOL**  
 31 LEE AVENUE

WHEATLEY HEIGHTS, NY

**Spill Number: 9703844**

**Close Date: 07/24/1997**  
 TT-Id: 520A-0165-133

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2395 feet to the NE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER

Spiller: JOHN FERRERO – TAUKOMAS SCHOOL BOCES

Spiller Phone: (516) 549-4900 ext. 2  
 ext: 250

Notifier Type: Tank Tester  
 Caller Name: TIM CERNIGLIA  
 DEC Investigator: T/T/F

Notifier Name: TIM CERNIGLIA  
 Caller Agency: GM DEJE  
 Contact for more spill info: JOHN FERRERO

Notifier Phone: (516) 475-1450  
 Caller Phone: (516) 475-1450  
 Contact Person Phone: (516) 549-4900 ext. 2  
 ext: 250

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/28/1997		TANK TEST FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
	10000	Horner EZ Check I or II	0.26	UNKNOWN

**Caller Remarks:**

TANK FAILED TEST AND THERE WAS NO CONTAMINATION DETECTED

DEC Investigator Remarks: DEC INVESTIGATOR REMARKS NOT AVAILABLE FOR THIS SPILL ACCORDING TO THE LAST UPDATE.

**The following DEC Investigator Remarks were available prior to 1/1/2002:**

FAILURE PER G&M DEGE WAS DUE TO THE FACT THAT PUMPING WAS GOING ON DURING THE TEST. SYSTEM PASSED, RETEST 7/3/97. NO FURTHER ACTION NEEDED AT THIS TIME

**Map Identification Number 27**  **CONSERVATIVE GAS** **Spill Number: 8600205** **Close Date: 04/22/1986**  
 18TH STREET & MERIT ROAD WYANDANCH, NY TT-Id: 520A-0171-000

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2529 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: GASOLINE STATION OR PBS FACILITY Spiller: CONSERVATIVE GAS Spiller Phone:  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: CXONEILL Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
04/08/1986	04/22/1986	TANK TEST FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

**Caller Remarks:**

F&N TO INSTALL STICKLINE AND RETEST.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'NEILL

FD

// : 4/9/86 TOLD BY TECH.ON SITE THAT DIESEL TANK FAILED GROSSLY DUE TO LEAK AT DISPENSER BUT DID NOT TAKE THE TIME TO REPAIR.4/14/86 PASSED RET. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES



**CLOSED STATUS UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 28** **ABANDONED S/S** **Spill Number: 9410271** **Close Date: 09/07/1995**  
 LITTLE E NECK RD & LI AVE WYANDANCH, NY TT-Id: 520A-0176-566

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 66 feet to the SSW\*

**ADDRESS CHANGE INFORMATION**

Revised street: LITTLE EAST NECK RD / LONG ISLAND AVE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: UNK Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: MARSHA GALLO Caller Agency: TOWN OF BABYLON Caller Phone: (516) 893-1092  
 DEC Investigator: BFMATTHE Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/02/1994	09/07/1995	UNKNOWN	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

AT ABANDONED S/S. THERE IS TOXIC MATERIAL LEFT ON SITE – TOWN OF BABYLON FM REQUESTS RESPONSE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was MATTHEWS

**Map Identification Number 29**  **METRO RESOURCES**  
10 LONG ISLAND AVENUE

WYANDANCH, NY

**Spill Number: 8805449**

**Close Date: 11/25/1988**  
TT-Id: 520A-0179-458

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 171 feet to the SSW\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: GASOLINE STATION OR PBS FACILITY  
Notifier Type: DEC  
Caller Name: JOHN HOFMANN  
DEC Investigator: HOFMANN

Spiller: METRO RESOURCES  
Notifier Name:  
Caller Agency: DEC  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (516) 751-7900  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/26/1988	11/25/1988	UNKNOWN	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**Caller Remarks:**

CATCH BASIN HAS PRODUCT IN IT. ADVISED STATION MGR TO PUMP AND CLEAN BASIN. SCHD NOTIFIED

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HOFMANN

FD 11/25/88: SCDH NOTIFIED. GENERAL WASTE OIL PUMPED OUT 1000 GALS. CHECKED DRAIN, ALL CLEAN.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 30** **VALERO GAS STATION**  
 10 LONG ISLAND AVENUE

WYANDANCH, NY

**Spill Number: 0409467**

**Close Date: 12/11/2009**  
 TT-Id: 520A-0175-071

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 171 feet to the SSW\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: GASOLINE STATION OR PBS FACILITY  
 Notifier Type: Other  
 Caller Name: TJ OCONNOR  
 DEC Investigator: HMCIRRIT

Spiller: JOHN HALLERAN – VALERO GAS STATION  
 Notifier Name: TJ OCONNOR  
 Caller Agency: DRY AS A BONE  
 Contact for more spill info: JOHN HALLERAN

Spiller Phone: (631) 288-0280  
 Notifier Phone: (516) 678-5115  
 Caller Phone: (516) 678-5115  
 Contact Person Phone: (631) 288-0280

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/22/2004		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

line test failed.

**DEC Investigator Remarks:**

11/22/04 LEFT MESSAGE FOR MR HALLERON  
 CHECK VALVE WAS PROBLEM, CONVERTED TO EUROPEAN SYSTEM

**Map Identification Number 31** **ROLAND NOWELL RESIDENCE**  
 182 NORTH 27TH STREET

WYANDANCH, NY

**Spill Number: 9415650**

**Close Date: 03/03/1995**  
 TT-Id: 520A-0165-132

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 181 feet to the NE\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: TOM LIOTTA Caller Agency: GIFFORDS Caller Phone: (516) 576-3000  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/02/1995		UNKNOWN	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

2' STAIN AROUND FILL PIPE, OUTSIDE IN DIRT, SOIL HAS BEEN PICKED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE TELECON LIOTTA, CLEANED UP BY GIFFORDS

**Map Identification Number 32** **UNKNOWN** **Spill Number: 0002918** **Close Date: 06/08/2000**  
 153 NORTH 27TH STREET WYANDANCH, NY TT-Id: 520A-0169-220

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE  
 Approximate distance from property: 320 feet to the ENE Revised zip code: 11798

Source of Spill: COMMERCIAL VEHICLE Spiller: LONG ISLAND FUEL OIL Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: CARLYLE GAINEY Caller Agency: HOME OWNER Caller Phone: (631) 253-0369  
 DEC Investigator: DONOVAN Contact for more spill info: CALLER Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/19/2000		OTHER	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

CALLER STATED THAT DELIVERY MAN SPILLED OIL.

DEC Investigator Remarks:

SAME AS 0002766 DATED 6/5/00 BD SITE

**Map Identification Number 33** **UNKNOWN** **Spill Number: 0609241** **Close Date: 05/01/2008**  
 139 NORTH 26TH STREET WHEATLEY HEIGHTS, NY TT-Id: 520A-0173-117

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 593 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: Spiller Phone:  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: WJGABIN Contact for more spill info: ISABELLE CRAWFORD Contact Person Phone: (631) 643-7236

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/10/2006		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

CALLER REPORTS AN ABOVE GROUND 275 GALLON OIL TANK LEAKED. UNSURE HOW MUCH SPILLED. SPILL IS ONTO SOIL. TANK BEING PUMPED INTO A TEMPORARY TANK.

DEC Investigator Remarks:

11/13/06 15:50 TELECON TO LAURA ALOSI, LEFT MESSAGE

CLEANUP COMPLETED BY WINDMILL. A TOTAL OF 41.50 TONS OF CONTAMINATED SOIL GENERATED AND PROPERLY DISPOSED OF AT PBA. SOIL SAMPLES AND GW SAMPLE RESULTS INDICATED LOW DETECTION OF CONTAMINATION AT THE SHEAR ZONE. NO ADDITIONAL CLEANUP REQ'D

**Map Identification Number 34** **WHALE OIL CO TRUCK** **Spill Number: 8601467** **Close Date: 06/04/1986**  
 COLONIAL SPRINGS ROAD WYANDANCH, NY TT-Id: 520A-0176-364

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 658 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: WHALE OIL CO TRUCK Spiller Phone:  
 Notifier Type: Fire Department Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: PAREJA Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/02/1986	06/04/1986	UNKNOWN	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

OTH.SPILL LOC-& CIRCLE DR-DEC TO FOLLOW UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was PAREJA

FD

// : SPILLER HIRED F&N. REMOVED 5 YDS. ONE DRAIN EFFECTED.6/2/86 50 GALS RECOVERED.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 35** **MILTON L OLIVEMIDDLE SCH** **Spill Number: 0325081** **Close Date: 07/29/2003**  
 140 GARDEN CITY AVENUE WYANDANCH, NY TT-Id: 520A-0169-221

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 846 feet to the S

ADDRESS CHANGE INFORMATION

Revised street: 14 GARDEN CITY AVENUE  
 Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: CALLER – METRO OIL Spiller Phone: (718) 383-1400  
 Notifier Type: Affected Persons Notifier Name: JAMESELLE Notifier Phone: (631) 491-1018  
 Caller Name: JAMESELLE Caller Agency: WYANDANCH SCHOOL Caller Phone: (631) 491-1018  
 DEC Investigator: WJGABIN Contact for more spill info: MR. DANIELLE Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/14/2003		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

metro oil co. on-site to deliver oil, spill occurred at fill pipes, spill on the side walk and along the building. requesting an inspector, minor soil contamination.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN

03-026 SAME AS 03-01588, TELECON WITH METRO OIL, EXPLAINED RESPONSIBILITY TO CLEANUP, WILL CALL WITH UPDATE, NO SOIL IMPACTED AS

PER WORKER ON SITE,

CLEANUP WAS COMPLETED BY METRO OIL CO. A TOTAL OF 9/6 TONS OF CONTAMINATED SOIL GENERATED AND PROPERLY DISPOSED OF AT POSILLICO BROTHERS. NO ADDITIONAL ACTION REQUIRED

**Map Identification Number 36**      **UNKNOWN**      **Spill Number: 0301588**      **Close Date: 07/29/2003**  
 140 GARDEN CITY AVENUE      WYANDANCH, NY      TT-Id: 520A-0158-085

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 846 feet to the S

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: JOE MANNO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name: SCOTT ALNWICK	Notifier Phone: (718) 383-1400
Caller Name: SCOTT ALNWICK	Caller Agency: METRO FUEL	Caller Phone: (718) 383-1400
DEC Investigator: WJGABIN	Contact for more spill info: SCOTT ALNWICK	Contact Person Phone: (718) 383-1400

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/14/2003		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

contained no waterways

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN SAME AS 03-25081

**Map Identification Number 37**  **RESIDENCE** **Spill Number: 9815175** **Close Date: 03/09/2000**  
 96 SOUTH 27TH STREET WYANDANCH, NY TT-Id: 520A-0168-464

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 966 feet to the ESE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: GUDAITIS Spiller Phone: (516) 485-9311  
 Notifier Type: Fire Department Notifier Name: Notifier Phone:  
 Caller Name: JOE ARCURI Caller Agency: BABYLON FIRE MARSHALL Caller Phone: (516) 226-1216  
 DEC Investigator: COSTELLO Contact for more spill info: EDWARD GUDAITIS Contact Person Phone: (516) 485-9311

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/23/1999		OTHER	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	40.00	GALLONS	40.00	GALLONS	SOIL

Caller Remarks:

CALLER REPORTING THAT OIL WAS PUMPED INTO A LEAKING TANK. PRODUCT IS CONTAINED AND HAS BEEN CLEANED. REMAINING OIL IN TANK WILL BE PUMPED OUT.

DEC Investigator Remarks:

Mar 23' 99 11:15 Left message for joe Arcuri ( Babylon Fire Marshal)

Mar 23' 99 11:20- Avcuri called -vacant house -owner (Mr. Gudaitis) on scene -275 gal tank in basement -appears as if tank had a pre-existing split or hole -approx. 25-40 gal on concrete floor -FD diked -did not notice any drains -approx 50 gal still in tank -oil co. will clean up for owner AAP Plus LLC Dean Trabacchi 243-2173

-Arcuri to stay until clean up begins - does not need DEC at this time

**Map Identification Number 38**  **TEMPRO RESIDENCE**  
95 SOUTH 29TH STREET

WYANDANCH, NY

**Spill Number: 0000017**

**Close Date: 02/08/2001**  
TT-Id: 520A-0169-219

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 995 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name: MIKE EMANUELO  
DEC Investigator: PWHARDIN

Spiller: HOWARD TEMPRO – TEMPRO RESIDENCE  
Notifier Name: TONY FANTACI  
Caller Agency: PETRO OIL  
Contact for more spill info: HOWARD TEMPRO

Spiller Phone: (631) 643-6090  
Notifier Phone:  
Caller Phone: (516) 686-2016  
Contact Person Phone: (631) 643-6090

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/2000		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

oil tank is leaking at residence – oil company is pumping out tank at this time

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HARDING Based upon a review of the file, you have completed the investigation/remediation for the referenced site.

a

AS PER EMANUELO, OWNER HAS LEFT AND WAS ADVISED OF CLEANUP, DID NOT LOSE FULL TANK, UNK AT THIS TIME EXACTLY WAS WAS LOST

**Map Identification Number 39**  **VACANT HOUSE**  
167 NORTH 24TH STREET

WHEATLEY HEIGHTS, NY

**Spill Number: 9913663**

**Close Date: 07/11/2000**  
TT-Id: 520A-0176-514

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1088 feet to the ENE

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name: SUE HARKNESS  
DEC Investigator: UNASSIGNED

Spiller: UNKNOWN BANK  
Notifier Name: FIELD INSPECTOR  
Caller Agency: HARSER MANAGEMENT  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (607) 772-0484  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/01/2000		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

HOUSE IS VACANT DUE TO FORECLOSURE BY A BANK – PROBLEM IN THE BASEMENT – ESI DID A TEST ON 3/1/00 – 3 TO 10GAL ESTIMATED IN THE BASEMENT

DEC Investigator Remarks:

TELECON TO HARKNESS, LEFT MESSAGE TELECON FROM HARKNESS, WORKING FOR HUD, CURRENTLY GETTING 3 ESTIMATES, IF HUD DECIDES TO KEEP PROPERTY SUE WOULD BE THE CONTACT. IF IT GETS KICKED BACK TO BANK, THEN THE BANK WOULD HAVE TO COMPLETE THE CLEANUP. THE BANK INFO CAN BE FOUND BY SUE IF NEEDED. SPILL IS APPROX 5 GALLONS ON CONCRETE FLOOR WITH NO DRAINS OR CRACKS

**Map Identification Number 40**  **RESIDENCE**  
10 FOXWOOD DRIVE

WHEATLEY HEIGHTS, NY

**Spill Number: 1011276**

**Close Date: 02/10/2011**  
TT-Id: 520A-0260-843

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1095 feet to the NNW

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name:  
DEC Investigator: Unassigned

Spiller: UNK  
Notifier Name:  
Caller Agency:  
Contact for more spill info: JERRY SALERNO

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/09/2011		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0.13	GALLONS	0.00	GALLONS	

Caller Remarks:

LESS THAN ONE PINT TO CEMENT, CLEANUP COMPLETE.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 41**  **CASTRO RESIDENCE**  
152 NORTH 23RD STREET

WYANDANCH, NY

**Spill Number: 0613475**

**Close Date: 04/17/2009**  
TT-Id: 520A-0173-119

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1206 feet to the ENE

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: MALFREDO CASTRO – CASTRO RESIDENCE Spiller Phone: (631) 805–5850  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: wjgabin Contact for more spill info: MALFREDO CASTRO Contact Person Phone: (631) 805–5850

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/14/2007		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	7.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

CALLER REPORTS THAT UPON ROUTINE SCHEDULED DELIVERY, THE DRIVER WAS UNABLE TO MAKE DELIVERY DUE TO TANK ALREADY BEING FULL: ALSO THAT DRIVER DISCOVERED AN APPARENT OVERFILL FROM OTHER SOURCE: CALLER HAS BEEN UNABLE TO MAKE CONTACT WITH HOMEOWNER:

DEC Investigator Remarks:

3/9/07 9:30 JENNIFER SPOKE WITH DAVID SMITH 516–932–7000, DELIVERY, AUTOMATIC, TO TANK, DRIVER SAW TANK FILLED APPARENT OVERFILL BY WHOEVER FILLED TANK, 5–7 GALLONS SPILL TO SOIL

9:35 JENNIFER SPOKE WITH CASTRO, HE HAD ANOTHER COMPANY DELIVER TO THE TANK, UNSURE OF THE NAME OF THE COMPANY, WILL CALL BACK WITH OIL CO INFO

04–17–09 @ 1:30PM –Mr. Castro called. –As per Mr. Castro, clean–up has been completed. AB oil responded the next day, mobilized to the site and cleaned–up the fuel oil spill. –Spill was contained onto asphalt pad and did not impact any soil. –No private well or drain affected by the spill. –No add'l action required. –Ok for closure.

**Map Identification Number 42** **MCDERMOTT RESIDENCE**  
 41 BRIARWOOD ROAD



WYANDANCH, NY

**Spill Number: 0009602**

**Close Date: 02/26/2001**  
 TT–Id: 520A–0176–682

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1252 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: MCDERMOTT RESIDENCE	Spiller Phone: (631) 491-1960
Notifier Type: Other	Notifier Name: JOHN ZENI	Notifier Phone: (516) 932-7000
Caller Name: JOHN ZENI	Caller Agency: SLOMINS OIL CO	Caller Phone: (516) 932-7000
DEC Investigator: BXDONOVA	Contact for more spill info:	Contact Person Phone: (631) 491-1960

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/21/2000		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

oil co. driver noticed that the tank at the above res was leaking take is outside above ground  
 homeowner has been made aware  
 a pan was placed to collect material that is leaking

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D 11/21 TELECON TO ZENI: POROUS TANK WITH SLOW DRIP, WILL REPLACE TANK WEDNESDAY 11/22, WILL TRY TO PUT NEW TANK AS FAR AWAY AS POSSIBLE IN ORDER TO FACILITATE SOIL REMOVAL, BUT HE DOESN'T KNOW HOW FAR THAT WILL BE

2/26/01 NO FUEL ODOR IN EXCAVATION, APPROX 15 BAGS OF CONT SOIL REMOVED AND DISPOSED OF BY THE HOMEOWNER

Map Identification Number 43



**INGNESE RESIDENCE**  
 22 HOMESTEAD DRIVE  
 COLONIAL SPRINGS ROAD

WHEATLEY HEIGHTS, NY

Spill Number: 9306215

Close Date: 08/23/1993  
 TT-Id: 520A-0157-362

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1260 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: TANK TRUCK Spiller: PETE'S FUEL OIL CO Spiller Phone: (516) 468-3276  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: LUCILLE INGNESE Caller Agency: CITIZEN Caller Phone: (516) 491-0866  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/20/1993	08/23/1993	OTHER	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	23.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

REC'VD DELIVERY SHE DIDN'T KNOW ABOUT,EARLY TODAY, THEN PETE'S FUEL CAME TO DELIVERED AGAIN, OVERFILLED TANK, OIL IN BASEMENT FLOOR,SHE CALLED 3 TIMES BUT THEY NEVER CALLED HER BACK. HER HUSBAND FINALLY CALLED AND THEY SAID THEY'LL COME TOMORROW

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG < 1 GALLON MINOR SPILL IN BASEMENT, NO FURTHER ACTION.

**Map Identification Number 44** **RESIDENCE** **Spill Number: 0413548** **Close Date: 08/04/2005**  
 93 JAMAICA AVENUE WYANDANCH, NY TT-Id: 520A-0157-330

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE  
 Approximate distance from property: 1293 feet to the SE Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: PETER CENTENO - RESIDENCE Spiller Phone: (516) 860-7430 ext. C  
 Notifier Type: Other Notifier Name: TRISHA SULIN ext: CELL  
 Caller Name: TRISHA SULIN Notifier Phone: (516) 686-2015  
 DEC Investigator: Unassigned Caller Agency: PETRO OIL Caller Phone: (516) 686-2015  
 Contact for more spill info: PETER CENTENO Contact Person Phone: (516) 860-7430 ext. C  
 ext: CELL

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/29/2005		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

5 foot stain out in the yard. The resident left an abandoned tank in the yard and the material leaked out of it. Unknown gallon amount but is not major. Has not been cleaned up./

DEC Investigator Remarks:

3/29/05 18:10 TELECON TO PETRO, NO ANSWER  
 3/30/05 13:25 TELECON TO PETRO, NO ANSWER

<b>Map Identification Number 45</b>	<b>UNKNOWN</b>	<b>Spill Number: 9706203</b>	<b>Close Date: 08/28/1997</b>
 96 NORTH 22ND STREET	WYANDANCH, NY		TT-Id: 520A-0164-354

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1478 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: ISLAND WIDE	Spiller Phone:
Notifier Type: Fire Department	Notifier Name: CHIEF DUNLEVY	Notifier Phone: (516) 226-1216
Caller Name: DISP #27	Caller Agency: WYANDANCH FIRE DEPT	Caller Phone: (516) 226-1216
DEC Investigator: RDDECAND	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/21/1997		UNKNOWN	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	100.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

CALLER REPORTS SPILL OF APPROX 100 GALS AFTER A DELIVERY OF OIL. CALL WAS 3RD PARTY THRU DISPATCHER THAT WAS NOT ABLE TO PROVIDE ANYMORE INFORMATION. REQ DEC TO RESPOND. CALLBACK AT 13:25 SPILL IS NOW 100 NOT 25

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA SEE 97-06201

**Map Identification Number 46** **VAVAL RESIDENCE** **Spill Number: 9706201** **Close Date: 11/03/2004**  
 96 NORTH 22ND STREET WYANDANCH, NY TT-Id: 520A-0164-355

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1478 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: VAVAL – VAVAL RESIDENCE	Spiller Phone: (516) 491-5202
Notifier Type: Other	Notifier Name: VAVAL	Notifier Phone: (516) 491-5202
Caller Name: SERGIO GETELL	Caller Agency: ISLAND UTILITIES	Caller Phone: (516) 842-5000
DEC Investigator: RDDECAND	Contact for more spill info: VAVAL	Contact Person Phone: (516) 491-5202

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/21/1997		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

ABOVE GROUND TANK FELL OVER SPILLING OIL – SUFFOLK PD NOTIFIED BY CALLER – NO FURTHER INFO AT THIS TIME

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA FM AHERN FROM TOWN OF BABYLON ESTIMATES 25–50 GALS, TANK HAD A BAD LEG AND TIPPED OVER AFTER DELIVERY. OIL RAN ACROSS TO NEIGHBORS PROPERTY. NO PUDDLES. OIL SOAKED INTO GROUND, WILL ADVISE HOMEOWNER ABOUT CLEANUP REQUIREMENTS. DEC TO FOLLOW UP LATER. SEE ALSO 97–06203

**Map Identification Number 47**      **UNKNOWN**      **Spill Number: 9412641**      **Close Date: 01/28/2004**  
 IFO NO 22ND ST & MAIN AVENUE      BABYLON, NY      TT-Id: 520A–0176–400

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1520 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO 22ND ST & MAIN AVE  
 Revised zip code: 11798

Source of Spill: UNKNOWN	Spiller: UNKNOWN	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: MR MELITA	Caller Agency: TOWN OF BABYLON HWY	Caller Phone: (516) 957–3089
DEC Investigator: RDDECAND	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/17/1994		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

UNK SPILLER OF GASOLINE FOUND ON ROAD, HWY DEPT SPREAD 4 YDS OF SAND ON SPILL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA IN FRONT OF WYANDANCH FD.

CLEANUP BY TOWN

**Map Identification Number 48** **UNKNOWN** **Spill Number: 8908277** **Close Date: 11/29/1989**  
 **MAIN AVENUE & CONKLIN** **WYANDANCH, NY** **TT-Id: 520A-0176-399**

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1520 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: UNK Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: SHELDON Caller Agency: TOWN OF BABYLON Caller Phone: (516) 457-4242  
 DEC Investigator: WALEK Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unknown RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/20/1989	11/29/1989	UNKNOWN	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	6.00	GALLONS	6.00	GALLONS	SOIL

Caller Remarks:

SPREAD OUT ON ROAD. TOWN SAID SPILL IS SPREAD OUT INTO A SLICK ON THE ROAD. TONY GAVE OK FOR TOWN TO SPREAD SAND & SWEEP UP

DEC Investigator Remarks:

11/20/89 AREA ALL CLEAN, SOME SAND WAS LEFT ON ROAD FOR TRACTION. NO STORM DRAINS WERE AFFECTED, TOWN SANDED AND SWEEPED THE ROAD, NO FURTHER ACTION IS NEEDED AT THIS TIME, CAN CLOSE SPILL

**Map Identification Number 49**



**MC GEE RESIDENCE**  
99 NORTH 22ND STREET

WYANDANCH, NY

**Spill Number: 0612612**

**Close Date: 10/08/2010**  
TT-Id: 520A-0173-118

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1610 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: 99 N 22ND ST  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name:  
DEC Investigator: wxprzylo

Spiller: MCGEE - MCGEE RESIDENCE  
Notifier Name:  
Caller Agency:  
Contact for more spill info: NICK DELVECCHIO

Spiller Phone: (631) 643-8229  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (631) 665-3300

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/20/2007		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

FILLED TANK 3 DAYS AGO BUT CALLED BECAUSE TANK WAS EMPTY TODAY; THOUGHT TO BE EITHER A TANK OR OIL LINE LEAK BUT FURTHER INVESTIGATION IS NEEDED;

**DEC Investigator Remarks:**

2/17 SPOKE WITH NICK, A 550 U/G TANK, DELIVERY ON 2/17, ON THE 20TH, TANK HAD 1/2 OF OIL IN IT, FRANK BROTHERS PUT TEMP CAN AND WILL BE PUTTING NEW TANK IN BASEMENT, HOMEOWNER HAS BEEN ADVISED TO CONTACT INSURANCE CO

3/19/07 FILE REASSIGNED By VP 03/21/07 inspected, met homeowner Ms McGee, 550 UST taken out of service, proper abandoning procedure discussed, tank test or soil borings to check potential oil release suggested prior to abandonment. 04/04/07 on site, met Nick Delveccio, Frank Fuel - Four 4" dia soil borings performed around 550 UST, depth approx. 10' below the grade/ea, no product encountered, OK to abandon the tank in place with foam. No release of product detected, no further action required.

**Map Identification Number 50** **WYANDANCH MEMORIAL HS**  
 54 SOUTH 32ND STREET

WYANDANCH, NY

**Spill Number: 0325071**

**Close Date: 07/29/2003**  
 TT-Id: 520A-0169-928

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1642 feet to the SSE

**ADDRESS CHANGE INFORMATION**

Revised street: 54 S 32ND ST  
 Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Affected Persons  
 Caller Name: JOHN FURNARI  
 DEC Investigator: WJGABIN

Spiller: CALLER - METRO FUEL  
 Notifier Name: CUSTODIAN  
 Caller Agency: WYANDANCH SCHOOL DISTRICT  
 Contact for more spill info: JOHN FURNARI

Spiller Phone: (718) 383-1400  
 Notifier Phone:  
 Caller Phone: (631) 491-1078  
 Contact Person Phone: (631) 491-1078

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/25/2003		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

CALLER STATES THAT CUSTODIAN REPORTED OIL DELIVERY AND OVERFILL FROM VENT PIPE. SPILL ONTO THE GRASS. THEY PUT SPEEDY DRY DOWN, DID NOT PICK UP. GRASS IS BROWN IN THE SPILL AREA. ESTIMATED 2'BY 5'. TANK IS 25 K.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN 03-023 CLEANUP WAS COMPLETED BY LAUREL ENV. A TOTAL OF 64 TONS OF CONTAMINATED MATERIAL GENERATED FROM THE SITE AND PROPERLY DISPOSED OF AT POSILICO BROTHERS. THE ANALYTICAL RESULTS INDICATED MINIMAL POTENTIAL FOR GW CONTAMINATION. NO FURTHER ACTION

**Map Identification Number 51** **PERALTA RESIDENCE**  
 155 MAIN AVENUE

WHEATLEY HEIGHTS, NY

**Spill Number: 0300488**

**Close Date: 11/07/2003**  
 TT-Id: 520A-0158-071

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1698 feet to the NE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: JIM CLEMENTE

Spiller: MR PERALTA – PERALTA RESIDENCE  
 Notifier Name: RICH DOUGHTHEN  
 Caller Agency: SLOMINS OIL

Spiller Phone: (631) 491-4066  
 Notifier Phone:  
 Caller Phone: (516) 932-7000 ext. 2  
 ext: 2214

DEC Investigator: WJGABIN

Contact for more spill info: MR PERALTA

Contact Person Phone: (631) 491-4066

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/14/2003		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

Historical spill discovered at above location during inspection for new boiler. Homeowner has been advised of situation. Area is in gravel outside residence and is approx 2ft x 4ft. Unknown if homeowner was aware of problem.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN AS PER CLEMENTE--NO OTHER INFOR IS AVAILABLE AT THIS TIME

CLEANUP WAS COMPLETED BY THE HOMEOWNER. A TOTAL OF 2 BAGS OF CONTAMINATED SOIL GENERATED FROM THE SITE AND PROPERLY DISPOSED OF. NO FURTHER ACTION

**Map Identification Number 52** **PRUIT RESIDENCE**  
 116 NORTH 21ST STREET

WYANDANCH, NY

**Spill Number: 9512738**

**Close Date: 01/16/1996**  
 TT-Id: 520A-0162-389

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1703 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: VITO FRACCALVIERI  
 DEC Investigator: UNASSIGNED

Spiller: MARY PRUIT – PRUIT RESIDENCE  
 Notifier Name: DRIVER  
 Caller Agency: RELIANCE FUEL  
 Contact for more spill info: MARY PRUIT

Spiller Phone: (516) 491-1499  
 Notifier Phone: (516) 475-4770  
 Caller Phone: (516) 475-4770  
 Contact Person Phone: (516) 491-1499

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/15/1995		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

oil company found stain while delivering – outside tank found stain under tank and also some oil in basement on floor

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE HISTORICAL STAIN ONLY FROM TEMP TANK SET UP ON SITE

**Map Identification Number 53** **CAROL WINTON RESIDENCE**  
 143 NORTH 21ST STREET

WHEATLEY HEIGHTS, NY

**Spill Number: 9112405**

**Close Date: 04/01/1992**  
 TT-Id: 520A-0157-355

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1852 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: UNK OIL CO Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: JULIE FERRARA Caller Agency: MILRO Caller Phone: (516) 486-5155  
 DEC Investigator: LUCE Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/29/1992	04/01/1992	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	60.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TANK OVERFILL TO CONCRETE BASEMENT FLOOR, SMALL HOLE IN CONCRETE, MILRO TO COMPLETE CLEANUP, SAME AS SPILL 91-12244

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 54** **WINTONS RESIDENCE**  
 143 NO 21ST STREET

WYANDANCH, NY

**Spill Number: 9112244**

**Close Date: 04/01/1992**  
 TT-Id: 520A-0161-135

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1852 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: TANK TRUCK Spiller: AUTUMN FUEL CO Spiller Phone: (516) 491-3017  
 Notifier Type: Fire Department Notifier Name: Notifier Phone:  
 Caller Name: MR. AHEARN Caller Agency: BABYLON FM Caller Phone: (516) 893-1092  
 DEC Investigator: JEHAAS Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/29/1992	04/01/1992	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	60.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

FUEL CO OVERFILLED FUEL TANK, OIL FLOWED OUT OF TANK INTO BASEMENT, BABYLON FD & FM APPLIED SPEEDI DRY

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HAAS 04/01/92: BABYLON FD & FM APPLIED SPEEDI DRY.

**Map Identification Number 55**  **LILCO** CLEARVIEW ST & BRIARWOOD WYANDANCH, NY **Spill Number: 9207243** **Close Date: 09/23/1992**  
 TT-Id: 520A-0163-324

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1919 feet to the NW

ADDRESS CHANGE INFORMATION  
 Revised street: CLEARVIEW RD / BRIARWOOD RD  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: LILCO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: ROBIN KNAPP	Caller Agency: LILCO	Caller Phone: (516) 384-4931
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/23/1992	09/23/1992	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NON PCB OIL	PETROLEUM	2.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TRANSFORMER BLEW OUT, MPC WAS HIRED TO CLEANUP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE NO RESPONSE NEEDED

<b>Map Identification Number 56</b>	<b>KAREEM RESIDENCE</b>		<b>Spill Number: 9400768</b>	<b>Close Date: 05/20/1997</b>
	134 NORTH 20TH STREET	WYANDANCH, NY		TT-Id: 520A-0164-352

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1943 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: 134 NORTH 20TH ST  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: KAREEM RESIDENCE	Spiller Phone: (516) 253-2953
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name: LAURIE	Caller Agency: GIFFORD	Caller Phone: (516) 576-3000
DEC Investigator: ACLAMANN	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/16/1994		OTHER	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

TANK LEAKED – GIFFORDS PATCHED TANK & WILL CLEAN UP.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LAMANNO NO OTHER ACTION

**Map Identification Number 57** **PETITFRERE RESIDENCE**  
 58 SOUTH 27TH STREET

WYANDANCH, NY

**Spill Number: 9314126**

**Close Date: 09/28/1994**  
 TT-Id: 520A-0168-463

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1970 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Responsible Party  
 Caller Name: DAVID BATES  
 DEC Investigator: NJACAMPO

Spiller: PETITFRERE RESIDENCE  
 Notifier Name:  
 Caller Agency: LEWIS OIL CO  
 Contact for more spill info:

Spiller Phone: (516) 491-7956  
 Notifier Phone:  
 Caller Phone: (516) 883-1000  
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/03/1994	09/28/1994	OTHER	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	250.00	GALLONS	225.00	GALLONS	SOIL

**Caller Remarks:**

TANK TIPPED OVER AND SPILLED CONTENTS ONTO FROZEN SOIL & SNOW.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA 03/03/94: A: PETITFRERE NOTIFIES THEIR OIL CO THAT THEIR TANK TIPPED OVER. OIL CO NOTIFIED DEC. 03/03/94: B: DEC SPOKE TO PETITFRERE AND SUGGESTED THEY CONTACT THEIR INSURANCE. 03/03/94: C: DEC (ACAMPORA) RESPONDED- MET PETITFRERE. APPEARS A LEG ON A/G 275GAL TANK BROKE, CAUSING TANK TO TIP OVER AND SNAP VALVE ON BOTTOM. 03/03/94: D: OIL SPILLED ONTO GROUND. NO DRAINS IMPACTED. OIL CO SAYS TANK FILLED ON 1MAR; ESTIMATE 180-200GAL LOST. (DEC NOTES WOULD SEEM TO INDICATE CLOSER TO 250GAL, AS TANK IS COMPLETELY EMPTY ). 03/03/94: E: OWNER HAS CONTACTED INSURANCE (METROPOLITAN)- NOT COVERED. 03/03/94: F: DID BORING AT TANK LOCATION- OIL HAS PENETRATED AT LEAST 1FT INTO GROUND. 03/03/94: G: DEC ISSUED FIELD CLEANUP REQUEST FORM. 03/03/94: A: METROPOLITAN PROPERTY & CASUALTY INSURANCE CO (290 WASHINGTON AVE EXTENSION P.O. BOX 12209 ALBANY NY 12212 800-854-6011) LETTER TO PETITFRERE- POLICY AL210868HK CLAIM H-133-48-4364-0. 03/03/94: B: NOT COVERED. QUOTES FROM PERTINENT SECTIONS OF THEIR POLICY. 03/10/94: PETITFRERE SAYS SHE CANNOT DO THE WORK. OKAYS STATE DOING THE WORK. 03/14/94: ACAMPORA MEETS WITH PETITFRERE: SIGNED ACCESS FORM AND PROVIDED COPY OF THE LETTER FROM METROPOLITAN. 03/17/94: DEC (ACAMPORA AND MATTHEWS) MEETS F&N ON SITE TO DISCUSS WORK NEEDED. 03/23/94: A: ACAMPORA AND F&N ON SITE- EXCAVATED TO APPROX 8FT (SEVERAL FT BELOW FOOTING). AUGERED TO APPROX 16FT- ODOR GONE AT ~14FT. GAVE OK TO BACKFILL. REMOVED APPROX 43TONS OF SOIL. (~50CY??). 03/23/94: B: TOLD F&N TO TAKE COMPOSITE SAMPLE AND

HAVE TESTED FOR TOTAL PETROLEUM HYDROCARBONS.

\*\*\*EITHER THIS NOT DONE OR WE WEREN'T CHARGED\*\*\*

DISPOSED OF 7CY AT CPC THIS DATE. 03/24/94: F&N PLACE SOIL IN ROLL-OFFS FOR DISPOSAL (THIS WAS WITH DEC APPROVAL, AS IT WAS CHEAPER: \$4000 FOR \_\_CY ROLLOFF, VS \$525 FOR A CY AT CPC). JOB SHEETS SEEM TO INDICATE 24CY DISPOSED THIS WAY. 03/25/94: F&N FINISH RESTORING THE AREA. 04/14/94: ACAMPORA AND MATTHEWS ON SITE: PETITFRERE NOT SATISFIED WITH THE RESTORATION. DEC TO HAVE F&N SMOOTH OUT THE AREA IN QUESTION A LITTLE MORE. 08/31/94: DEC TO CLOSE REGIONAL FILE: CLEANUP SATISFACTORY; NO FURTHER REMEDIAL ACTION NEEDED AT THIS TIME.

**Map Identification Number 58** **FENWYK RESIDENCE** **Spill Number: 0109795** **Close Date: 04/21/2008**  
 32 SOUTH 22ND STREET WYANDANCH, NY TT-Id: 520A-0158-547

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2121 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: SAME - FENWYK RESIDENCE Spiller Phone: (631) 491-3785  
 Notifier Type: Other Notifier Name: TIM MOGLIA Notifier Phone: (631) 234-2223  
 Caller Name: TIM MOGLIA Caller Agency: FAULTLESS ENERGY Caller Phone: (631) 234-2223  
 DEC Investigator: TJDEMEO Contact for more spill info: MR FENWYK Contact Person Phone: (631) 491-3785

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/09/2002		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

TANK FAILED RUPTURED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D 1/29/02 LEFT MESSAGE TO CALL, SPOKE WITH MRS

FENWICK, WILL ATTEMPT TO CLEAN THE SPILL, WILL CALL WHEN READY FOR INSPECTION

12/18/07 FILE REASSIGNED

**Map Identification Number 59** **EARLY CHILDHOOD SCHOOL** **Spill Number: 9102892** **Close Date: 06/13/1991**  
 31 LEE AVENUE WHEATLEY HEIGHTS, NY TT-Id: 520A-0165-134

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2395 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ISLAND TRANSPORTATION Spiller Phone: (516) 643-1873  
 Notifier Type: Responsible Party Notifier Name:  
 Caller Name: MICHAEL LIMATAI Caller Agency: ISLAND TRANSPORTATION Notifier Phone:  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone: (516) 694-4490

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
06/12/1991	06/13/1991	UNKNOWN	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	2.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

INVESTIGATING POSSIBLY A VENT PROBLEM. USING SPEEDI DRY TO CLEANUP. 2 GALS SPILLED ON BLACK TOP, SPILL BEING CLEANED. NO DRAINS AFFECTED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

**Map Identification Number 60** **JAMES ALLEN ALTERNATIVE SCHOOL** **Spill Number: 0704428** **Close Date: 12/25/2009**  
 31 LEE AVE/CONKLIN WHEATLEY HEIGHTS, NY 11746 TT-Id: 520A-0229-158

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2395 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WESTERN SUFFOLK BOCES Spiller Phone: (516) 216-2976 ext. C  
 Notifier Type: Other Notifier Name: Notifier Phone: ext: CELL  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: dhraymon Contact for more spill info: BOB STASIO Contact Person Phone: (516) 250-8960 ext. C  
 ext: CELL

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/19/2007		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

REMOVING TWO TANKS AND THE 550 IS LEAKING AND OUT OF GROUND ON DECK

DEC Investigator Remarks:

\*\*\*THIS IS JUST SOUTH OF THE BABYLON/HUNTINGTON TOWN LINE IN WHEATLEY HEIGHTS , WHICH HAS THE WYANDANCH ZIP CODE; THE CROSS STREET IS CALLED BAGATELLE RD IN HUNTINGTON, AND CONKLIN AVE IN BABYLON\*\*\* DR

\*\*\*THE NAME OF THE SITE WAS ORIGINALLY REPORTED AS TACOMAS MIDDLE SCHOOL, DIX HILLS ; IT IS NOT KNOWN WHY THIS NAME WAS GIVEN (PERHAPS IT WAS THE NAME OF THE SCHOOL BEFORE BOCES TOOK OVER?)\* DR

7/19/07 12:05 JENNIFER SPOKE WITH BOB STASIO, CONTRACTOR TO PULL OUT 10K UST AT SCHOOL. UPON PULLING OUT TANK, A 550 FUEL OIL UST SINGLEWALL STELL WAS OBSERVED. UPON REMOVING THE TANK IT LOOKED LIKE SWISS CHEESE, TANK PUMPED OUT, CONTAMINATED SOIL OBSERVED.TANKS ARE ADJACENT TO DRYWELLS WHICH NEED TO BE REMOVED. ZAC FROM SCHD WAS ON SITE DURING REMOVAL. H2M WILL BE AT SITE TODAY TO SAMPLE DRYWELL. REQUESTS DEC INSPECTOR TO COME TO SITE (JP)

12:30 DR ENROUTE

07/19/07 1300–1345 Hrs (A): On site with Ferrandino.

07/19/07 1300–1345 Hrs (B): WHILE PREPARING TO REMOVE A 10,000GAL FUEL OIL TANK, THEY FOUND AN UNKNOWN 550GAL TANK. BOTH TANKS WERE ADJACENT TO DRYWELLS AND UTILITIES.

07/19/07 1300–1345 Hrs (C): DEC inspected the tank and the excavation. THE TANK WAS FOUND TO HAVE NUMEROUS HOLES. THERE WAS A THIN LAYER OF COMPACT BLACK CLAY [THE COLOR MIGHT HAVE BEEN DUE TO THE SPILLAGE?] WITH A FAINT TO LIGHT FUEL OIL ODOR IMMEDIATELY UNDER THE TANK. THIS WAS SCRAPED UP, AND IMMEDIATELY UNDER IT WAS COMPACT ORANGE CLAY WITH NO ODOR NOR STAINING.

07/19/07 1300–1345 Hrs (D): AS PER FERRANDINO– H2M was scheduled to sample the drywells 7/20, and Suffolk County Health Department would be present. The drywells would then be removed, after which the 10,000gal tank would be removed.

07/19/07 1300–1345 Hrs (E): Informed Ferrandino that DEC would return 7/20, AND DIRECTED FERRANDINO TO SCHEDULE THE REMOVAL OF THE 10,000GAL TANK WITH BOTH DEC AND SCHD SO THOSE AGENCIES COULD COORDINATE WHICH WOULD INSPECT (THERE WAS NO EVIDENCE OF A PROBLEM AT THIS TIME WITH THAT TANK, BUT THERE IS THIS SPILL NUMBER AT THE SITE). DR

07/20/07 1230–1250 Hrs (A): On site with ZACH BALDWIN (SCHD), MIKE BLADYKAS (BLADYKAS ENGINEERING– FOR THE SCHOOL), CHRISTOPHER 'ANASTASIOU' (H2M), AND FERRANDINO.

07/20/07 1230–1250 Hrs (B): H2M was performing the drywell sampling under the guidance of the SCHD.

07/20/07 1230–1250 Hrs (C): ALL PARTIES DISCUSSED SCHEDULING THE REMOVAL OF THE 10,000GAL TANK AND WHETHER DEC OR SCHD OR BOTH AGENCIES WOULD ATTEND. DR

07/25/07 0915 Hrs: Called Ferrandino; spoke to Sam– he believed Stasio was still awaiting the drywell data in order to arrange their removal; the tank would be removed afterward. DR

07/30/07 1008 Hrs: Stasio left message– will remove the drywells TOMORROW; Suffolk County Health Department will be on site. DR

08/07/07 1547 Hrs: While speaking to Baldwin concerning another site, DEC asked him about the status of this site– he said the tank had not yet been removed. DR

08/07/07 1600 Hrs: As per [BALDWIN OR FERRANDINO?]- the tank MIGHT be removed 8/14. DR

08/14/07 before 1055 Hrs: MARTHA RELYEA (H2M) LEFT MESSAGE ON DEC'S CELL– 'TANK IS OUT'. DR

08/14/07 1055 Hrs (A): Called Relyea– INFORMED HER DEC HAD NOT BEEN GIVEN A CONFIRMED REMOVAL DATE FOR THE TANK AND WAS UNAVAILABLE THIS DATE DUE TO ANOTHER APPOINTMENT.

08/14/07 1055 Hrs (B): SHE SAID FERRANDINO HAD NOT CONFIRMED THE REMOVAL WITH SUFFOLK COUNTY EITHER, AND THEY WERE ALSO UNAVAILABLE.

08/14/07 1055 Hrs (C): Informed her DEC would call her from the field later for an update. DR

08/14/07 1115 Hrs (A): Relyea called DEC's CELL- MIKE SEAMAN (SUFFOLK COUNTY HEALTH DEPARTMENT) INSPECTED, AND SAID THE CLEANUP WAS SATISFACTORY.

08/14/07 1115 Hrs (B): She said KEVIN TAYLOR of her office was on site, and she believed he was NOT taking any endpoint samples.  
DR

08/15/07 0749 Hrs: Taylor left message. DR

08/15/07 0935 Hrs: Left message on Taylor's cell. DR

08/15/07 0940 Hrs: Left message at Taylor's work. DR

08/15/07 0942 Hrs: Taylor left message. DR

08/15/07 0950 Hrs (A): Taylor called- they did NOT take endpoint samples. DEC INFORMED HIM WE WOULD NOT REQUIRE SAMPLES.

08/15/07 0950 Hrs (B): DEC requested copies of the soil disposal receipts. DR

08/27/07 0910 Hrs: Called Seaman- no answer or voicemail. DR

09/17/07 1120 Hrs: Fax to WALTER PETRULE (SUFFOLK COUNTY HEALTH DEPARTMENT)- requested copies of various tank removal reports.  
DR

11/15/07 (A): Received H2M's tank closure report- site history, summary of the work performed, site map, drywell data, photographs, and disposal receipts.

11/15/07 (B): IT SAID A NEW 10,000GAL TANK HAD BEEN INSTALLED IN THE SAME LOCATION [DEC MAY NOT HAVE BEEN INFORMED OF THIS BEFORE?]. DR

**Map Identification Number 61**



**BARNES RESIDENCE**  
35 SOUTH 19TH STREET

WYANDANCH, NY

**Spill Number: 9805698**

**Close Date: 09/25/2002**  
TT-Id: 520A-0165-539

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 2451 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: MR BARNES – BARNES RESIDENCE Spiller Phone: (516) 643-4828  
 Notifier Type: Other Notifier Name: LORENZO BARNES Notifier Phone: (516) 643-4828  
 Caller Name: PAUL NAPOLITANO Caller Agency: BRANCH SERVICES Caller Phone: (516) 563-7300  
 DEC Investigator: DONOVAN Contact for more spill info: MR BARNES Contact Person Phone: (516) 643-4828

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/05/1998		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

RESULTS OF FLOOD DAMAGE

DEC Investigator Remarks:

8/7/98 13:30 TELECON BD-BRANCH SERVICES, PAUL IS AT THE SITE 13:35 TELECON BD-MR BARNES, AS PER MR BARNES THE CLEANUP CONSISTS OF WATER AND OIL DAMAGED PROPERTY STORED IN THE BASEMENT, DEC INVESTIGATION IS REQUESTED TO CALL BEFORE VISIT  
 SPILL CLEANED, 15 DRUMS GENERATED AND REMOVED BY BRANCH SERVICES, NO FURTHER ACTION

**Map Identification Number 62** **KIMBROUGH RESIDENCE** **Spill Number: 0510908** **Close Date: 10/27/2011**  
 34 SOUTH 27TH STREET WYANDANCH, NY 11798 TT-Id: 520A-0172-637

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE  
 Approximate distance from property: 2507 feet to the SE Revised zip code: NO CHANGE

Source of Spill: PRIVATE DWELLING Spiller: Spiller Phone:  
 Notifier Type: Other Notifier Name: LEO MUSACCHIA Notifier Phone: (631) 321-0549  
 Caller Name: LEO MUSACCHIA Caller Agency: OK PETROLEUM Caller Phone: (631) 321-0549  
 DEC Investigator: TJDEMEO Contact for more spill info: LEO MUSACCHIA Contact Person Phone: (631) 321-0549

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/17/2005		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

Tank was noticed to be leaking when OK driver went to fill 50 gallons of oil. Noticed spill. All 50 gallons were pumped back out of tank. General Environmental contacted. Homeowner will be contacting G.E. for removal of tank and cleanup.

DEC Investigator Remarks:

12/19/05 12:55 – NO ANSWER – LEFT MESSAGE FOR LEO MUSACCHIA.

10/25/11 TJD File review. Reported discharge associated with leaking AST during delivery. Driver reported to have pumped all product out of leaking tank at time of discovery. No documentation has been received regarding any remedial action taken by responsible party. Minor residual soil contamination @AST does not pose a significant threat to underlying GW @17ft bgs. No further action required. Administrative closure.

**Map Identification Number 63**      **UNK**      **Spill Number: 8904472**      **Close Date: 08/08/1989**  
 LONG ISLAND AVE/SOUTH 18TH      WYANDANCH, NY      TT-Id: 520A-0177-561

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 2528 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: LONG ISLAND AVE / S 18TH ST  
 Revised zip code: 11798

Source of Spill: UNKNOWN	Spiller: UNK	Spiller Phone:
Notifier Type: Fire Department	Notifier Name:	Notifier Phone:
Caller Name: DISPATCHER #10	Caller Agency: BABYLON FIRE CONTROL	Caller Phone: (516) 226-1216
DEC Investigator: AYLEUNG	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/04/1989	08/08/1989	UNKNOWN	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	70.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

HIGHWAY, F.D ON SITE. ON ROADWAY. WANT DEC TO RESPOND

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG

FD 08/07/89: TOWN CLEANED UP SPILL WITH SAND AND SWEEPER. TOWN WILL BILL SPILLER.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

<b>Map Identification Number 64</b> 	<b>CONSERVATIVE LP GAS</b> 18TH ST & MERRITT AVENUE	WYANDANCH, NY	<b>Spill Number: 9005446</b>	<b>Close Date: 08/17/1990</b> TT-Id: 520A-0170-999
<b>MAP LOCATION INFORMATION</b> Site location mapped by: MANUAL MAPPING (3) Approximate distance from property: 2529 feet to the E		<b>ADDRESS CHANGE INFORMATION</b> Revised street: N 18TH ST / MERRITT AVENUE Revised zip code: 11798		
Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: MR MILBAUER – CONSERVATIVE LP GAS	Spiller Phone: (516) 643-7711		
Notifier Type: Health Department	Notifier Name:	Notifier Phone:		
Caller Name: JANET	Caller Agency: SCDH	Caller Phone: (516) 451-4707		
DEC Investigator: SCHD	Contact for more spill info:	Contact Person Phone:		

Category:	Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.			
Class:	Unknown RP – DEC Field Response – DEC Corrective Action Required			
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/16/1990	08/17/1990	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

---

Caller Remarks:

10 YDS REMOVED, TANK REMOVAL 1K.

---

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was SCDH

SOIL DISPOSAL REF TO BOB BECHERER OF HAZ WASTE REG UNIT



**CLOSED STATUS HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – WITHIN 1/2 MILE SEARCH RADIUS.**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 65**      **UNK**      **Spill Number: 9211191**      **Close Date: 09/07/1994**  
 N 28TH STREET      WYANDANCH, NY      TT-Id: 520A-0176-397

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN      Spiller: UNK      Spiller Phone:  
 Notifier Type: Local Agency      Notifier Name:      Notifier Phone:  
 Caller Name: THOMAS KAHN      Caller Agency: BABYLON T FIRE MARSHAL      Caller Phone: (516) 893-1092  
 DEC Investigator: WJPARISH      Contact for more spill info:      Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/29/1992	09/07/1994	ABANDONED DRUM	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

4-55 GAL DRUMS ABANDONED ON ROADSIDE.

\*\*\*\*\*DISPOSAL AND LAB WORK CHARGED TO SPILL FUNDS; RESPONSE CHARGED TO HAZMAT FUNDS\*\*\*\*\* \*\*\*PROVISIONAL EPA ID # NYP003630167\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was PARISH 12/29/92: A: BABYLON T (CASE # UNK) REPORTS 4 ABANDONED DRUMS. 12/29/92: B: DEC (PARISH) RESPONDED- MET BABYLON FIRE MARSHAL. DRUMS ARE INTACT AND NOT LEAKING. NO LABELS OR LEAD ON SPILLER. 12/29/92: C: TOWN TO CHECK ON WHO OWNS THE PROPERTY AND GET BACK TO US. 01/04/93: TOWN REPORTS THAT THE PROPERTY IS PART OF THEIR RIGHT-OF-WAY. THEY SAY THEY CANNOT PAY FOR THE REMOVAL AND DISPOSAL. 01/20/93: DEC ON SITE WITH TYREE: TYREE PICKED UP THE DRUMS FOR US. THEIR LAB TO ANALYZE FOR DISPOSAL. 03/08/93: RECEIVE LAB DATA: PH OF 8, NO PCBS, FLASH >212F, ONLY TRACE OF METALS. NO ID. 04/02/93: DEC ISSUES PROVISIONAL EPA ID # NYP003630167 FOR THE DRUMS.

\*\*\*NOTE: THIS WAS NOT NEEDED- SEE LAB DATA ENTRY!!!! 09/07/94: DEC TO CLOSE REGIONAL FILE: CLEANUP SATISFACTORY; NO FURTHER REMEDIAL ACTION NEEDED. 09/09/94: \*\*\*NOTE: DISPOSAL AND LAB WORK PAID FOR UNDER OIL SPILL FUNDS, RESPONSE PAID FOR UNDER HAZMAT FUNDS. HAVE UPDATED DATA AND HISTORY. 09/09/94: \*\*\*NOTE: FOUND A NUMBER OF INCIDENTS WHERE SOME OF THE BILLS WERE PAID FOR UNDER OIL SPILL FUNDS, AND SOME WERE PAID FOR UNDER HAZMAT FUNDS. THIS IS ONE-. 09/09/94: \*\*\*NOTE: AS A MEANS OF TRACKING SPILLS-FUNDED HAZMAT CLEANUPS, SPILLS REG 1 ENTERED T/A CODES 5112 & 5113 ONTO THE SPILLS INFORMATION SYSTEM. (IF PIN INFO PRESENT, IT WAS LEFT).

<b>Map Identification Number 66</b>	<b>LI RAILROAD ACCESS</b>		<b>Spill Number: 0502176</b>	<b>Close Date: 06/30/2008</b>
	LONG ISLAND AVENUE/SOUTH 28TH ST	WYANDANCH, NY		TT-Id: 520A-0179-457
<b>MAP LOCATION INFORMATION</b>		<b>ADDRESS CHANGE INFORMATION</b>		
Site location mapped by: ADDRESS MATCHING		Revised street: NO CHANGE		
Approximate distance from property: 62 feet to the ESE*		Revised zip code: 11798		
Source of Spill: UNKNOWN		Spiller: UNKNOWN		Spiller Phone:
Notifier Type: Fire Department		Notifier Name: ANTHONY CARDELLI		Notifier Phone: (631) 893-1092
Caller Name: ANTHONY CARDELLI		Caller Agency: FIRE MARSHALL TOWN BABYLON		Caller Phone: (631) 893-1092
DEC Investigator: WJGABIN		Contact for more spill info: ANTHONY CARDELLI		Contact Person Phone: (631) 893-1092

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/24/2005		ABANDONED DRUM	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

IT IS AN OIL TANK FROM A HOME JUST LEFT ON ROAD:

DEC Investigator Remarks:

TELECON TO CARDELLI, LEFT MESSAGE TO CALL DEC WITH MORE INFORMATION

5/25 OD TO GET MORE INFORMATION

5/26 CALL FROM CARDELLI, SLUDGE IN TANK, SOME LEAKAGE, ON THE EDGE OF THE ROAD NEXT TO RR TRACKS. NOT SURE IF RR PROP, WILL DRIVE BY TO DETERMINE IF TANK IS STILL THERE. ON BUFFER BTW TRACKS AND PUBLIC ROAD, TRACKS ARE FENCED OFF, UPRIGHT NOT LEAKING, 275 TANK

CLEANUP COMPLETED BY MILRO ENV, A TOTAL OF 1/2 CUBIC YARDS OF CONTAMINATED SOIL GENERATED AND PROPERLY DISPOSED OF AT PIONEER CROSSING LANDFILL. NO FURTHER ACTION

Map Identification Number 67



**METRO S/S**  
LITTLE E NECK RD/LI AVE

WYANDANCH, NY

Spill Number: 9402968

Close Date: 07/08/1994  
TT-Id: 520A-0176-821

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 66 feet to the SSW\*

ADDRESS CHANGE INFORMATION

Revised street: LITTLE EAST NECK RD / LONG ISLAND AVE  
Revised zip code: 11798

Source of Spill: GASOLINE STATION OR PBS FACILITY  
Notifier Type: Health Department  
Caller Name: JANET GREMLI  
DEC Investigator: KAKISPER

Spiller: METRO S/S  
Notifier Name:  
Caller Agency: SCDH  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (516) 854-2513  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/31/1994	07/08/1994	HUMAN ERROR	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	2.00	GALLONS	0.00	GALLONS	SEWER

Caller Remarks:

DURING INSPECTION OF TANK REMOVAL BY ELCO, SCHD NOTICED SURFACE SPILL AT PUMP ISLAND AT BLDG FROM OVERFILL, PRODUCT ENTERED DRAIN, NO CLEANUP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was KISPRT 07/08/94: EXCAVATION CHECKED NOT AFFECTED, DRAIN PADDED, METRO TO DISPOSE OF PADS, NO NEED FOR FURTHER ACTION.

**Map Identification Number 68**      **UNKNOWN**      **Spill Number: 0100149**      **Close Date: 04/09/2001**  
      LITTLE EAST NECK ROAD      BABYLON, NY      TT-Id: 520A-0176-568

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 66 feet to the SSW\*

ADDRESS CHANGE INFORMATION

Revised street: LONG ISLAND AV / LITTLE EAST NECK RD  
 Revised zip code: 11798

Source of Spill: UNKNOWN	Spiller: UNK	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: THOMAS KARN	Caller Agency: BABYLON FIRE MARSHAL	Caller Phone: (631) 893-1092
DEC Investigator: BXDONOVA	Contact for more spill info: THOMAS KARN	Contact Person Phone: (631) 893-1092

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
04/04/2001	04/06/2001	ABANDONED DRUM	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

Abandoned 55 gal blue plastic drum containing gasoline – is not leaking. \*\*\*\*SAME AS/RELATED TO 0013614\*\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D \*\*\*SAME AS/RELATED TO 0013614. THE HISTORY BELOW COMBINES BOTH. CLEANUP WAS CHARGED TO SPILL 0012614.\*\*\*

03/28/01 \*\*\*SPILL 0013614\*\*\* (A): DOT reported finding an abandoned 55gal drum on the side of the road.

03/28/01 \*\*\*SPILL 0013614\*\*\* (B): There were no markings on the drum.

03/28/01 \*\*\*SPILL 0013614\*\*\* (C): It appeared to have been there some time.

03/28/01 \*\*\*SPILL 0013614\*\*\* (D): It appeared to contain an unk product, but there was no spillage.

04/05/01 (A): The Babylon Fire Marshal reported finding an abandoned blue plastic 55gal drum on the side of the road in the same general area.

04/05/01 (B): Informed Karn of this other spill number. DEC will check with DOT to see whether the two are the same or related.

04/05/01 (C): DEC to arrange pickup of the drum(s) today or tomorrow.

04/05/01 (D): Spoke to DOT– the drum for Spill 0013614 was metal.

04/05/01 (E): THIS DRUM WAS NOW GONE, BUT THERE WERE NOW TWO OTHER DRUMS HERE, AND SOME SPILLAGE.

04/05/01 (F): CONFIRMED THE LOCATION OF SPILL 0013614 AS LITTLE EAST NECK RD, NORTH OF LONG ISLAND AVE.

04/05/01 (G): DOT WAS ALSO AWARE OF TWO DRUMS ON LITTLE EAST NECK RD, SOUTH OF LONG ISLAND AVE.

04/05/01 (H): Spoke to the Fire Marshal– THEY HAVE THE LOCATION FOR SPILL 0100419 AS LITTLE EAST NECK RD, NORTH OF LONG ISLAND AVE.

04/05/01 (I): DEC (Acampora) inspected the AREA– NORTH OF LONG ISLAND AVE, he found one full blue plastic 55gal drum; one full blue metal 55gal drum; a lid from a third drum that someone had apparently taken; and spillage on the ground where the third drum had been. There were no drains impacted.

04/05/01 (J): SOUTH OF LONG ISLAND AVE, he found one drum approx 1/3 – 1/2 full of an unk product, and two others that had only a trace of an unk product. There was no spillage here.

04/05/01 (K): There was no lead on the spiller(s). The area is next to railroad tracks, in a commercial/industrial area.

04/06/01 (A): DEC (Brian Donovan) met Tradewinds on site to pick up the drums FROM BOTH LOCATIONS, and to clean up the spillage.

04/06/01 (B): ON THE NORTH SIDE, Tradewinds overpacked the plastic drum, picked up the metal drum, and dug up 4 drums of soil.

04/06/01 (C): ALSO FOUND TWO 5GAL PAILS ON THE NORTH SIDE. One appeared to contain kerosene. These were picked up as well.

04/06/01 (D): ON THE SOUTH SIDE, Tradewinds picked up the one drum.

05/16/01: As per Tradewinds, the plastic drum contained gasoline. DEC ISSUED PROVISIONAL EPA ID # NYP003631967 FOR ITS DISPOSAL.

05/21/01: The drum of gasoline was disposed at Radiac Env.

**Map Identification Number 69** **UNKNOWN** **Spill Number: 0013614** **Close Date: 07/06/2001**  
 LITTLE EAST NECK ROAD/LI AVENUE BABYLON, NY TT-Id: 520A-0176-567

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 66 feet to the SSW\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN	Spiller: UNK	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: STUART SPRAGUE	Caller Agency: DOT	Caller Phone: (631) 420-4270
DEC Investigator: BXDONOVA	Contact for more spill info: STUART SPRAGUE	Contact Person Phone: (631) 420-4270

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/28/2001	04/06/2001	ABANDONED DRUM	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

Caller reports abandoned 55 gal drum on the side of above road 1/4 mile north of Long Island Ave. No markings on the drum; he reports it has been there for approx 1 month now. \*\*\*SAME AS/RELATED TO 0100149\*\*\*

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D \*\*\*SAME AS/RELATED TO 0100149. THE HISTORY BELOW COMBINES BOTH. CLEANUP WAS CHARGED TO SPILL 0013614.\*\*\* 03/28/01 (A): DOT reported finding an abandoned 55gal drum on the side of the road. 03/28/01 (B): There were no markings on the drum. 03/28/01 (C): It appeared to have been there some time. 03/28/01 (D): It appeared to contain an unk product, but there was no spillage. 3/29 SPOKE TO STUART, DOES APPEAR TO CONTAIN

MATERIAL, NOT LEAKING, ~ 1/4 MILE NO OF LI AVE, ON EAST SIDE OF ROAD BRIAN D HIRED TRADEWINDS, DRUMS PICKED UP AND CONTENTS DISPOSED OF BY TRADEWINDS, CONT SOIL REMOVED,

04/05/01 \*\*\*SPILL 0100149\*\*\* (A): The Babylon Fire Marshal reported finding an abandoned blue plastic 55gal drum on the side of the road in the same general area.

04/05/01 \*\*\*SPILL 0100149\*\*\* (B): Informed the Fire Marshal of this prior spill number. DEC will check with DOT to see whether the two are the same or related.

04/05/01 \*\*\*SPILL 0100149\*\*\* (C): DEC to arrange pickup of the drum(s) today or tomorrow.

04/05/01 (A): Spoke to DOT- the drum for Spill 0013614 was metal.

04/05/01 (B): THIS DRUM WAS NOW GONE, BUT THERE WERE NOW TWO OTHER DRUMS HERE, AND SOME SPILLAGE.

04/05/01 (C): CONFIRMED THE LOCATION OF THIS SITE AS LITTLE EAST NECK RD, NORTH OF LONG ISLAND AVE.

04/05/01 (D): DOT WAS ALSO AWARE OF TWO DRUMS ON LITTLE EAST NECK RD, SOUTH OF LONG ISLAND AVE.

04/05/01 (E): Spoke to the Fire Marshal- THEY HAVE THE LOCATION FOR SPILL 0100149 AS LITTLE EAST NECK RD, NORTH OF LONG ISLAND AVE.

04/05/01 (F): DEC (Acampora) checked the AREA- SOUTH OF LONG ISLAND AVE, he found one drum approx 1/3 - 1/2 full of an unk product, and two others that had only a trace of an unk product.

There was no spillage here.

04/05/01 (G): NORTH OF LONG ISLAND AVE, he found one full blue plastic 55gal drum; one full blue metal 55gal drum; a lid from a third drum that someone had apparently taken; and spillage on the ground where the third drum had been. There were no drains impacted.

04/05/01 (H): There was no lead on the spiller(s). The area is next to railroad tracks, in a commercial/industrial area.

04/06/01 (A): DEC (Brian Donovan) met Tradewinds on site to pick up the drums FROM BOTH LOCATIONS and to clean up the spillage.

04/06/01 (B): ON THE NORTH SIDE, Tradewinds overpacked the plastic drum, picked up the metal drum, and dug up 4 drums of soil.

04/06/01 (C): ALSO FOUND TWO 5GAL PAILS ON THE NORTH SIDE. One appeared to contain kerosene. These were picked up as well.

04/06/01 (D): ON THE SOUTH SIDE, Tradewinds picked up the one drum.

05/16/01: As per Tradewinds, the plastic drum contained gasoline. DEC ISSUED PROVISIONAL EPA ID # NYP003631967 FOR ITS DISPOSAL.

05/21/01: The drum was disposed at Radiac Env.

**Map Identification Number 70** **UNKNOWN**  
 LONG ISLAND AVE & SO 34TH

WYANDANCH, NY

**Spill Number: 9002511**

**Close Date: 06/14/1990**  
 TT-Id: 520A-0163-109

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 66 feet to the SSE\*

ADDRESS CHANGE INFORMATION

Revised street: LONG ISLAND AVE / 34TH ST  
 Revised zip code: 11798

Source of Spill: UNKNOWN  
 Notifier Type: DEC  
 Caller Name: MISBAH MIRZA  
 DEC Investigator: MIRZA

Spiller: UNK  
 Notifier Name:  
 Caller Agency: DEC  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 751-7900  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/04/1990	06/14/1990	ABANDONED DRUM	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

1-55 GAL ABANDONED DRUM ON ROADSIDE. \*\*\*SEE ALSO 9002369: LI AVE & S 24TH ST- ANOTHER ABANDONED DRUM. BOTH HANDLED UNDER THIS LATER SPILL NO\*\*\* PROVISIONAL EPA ID # NYP000301200

DEC Investigator Remarks:

6/14/90 PHONE CONV WITH ELLEN PENNA, TYREE TOLD HER TO BILL HAZ WASTE REMEDIATION UNIT PER AGREEMENT BTW D PICHA AND T CANDELLA SEE ALSO 90-02369

**Map Identification Number 71** **COASTAL**  
 10 LONG ISLAND AVENUE

WHEATLEY HEIGHTS, NY

**Spill Number: 9810054**

**Close Date: 11/25/1998**  
 TT-Id: 520A-0179-459

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 171 feet to the SSW\*

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: GASOLINE STATION OR PBS FACILITY Spiller: COASTAL Spiller Phone:  
 Notifier Type: Citizen Notifier Name: JAMES ENGEL Notifier Phone: (516) 667-8180  
 Caller Name: JAMES ENGEL Caller Agency: CITIZEN Caller Phone: (516) 667-8180  
 DEC Investigator: MJ DARCAN Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/09/1998		DELIBERATE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

CALLER STATED WHILE GETTING GAS ATTENDANT SPILLED UNKNOWN AMOUNT OF GAS WITHOUT CLEANING IT UP. ATTENDANT GOT IRRATE WHEN CONFRONTED BY CALLER. CALLER STATES THE PUMP DOES NOT WORK PROPERLY AND SPILL GAS ALL THE TIME.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DARCANGELO STATION SPEEDI DRIED AREA, NO FURTHER CLEANUP REQUIRED

**Map Identification Number 72** **WEEDERBURH RESIDENCE** **Spill Number: 1908022** **Close Date: 11/16/2020**  
 101 35TH STREET SOUTH WYANDANCH, NY TT-Id: 520A-0359-658

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 189 feet to the S\*

ADDRESS CHANGE INFORMATION  
 Revised street: 101 S 35TH ST  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: FTEDMAN WEEDERBURH – WEEDERBURH RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: CHRIS BRACCIODIETA Contact Person Phone: (516) 932-7000

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/08/2019		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL IMPERVIOUS SURFACE

Caller Remarks:  
 hole in tank clean up is pending

DEC Investigator Remarks:  
 11/8/19, 1125 hrs. JF t/c w/ Kyle @ Slomins: Homeowner contacted Slomins regarding no heat. Outdoor 275 gal. AST corroded and pinhole leaked visually estimated 5 gals. #2 fuel oil onto bricks. The AST is near empty. Tech patched pinhole. Temporary and new tank installation being arranged. Slomins recommended homeowner contact insurance for cleanup.

**Map Identification Number 73**      **GAINEY RESIDENCE**      **Spill Number: 0002766**      **Close Date: 10/20/2000**  
 153 NORTH 27TH STREET      WYANDANCH, NY      TT-Id: 520A-0165-541

MAP LOCATION INFORMATION      ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)      Revised street: NO CHANGE  
 Approximate distance from property: 320 feet to the ENE      Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: CARLYLE GAINEY – GAINEY RESIDENCE	Spiller Phone: (631) 253-0369
Notifier Type: Responsible Party	Notifier Name: CARLYLE GAINEY	Notifier Phone: (631) 253-0369
Caller Name: CARLYLE GAINEY	Caller Agency: HOME OWNER	Caller Phone: (631) 253-0369
DEC Investigator: DONOVAN	Contact for more spill info: CARLYLE GAINEY	Contact Person Phone: (631) 253-0369

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/24/2000		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

during a delivery oil came out of pipe and the floater might be as much as 21 gals caller not sure

DEC Investigator Remarks:

SPILL CLEANED UP BY HOMEOWNER USING SOAP AND WATER, NO ODOR ON CONCRETE PAD OR ADJACENT SOIL, LESS THAN ONE GALLON RELEASED, NO FURTHER ACTION

**Map Identification Number 74** **MELENDEZ RESIDENCE** **Spill Number: 1511972** **Close Date: 11/09/2017**  
 15 CIRCLE DRIVE WHEATLEY HEIGHTS, NY TT-Id: 520A-0319-746

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 328 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: MELENDEZ - MELENDEZ RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MELENDEZ (OWNER?) Contact Person Phone: (631) 920-2430

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unable or Unwilling RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/17/2016		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

-----  
Caller Remarks:

clean up pending  
-----

DEC Investigator Remarks:

03/17/16 1200 Hrs (A): Called Petro and spoke to GEORGE– he said this involves a leak from an aboveground tank on the side of the house.

03/17/16 1200 Hrs (B): He did not have any details on how much oil may have leaked but 'DIDN'T see any notes indicating it was a lot.'

03/17/16 1200 Hrs (C): Petro is awaiting word from the owner whether he will agree to have the tank emptied. DR

3/18/16 0905 hrs. JF t/c with George @ Petro: Pinhole leak in outdoor 275 gal. AST. Petro tech visually estimated 1 gal. #2 fuel oil spilled, and soil may be affected. 106 gals. was delivered on 3/11/16, and tech stated the tank is still full. The pinhole was not magnet patched, but the homeowner placed a container underneath to catch drips. Homeowner may contract a plumber for tank replacement.

3/18/16 0915 hrs. JF left message for homeowner for update.

03/23/16 1440 Hrs (A): MIKE (CENTURY UTILITIES) called to request a backfill inspection– informed him the case was unassigned. HE SAID THE NEW TANK IS SCHEDULED TO BE INSTALLED IN THE SAME LOCATION.

03/23/16 1440 Hrs (B): Mike said 'this was a very minor leak, Century excavated an area approximately 2ft x 2ft x 2ft DEEP, and he is confident they got all the contaminated soil.'

03/23/16 1440 Hrs (C): DEC GAVE CENTURY PERMISSION TO BACKFILL THE EXCAVATION. DR

**Map Identification Number 75**



**RICHARDSON RESIDENCE**

119 SO 28TH STREET

WYANDANCH, NY

**Spill Number: 9209040**

**Close Date: 11/05/1992**

TT-Id: 520A-0165-137

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 347 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: RICHARDSON RESIDENCE Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: MR ROBINSON Caller Agency: CITIZEN Caller Phone: (516) 491-9248  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/04/1992	11/05/1992	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	3.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

COMMANDER OIL ON SCENE, LINE LEAKED IN THE BASEMENT. COMMANDER OIL REPLACED THE WHOLE LINE & CLEANED UP SPILL.LINE LEAKED FROM TANK TO BOILER LINE LEAKED, LAST DELIVERY 10/16/92(180 GALS) 1/2 TANK LEFT NO RESPONSE NEEDED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE NO RESPONSE NEEDED

**Map Identification Number 76** **RESIDENTIAL/COUNTY PROPERTY** **Spill Number: 2004985** **Close Date: 10/02/2020**  
 NEXT TO 135 NORTH 26TH ST WHEATLY HEIGHTS, NY TT-Id: 520A-0366-768

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 518 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: MELVIN HOLLEY – UNKNOWN Spiller Phone:  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: RJPOCZKA Contact for more spill info: MELVIN HOLLEY Contact Person Phone: (631) 455-8155

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended		
08/31/2020		DELIBERATE	NO		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM		PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL

Caller Remarks:

material dumped on neighboring property smells of oil and garbage

DEC Investigator Remarks:

8/31/2020 1335 Hrs: RJP made call to caller. States a trailer and 10–20 cyd soil was dumped on the property next to his home. He states it is both private and county property impacted. States soil had a garbage and/or oil odor. He has no information regarding the source of the material. No drums or containers present, no puddles of liquid observed. RJP.

Refer to DLE. KS.

9/3/2020: RJP completed referral to DLE, referral on DecDocs. RJP.

10/2/2020: Spill was not contacted by DLE indicating contamination was observed, NFA. RJP.

<b>Map Identification Number 77</b> 	<b>UNKNOWN</b> LONG ISLAND AVE AT 26TH S	WYANDANCH, NY	<b>Spill Number: 0703403</b>	<b>Close Date: 01/07/2015</b> TT-Id: 520A-0179-456
<b>MAP LOCATION INFORMATION</b> Site location mapped by: MANUAL MAPPING (3) Approximate distance from property: 521 feet to the E		<b>ADDRESS CHANGE INFORMATION</b> Revised street: LONG ISLAND AVE / 26TH ST Revised zip code: 11798		
Source of Spill: COMMERCIAL VEHICLE	Notifier Type: Local Agency	Spiller: BOB JARRETT – LPA GROUP	Spiller Phone: (201) 935-0220	
Caller Name:	DEC Investigator: wjgabin	Notifier Name:	Notifier Phone:	
		Caller Agency:	Caller Phone:	
		Contact for more spill info: BOB JARRETT	Contact Person Phone: (201) 935-0220	

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/22/2007		TRAFFIC ACCIDENT	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	100.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

DUE TO TRAFFIC ACCIDENT, TANK OF TRACTOR TRAILER SPLIT CAUSING SPILL TO ROADWAY ROUGHLY 100 GALLONS: FIRE MARSHALL ON SITE, ANTHONY CORDALLI # 516-369-4525 REQ CALL BACK FROM DEC ASAP:SPILL IS CONTAINED: CALLER IS REQUESTING INFO ON CLEANUP CREWS:

DEC Investigator Remarks:

Cleanup completed by RP. Contaminated materials generated from the site were properly disposed of. RP did not submit DEC with all closure documentations. No additional action is required at this time. Administratively closure.

Map Identification Number 78

SPILL NUMBER 9506795

Spill Number: 9506795

Close Date: 05/23/2000



MAIN AVE & NO 25TH ST

WYANDANCH, NY

TT-Id: 520A-0175-686

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 767 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: MAIN AVE / NO 25TH ST  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Fire Department  
 Caller Name: THOMAS KARN  
 DEC Investigator: SCHULZ

Spiller: MARTIN S IMMEL  
 Notifier Name:  
 Caller Agency: BABYLON FIRE PREVENTION  
 Contact for more spill info:

Spiller Phone: (516) 893-1092  
 Notifier Phone:  
 Caller Phone: (516) 639-7085  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/04/1995		TRAFFIC ACCIDENT	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
PCB OIL	PETROLEUM	120.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

SUBJECT HIT A POWER POLE KNOCKING THE TRANSFORMER OFF POLE #43-LILCO. 3 TRANSFORMERS HIT THE GROUND BREAKING THEM OPEN SPILL HAS BEEN CONTAINED W/SPEEDY DRI. FIRE PREV ON SCENE, MEG HIRED.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 79** **UNKNOWN** **Spill Number: 9709590** **Close Date: 11/03/2004**  
 188 LONG ISLAND AVENUE WYANDANCH, NY TT-Id: 520A-0169-224

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 914 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: BRUCE CANONICO	Spiller Phone: (516) 643-7873
Notifier Type: Other	Notifier Name: BRUCE CANONICO	Notifier Phone: (516) 643-7873
Caller Name: PETER SCHRAMMEL	Caller Agency: SUFFOLK CO HEALTH DEPT	Caller Phone: (516) 854-2543
DEC Investigator: RDDECAND	Contact for more spill info: BRUCE CANONICO	Contact Person Phone: (516) 643-7873

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/09/1997		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDRAULIC OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

comp states he is losing 1-2 gallons of hydraulic oil a day. he adds this amount to tank each day he uses it. suspects a leak under concrete floor-health dept has inspected-nothing found.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA

**Map Identification Number 80** **WYANDANCH ENGINE REBUILDE** **Spill Number: 9512974** **Close Date: 02/26/2004**  
 188 LONG ISLAND AVENUE WYANDANCH, NY TT-Id: 520A-0169-223

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 914 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ANTHONY DIPRINA – WYANDANCH ENGINE REBUILDE Spiller Phone: (516) 643-7873  
 Notifier Type: Health Department Notifier Name: ANTHONY DIPRINA Notifier Phone:  
 Caller Name: BOB MORCERF Caller Agency: SUFFOLK CO HEALTH DEPT Caller Phone: (516) 854-2532  
 DEC Investigator: RDDECAND Contact for more spill info: ANTHONY DIPRINA Contact Person Phone: (516) 643-7873

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/20/1995		HOUSEKEEPING	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	0	GALLONS	0	GALLONS	SEWER

Caller Remarks:

company is leaking oil into sewers on site

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA TELECON W/MORCERF HAD BEEN TRYING TO GET CLEANUP FOR ALMOST A YEAR, NEEDS ASSISTANCE ON GETTING CLEANUP DONE

CLEANUP BY BERNINGER ENV, SCDH INVOLVED

**Map Identification Number 81** **BLOOM RESIDENCE** **Spill Number: 9111655** **Close Date: 07/13/1992**  
 142 24TH STREET/WASHINGTON AVENUE WYANDANCH, NY TT-Id: 520A-0161-127

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 959 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: 142 24TH STREET  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: JONATHAN BLOOM – LEGENDS REALTY Spiller Phone: (516) 499-4452  
 Notifier Type: Responsible Party Notifier Name:  
 Caller Name: JONATHON BLOOM Caller Agency: Notifier Phone:  
 DEC Investigator: KAKISPER Contact for more spill info: Caller Phone: (516) 499-4452  
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/11/1992	07/13/1992	HUMAN ERROR	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

SPILLER WAS WORKING IN BASEMENT AND RUPTURED OIL TANK DUMPED ABOUT 30 GALLONS OF OIL IN BACKYARD

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was KISPRT 07/13/92: NO OIL OBSERVED IN BACKYARD. BASEMENT AREA PARTIALLY EXCAVATED.HOLE LEFT OPEN, PADDED. NO FURTHER ACTION REQUIRED.

**Map Identification Number 82** **TEMPRO RESIDENCE** **Spill Number: 0300708** **Close Date: 06/20/2003**  
 95 SOUTH 29TH STREET WYANDANCH, NY TT-Id: 520A-0158-126

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 995 feet to the SE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: HOWARD TEMPRO – TEMPRO RESIDENCE	Spiller Phone: (631) 643-6090
Notifier Type: Responsible Party	Notifier Name: HOWARD TEMPRO	Notifier Phone: (631) 643-6090
Caller Name: HOWARD TEMPRO	Caller Agency: CITIZEN	Caller Phone: (631) 643-6090
DEC Investigator: BXDONOVA	Contact for more spill info: HOWARD TEMPRO	Contact Person Phone: (631) 643-6090

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/18/2003		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

noticed on friday and was trying to get in touch with his insurance company for directions.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D THINKS THERE MIGHT BE A HOLE IN THE TANK, OIL ON PATIO, WORKS AFTERNOONS, INFO FROM HOTLINE 5/21/03 TELECON WITH HOWARD TEMPRO, HOMEOWNER, ESTIMATES < 5 GALLONS SPILLED, OUTSIDE AST TANK FAILURE, SPILL CONTAINED WITHIN FIBERGLASS CONTAINMENT. SOME OIL SPILLED TO PATIO, CLEANED WITH SPEEDI DRI, 50 GALLONS IN TANK AT THE TIME OF THE LEAK TRANSFERRED TO A TEMP TANK, NO SOIL IMPACTED

SPILL TO CONCRETE PATIO, NO SOIL/DRAINS IMPACTED. CLEANED BY HOMEOWNER

**Map Identification Number 83**  
 **RESIDENCE**  
 95 B SOUTH 31 STREET

WYANDANCH, NY 11798

**Spill Number: 0811449**

**Close Date: 03/12/2009**  
 TT-Id: 520A-0225-341

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1017 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: 95 S 31ST ST  
 Revised zip code: NO CHANGE

Source of Spill: PRIVATE DWELLING Spiller: RHITA RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: RHITA Contact Person Phone: (631) 253-2853

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/18/2009		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Approx. one gal of oil has leaked from 275 gal tank onto the soil out side of house/clean up pending

DEC Investigator Remarks:

1-19-09 @ 4:35PM -Called John Simoes from Petro Oil. -No answer. Left a message with the secretary. (WG)

**Map Identification Number 84** **UNKNOWN** **Spill Number: 9801868** **Close Date: 05/13/1998**  
 IFO 161 NORTH 24TH ST WYANDANCH, NY TT-Id: 520A-0169-222

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1020 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL VEHICLE Spiller: CALLER – PETRO OIL Spiller Phone: (516) 349-4100  
 Notifier Type: Responsible Party Notifier Name: BOB MAGUIRE Notifier Phone: (516) 349-4100  
 Caller Name: BOB MAGUIRE Caller Agency: PETRO OIL Caller Phone: (516) 349-4100  
 DEC Investigator: UNASSIGNED Contact for more spill info: CALLER Contact Person Phone: (516) 349-4100

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/13/1998		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

hose reel malfunction, caused spill to roadway in front of residence.1/2 gallon spilled. cleanup crew enroute.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE HOLE IN HOSE CAUSED SPILL ON ROADWAY, JUST A LITTLE BIT, CLEANED UP WITH SPEEDI DRI,NO RESPONSE NEEDED

**Map Identification Number 85** **UNK** **Spill Number: 9002369** **Close Date: 06/01/1990**  
 LONG ISLAND AVE & S 24TH WYANDANCH, NY TT-Id: 520A-0163-108

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 1029 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: LONG ISLAND AVE / 24TH ST  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: UNK Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: GENE WARNER Caller Agency: SCDH Caller Phone:  
 DEC Investigator: MIRZA Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/31/1990	06/01/1990	ABANDONED DRUM	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

1-55 GAL DRUM NORTH OF THIS INTERSECTION. \*\*\*SEE ALSO 9002511- ABANDONED DRUM AT LI AVE & S 34TH ST. BOTH DRUMS HANDLED UNDER THIS LATER SPILL NO\*\*\* PROVISIONAL EPA ID # NYP000301200

DEC Investigator Remarks: DEC INVESTIGATOR REMARKS NOT AVAILABLE FOR THIS SPILL ACCORDING TO THE LAST UPDATE.

**The following DEC Investigator Remarks were available prior to 1/1/2002:**

// : SEE 9002511 FOR REST OF HISTORY OF THIS INCIDENT.

05/31/90: SUFF CTY HEALTH REPORTS ABANDONED DRUM.

05/31/90: DEC (MIRZA) RESPOND: ONE 55GAL DRUM, IN GOOD CONDITION. NO LEAKAGE. NO LABELS.

06/01/90: MIRZA REFERS CASE TO SOL/HAZ WASTE, AS DRUM WAS NOT LEAKING. HE THEN CLOSES REGIONAL FILE.

**Map Identification Number 86**

**CHANDLER RESIDENCE**

**Spill Number: 0110937**

**Close Date: 07/08/2002**



14 FOXWOOD DRIVE

WHEATLEY HEIGHTS, NY

TT-Id: 520A-0158-217

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1038 feet to the NNW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: DOUG SCHRIMPS  
 DEC Investigator: WJGABIN

Spiller: MELVIN CHANDLER - CHANDLER RESIDENCE  
 Notifier Name: SAME  
 Caller Agency: TRADEWINDS ENVIRONMENTAL  
 Contact for more spill info: MELVIN CHANDLER

Spiller Phone: (631) 491-0098  
 Notifier Phone:  
 Caller Phone: (516) 435-8900  
 Contact Person Phone: (631) 491-0098

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/15/2002		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

burner backfired according to caller and created ash soot threw the house and when they checked the burner and found oil spilled in the burner.they state it is less than 2 gallons. 2/20/02 tradewinds calls to update spill, spill is more then 2 gallons, fuel oil leaked under foundation greater then 6 ' below grade, needs to be assigned. excavation will continue and a sample taken.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN needs to be assigned, trade winds will call tomrrow for inspector, for inspection. trade winds concerned about foundation of home

CLEANUP WAS COMPLETED AT THE SITE BY TRADEWINDS, APPROX 4 DRUMS IMPACTED MATERIALS GENERATED FROM THE LOCATION WERE REMOVED, TRANSPORTED AND PROPERLY DISPOSED OF AT VEXOR TECHN, A SOIL BORING AT 14'-16' BELOW GRADE LEVEL INDICATED MINIMAL POTENTIAL FOR GW IMPACT, NO ADDITIONAL ACTIONS NEEDED AT THIS TIME

2/20 11:00 DOUG, TRADEWINDS, CALLED, WANTS TO SAMPLE THEN BACKFILL, PROBABLY CAN'T DIG MORE SOIL DUE TO PROXIMITY TO FOUNDATION, ASKED HIM TO SEND LETTER OF FINDINGS FIRST

**Map Identification Number 87** **EPPS RESIDENCE** **Spill Number: 1610829** **Close Date: 03/19/2018**  
 87 SOUTH 30TH STREET WYANDANCH, NY TT-Id: 520A-0330-589

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1075 feet to the SE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: ADRIAN EPPS – EPPS RESIDENCE	Spiller Phone:
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: ADRIAN EPPS	Contact Person Phone: (516) 606-3824

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/03/2017		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

spill is contained and leak fixed, clean up is pending

DEC Investigator Remarks:

03/03/17 1315 Hrs: Called Slomins– no answer or voicemail. DR

03/03/17 1445 Hrs (A): Called Slomins and spoke to KEVIN FERGUSON– this involves an aboveground tank.

03/03/17 1445 Hrs (B): THE LEAK WAS CAUSED BY A LOOSE/LEAKING FLARE FITTING, WHICH THE OWNER HAD TRIED TO PATCH WITH TEFLON TAPE. Slomins replaced the fitting.

03/03/17 1445 Hrs (C): Ferguson confirmed the spillage seemed minor and confined to the area around the tank. DR

Map Identification Number 88



**WEBB RESIDENCE**  
19 HOMESTEAD DRIVE

WYANDANCH, NY

Spill Number: 1409049

Close Date: 01/13/2017  
TT-Id: 520A-0304-157

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1103 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Responsible Party  
Caller Name:  
DEC Investigator: Unassigned

Spiller: RUSSEL WEBB – WEBB RESIDENCE  
Notifier Name:  
Caller Agency:  
Contact for more spill info: RUSSEL WEBB

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (516) 805-2806

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/06/2014		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	3.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Oil spilled to soil when homeowners friend poured in oil from the top. Clean up is pending contacting a crew.

DEC Investigator Remarks:

SIDE OF THE HOUSE

12/7/14 0900 Hrs: RJP made call to homeowner Russ Webb. States less than 3 gallons was spilled from container while pouring fuel into 275 gal AST on side of house. Release to side of house, sides of tank, and soil below. DEC notified him that he may attempt to perform cleanup himself, to excavate contaminated soils, up to 500 lbs can be discarded as trash, and to call DEC for backfill inspection and/or approval. RJP

Map Identification Number 89



**SMITH RESIDENCE**  
89 SOUTH 31ST STREET

WYANDANCH, NY 11798

**Spill Number: 1301604**

**Close Date: 05/28/2013**  
TT-Id: 520A-0289-714

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1160 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: PRIVATE DWELLING  
Notifier Type: Affected Persons  
Caller Name:  
DEC Investigator: WXPZYLO

Spiller: CJ OIL  
Notifier Name:  
Caller Agency:  
Contact for more spill info: MILICHENT SMITH

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (347) 984-4802

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency



Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

DRIVER DROPPED DELIV HOSE, OIL LEAKED TO SOIL AREA, GIFFORDS TO SEND SPILL TEAM WITH SPEEDI DRI TO CLEANUP, NO RESPONSE NEEDED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

**Map Identification Number 91**  **RESIDENCE** **Spill Number: 1505974** **Close Date: 02/10/2016**  
 64 GARDEN CITY AVENUE WHEATLEY HEIGHTS, NY TT-Id: 520A-0314-060

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1272 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: INGRAD SAMUAL – RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: WXPZYLO Contact for more spill info: INGRAD SAMUAL Contact Person Phone: (631) 855-5125

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/03/2015		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	240.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Basement tank line leaked onto concrete floor. Cleanup is pending.

DEC Investigator Remarks:

9/3/2015 19:25 Brian D. t/c to Slomin's Oil, No contact Provided – Could only access the automated message

9/4/15 1010 Hrs: RJP took call from Mike of Milro. States they have been hired to perform cleanup. Investigation not complete, but confirmed presence of contaminated soil. RJP.

Temporary support for house foundation performed and some soil removed from underneath of foundation– not overseen by NYD DEC staff.

Approx. 74.4 tons of #2 oil contaminated soil has been removed from the basement's excavation, cleanup has been completed, no further action required. (VP)

**Map Identification Number 92** **UNK** **Spill Number: 9606578** **Close Date: 05/20/1999**  
 MERRIT AVE & 23RD STREET WYANDANCH, NY TT-Id: 520A-0165-136

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 1272 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: MERRITT AVE / 23RD ST  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:  
 Notifier Type: Fire Department Notifier Name: UNKNOWN Notifier Phone:  
 Caller Name: MARCIA GALLO Caller Agency: BABYLON FIRE PREVENTION Caller Phone: (516) 893-1092  
 DEC Investigator: BPAUSTIN Contact for more spill info: WILLIAM AHERN Contact Person Phone: (516) 893-1092

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/22/1996	08/22/1996	ABANDONED DRUM	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
MOTOR OIL	PETROLEUM	165.00	GALLONS	165.00	GALLONS	SOIL

Caller Remarks:

3 abandoned 55 gal drums

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was AUSTIN 08/22/96 (A): Babylon Town (CASE # UNK) reported 3 drums abandoned on roadside.

08/22/96 (B): DEC (Austin) responded– Found 3 drums. All are nearly full; small amount of waste–oil had leaked from them. No labels or other lead on spiller.

08/22/96 (C): DEC hired Tradewinds to pick up and properly dispose. Cleanup satisfactory.

04/01/97: DEC to close regional file– Cleanup satisfactory; no other remedial action needed.

**Map Identification Number 93** **GRAHAM RESIDENCE** **Spill Number: 0400786** **Close Date: 09/20/2006**  
 33 BROOKWOOD DRIVE WHEATLEY HEIGHTS, NY TT-Id: 520A-0157-689

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1273 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: PETRO OIL COMPANY	Spiller Phone:
Notifier Type: Other	Notifier Name: PAUL BASSO	Notifier Phone: (516) 379-1500
Caller Name: PAUL BASSO	Caller Agency: MILRO ASSOCIATES	Caller Phone: (516) 379-1500
DEC Investigator: BXDONOVA	Contact for more spill info: MR. GRAHAM	Contact Person Phone: (631) 491-5138

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/19/2004		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	5.00	GALLONS	SOIL

Caller Remarks:

OIL COMPANY LEAKED FUEL OIL WHILE MAKING REPAIR: HAS BEEN CLEANED UP BUT FOUND SOME SOIL CONTAMINATION

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was BRIAN D TELECON WITH PAUL BASSO, PETRO WAS MAKING A LINE REPAIR TO BASEMENT TANK WHEN FILTER CAME OFF CAUSING SPILL TO BASEMENT FLOOR, ABOUT 5 GALLONS OF #2 FUEL OIL, MILRO CLEANED UP THE OIL AND NOTICED CRACK IN CONCRETE, THEY DID A BORING AND FOUND CONTAMINATED SOIL BENEATH SLAB, THEY WILL BE REMOVING ADDITIONAL CONCRETE TODAY TO DETERMINE EXTENT OF SOIL CONTAMINATION

4/30/04 FILE REASSIGNED

22 CY OF CONTAMINATED SOIL & DEBRIS EXCAVATED AND PROPERLY DISPOSED OF BY MILRO, SOIL EXCAVATED FROM BENEATH BASEMENT FLOOR, BOTTOM SAMPLE TAKEN, DTW 20' G/W IMPACT UNLIKELY

**Map Identification Number 94** **RESIDENCE** **Spill Number: 9711421** **Close Date: 03/02/1998**  
 103 JAMAICA AVENUE WYANDANCH, NY TT-Id: 520A-0160-070

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1289 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: PETRO OIL	Spiller Phone:
Notifier Type: Affected Persons	Notifier Name:	Notifier Phone:
Caller Name: CAROL USHER	Caller Agency: CITIZEN	Caller Phone: (516) 491-7022
DEC Investigator: BPAUSTIN	Contact for more spill info: CAROL USHER	Contact Person Phone: (516) 491-7022

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/16/1996		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	500.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

CALLER REPORTING AN OLDER SPILL. UNKNOWN IF DEC HAD BEEN CONTACTED ORIGINALLY. SPILL WAS REPORTED TO PETRO AND DEP IN SUFFOLK COUNTY. CALLER STATES OIL HAS AFFECTED WATER LINE. SHE IS NOW FEELING ILL FOR APPROX 1 YEAR. SHE STATES SHE WAS ADVISED BY PETRO AND EPA NOT TO TELL ANYONE OF THE SPILL. CALLER WOULD LIKE TO SPEAK TO DEC.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was AUSTIN SAME AS 96-09387 SURFACE CONTAMINATION EXCAVATED BY MILRO. MONITORING WELL INSTALLED, NO PRODUCT FOUND FOR 7 MONTHS

**Map Identification Number 95** **USHER RESIDENCE** **Spill Number: 9609387** **Close Date: 02/16/1999**  
 103 JAMAICA AVENUE WYANDANCH, NY TT-Id: 520A-0162-701

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1289 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: ANDREW USHER – USHER RESIDENCE Spiller Phone: (516) 491-7022  
 Notifier Type: Other Notifier Name: TECHNICIAN #579 Notifier Phone: (516) 576-3000  
 Caller Name: SCOTT WILSON Caller Agency: GIFFORD OIL Caller Phone: (516) 576-3000  
 DEC Investigator: RBA WELL Contact for more spill info: ANDREW USHER Contact Person Phone: (516) 491-7022

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/27/1996		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	200.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

A TANK VALVE WAS DEFECTIVE ON 2 275 GALLON TANKS, THE VALVE IS BEING REPAIRED AND THE SPILL HAS BEEN CONTAINED – HOMEOWNER IS CONTACTING A CLEAN UP COMPANY NOW

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 96** **CRAWFORD RESIDENCE**  
 68 JAMAICA AVENUE

WYANDANCH, NY

**Spill Number: 1710098**

**Close Date: 02/25/2019**  
 TT-Id: 520A-0339-603

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1441 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: DANIEL CRAWFORD - CRAWFORD RESIDENCE  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: DANIEL CRAWFORD (OWNER?)

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (516) 808-8006

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/06/2018		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	3.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

Caller Remarks:

Crawl space basement tank leaked onto concrete floor. Leak stopped and owner deciding how to proceed with repair and cleanup.

DEC Investigator Remarks:

2/6/18 1930 hrs: t/c Slomins. Line and tank leaking. Approximately 3 gallons. Leak has been stopped and homeowner is thinking over about getting a new tank. (JN)

**Map Identification Number 97** **UNK**  
 MAIN AVE & NO 22ND STREET

BABYLON, NY

**Spill Number: 9412489**

**Close Date: 12/21/1994**  
 TT-Id: 520A-0176-398

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1520 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL VEHICLE Spiller: UNK Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: MIKE ARBUSON Caller Agency: CENTRAL FIRE #34 Caller Phone: (516) 226-1216  
 DEC Investigator: RDDECAND Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/17/1994	12/21/1994	EQUIPMENT FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

FIRE DEPT ON SITE, OIL TRUCK LEAKING,

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA 12/21/94: TOWN SANDED & PICKED UP.

**Map Identification Number 98** **HOLMES RESIDENCE** **Spill Number: 0806350** **Close Date: 01/28/2009**  
 172 CONKLINS AVENUE WHEATLEY HEIGHTS, NY TT-Id: 520A-0225-889

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3) Revised street: 172 CONKLIN AVE  
 Approximate distance from property: 1546 feet to the NE Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: HOLMES RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: DEREK SCUDIUO Contact Person Phone: (631) 249-4141

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water  
 contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/05/2008		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	

Caller Remarks:

Tank sprung a leak.

DEC Investigator Remarks:

9-08-08 @14:00 -Called Nick from Perillo Bros. -No answer- Left message for Nick. (WG)

**Map Identification Number 99**  **LANIER RESIDENCE** **Spill Number: 1902291** **Close Date: 06/25/2019**  
 75 S 29TH STREET WHEATLEY HEIGHTS, NY TT-Id: 520A-0353-329

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1554 feet to the SE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: TERESA LANIER - LANIER RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: MAEGLI Contact for more spill info: TERESA LANIER Contact Person Phone: (631) 643-1656

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/04/2019		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Basement tank leaked to concrete floor. Cleanup is pending homeowners action.

DEC Investigator Remarks:

06/04/2019 1520 Hrs: t/c with Dispatch. Stated that customer noticed the tank leaking and called Slomins. 275 gallon AST in basement leaked to concrete only. Slomins stopped leak and advised homeowner to contact insurance and cleanup. BB

06/25/2019: Homeowners performed cleanup. Basement free of petroleum odors; only light staining on floor in spill area. Owners will epoxy floors. NFA. ME

**Map Identification Number 100**      **UNKNOWN**      **Spill Number: 2004105**      **Close Date: 09/22/2020**  
 133 NORTH 22ND STREET      WYANDANCH, NY      TT-Id: 520A-0366-613

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1591 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: TRANSFORMER      Spiller: BILLY STUBER – PSEG      Spiller Phone:  
 Notifier Type: Other      Notifier Name:      Notifier Phone:  
 Caller Name:      Caller Agency:      Caller Phone:  
 DEC Investigator: HMCIRRIT      Contact for more spill info: BILLY STUBER      Contact Person Phone: (917) 578-0160

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended		
08/08/2020		STORM	NO		NO		
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
TRANSFORMER OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL	

Caller Remarks:

ON PAVEMENT C/UP PENDING

DEC Investigator Remarks:

8/9/20 @ 1605 Hrs: Spoke to Billy from PSEG. Per Billy, pole top unit damaged during storm, spilled a total of 5 gal of transformer oil onto soil and pavement. No waterbody affected. Miller has been retained for cleanup. (WG)

PER PSEG INCIDENT DESCRIPTION: 9X20STM13A PSEG pole top transformer spilled approx. 5 gals impacting soil and pavement. No surface waterbody impacted. MEG/T MEEHAN RESPONDED

**Map Identification Number 101**

**SAUNDERS RESIDENCE**  
69 SOUTH 27TH STREET

WHEATLEY HEIGHTS, NY

**Spill Number: 1606969**

**Close Date: 01/10/2017**  
TT-Id: 520A-0324-801

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1627 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name:  
DEC Investigator: TMCUFF

Spiller: JUSTINE SAUNDERS – SAUNDERS RESIDENCE  
Notifier Name:  
Caller Agency:  
Contact for more spill info: CAROL WEINGOLD

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (516) 932-7000

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/16/2016		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

line failure caused loss to soil. Leak stopped. C/u pending

DEC Investigator Remarks:

10/19/2016 9:31 t/c to Carol W. Number given was Slomin's Company line, operator unable to locate Carol W. TC

10/21/2016 1405: t/c to Slomin's. Received number for homeowner. TC

10/21/2016 1414: t/c to Justine Saunders (homeowner). Contractors damaged oil line during basement repairs. Leak stopped within few hours. Homeowner had contractor dug small pit 6 inches deep beneath damaged oil line to prove small nature of spill. TC to inspect site on 10/23/2016. TC

10/24/2016 0853 hrs: Minimal odors present in soil around tank, clean endpoint found 12" beneath soil surface. Issued clean up letter to homeowner. TC

11/08/2016 0900 hrs: left message with homeowner asking for update on contractor selection. TC

11/18/2016 1200 hrs: left message with homeowner. TC

11/23/2016 1400 hrs: left message with homeowner. TC

12/15/2016: Contaminated soil is contained on property to 1.5 foot depth with depth to water at 15 feet. No further action required. TC

**Map Identification Number 102** **WILSON RESIDENCE**  
 48 JAMAICA AVENUE

WYANDANCH, NY

**Spill Number: 1412125**

**Close Date: 01/18/2017**  
 TT-Id: 520A-0306-980

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1657 feet to the ESE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Local Agency  
 Caller Name:  
 DEC Investigator: WJGABIN

Spiller:  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: GLORISTEEN WILSON

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/26/2015		HOUSEKEEPING	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL

Caller Remarks:

Town observed spills from waste oil containers and fuel oil tank

DEC Investigator Remarks:

Cleanup letters were sent to the PR on 3/27/15 & 5/13/16.

No action was taken by the RP.

ADMINISTRATIVE CLOSURE

**Map Identification Number 103** **DESMONDE RESIDENCE** **Spill Number: 9409618** **Close Date: 10/20/1994**  
 9 BROOKWOOD DRIVE WHEATLEY HEIGHTS, NY TT-Id: 520A-0161-863

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1663 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: ANDREW DESMONDE – DESMONDE RESIDENCE Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: JIM SHANLEY Caller Agency: GIFFORDS Caller Phone: (516) 576-3000  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/18/1994	10/20/1994	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

OLD STAIN ON CONCRETE FLOOR NEXT TO TANK, NO ACTION TAKEN, TANK IN BASEMENT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE 10/20/94: NO RESPONSE NEEDED.

**Map Identification Number 104**



**SPILL NUMBER 9710230**  
118 NORTH 21ST STREET

WYANDANCH, NY

**Spill Number: 9710230**

**Close Date: 03/09/1998**  
TT-Id: 520A-0165-135

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1705 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: TANK TRUCK  
Notifier Type: Other  
Caller Name: JOE GENTILE  
DEC Investigator: BMFORD

Spiller: JOE MCNULTY – LIBERTY ENERGY  
Notifier Name:  
Caller Agency: PCT  
Contact for more spill info: MRS BANKS

Spiller Phone: (516) 665-7274  
Notifier Phone:  
Caller Phone: (516) 738-9600  
Contact Person Phone: (516) 643-2694

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/28/1997		TANK OVERFILL	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	35.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

overfill & non reportal by liberty? estimate 35 gal spilled onto floor in basement and into 2x2 hole in floor pct beginning clean up for blue ridge ins

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was FORD

**Map Identification Number 105** **BAYNES RESIDENCE**  
 65 SOUTH 28TH STREET

WYANDANCH, NY

**Spill Number: 9710413**

**Close Date: 11/27/1998**  
 TT-Id: 520A-0168-465

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1747 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Affected Persons  
 Caller Name: JIM MCCAFFREY  
 DEC Investigator: JEHAAS

Spiller: BAYNES – BAYNES RESIDENCE  
 Notifier Name: DRIVER  
 Caller Agency: PETRO  
 Contact for more spill info: BAYNES

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 349-4130  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/10/1997		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

caller states that there is no safety and that the boiler kept running product was absorbed in clothing

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HAAS SPILL CLEANED UP BY RP, CONTAMINATED DEBRIS WAS DOUBLED BAGGED AND DISPOSED OF WITH HOUSEHOLD GARBAGE

**Map Identification Number 106** **UNKNOWN**  
 NORTH 21ST STREET/WASHINGTON

WHEATLEY HEIGHTS, NY

**Spill Number: 9000210**

**Close Date: 05/17/1990**  
 TT-Id: 520A-0177-727

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1769 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: ERWING F LAZAN OWNER OF PROPERTY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: NADELE SILVERS Caller Agency: TOWN OF BABYLON Caller Phone: (516) 957-3153  
 DEC Investigator: HOFMANN Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/06/1990	05/17/1990	ABANDONED DRUM	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

DRUM OF BLACK LIQUID LEAKING ON LOT ACROSS FROM HOUSE #118, 55 GAL. INSPECTOR ON SITE NOW.TOWN NOTIFYING SCHD SCHD INSPECTOR BOB SEYFARTH

REFERRED TO SCHD

DEC Investigator Remarks: DEC INVESTIGATOR REMARKS NOT AVAILABLE FOR THIS SPILL ACCORDING TO THE LAST UPDATE.

**The following DEC Investigator Remarks were available prior to 1/1/2002:**

05/17/90: REFERRED TO SCHD.

10/10/95: This is additional information about material spilled from the translation of the old spill file: BLACK LIQUID.

**Map Identification Number 107** **TENANT RESIDENCE**  
 28 SOUTH 34TH STREET

WYANDANCH, NY

**Spill Number: 9408576**

**Close Date: 09/29/1994**  
 TT-Id: 520A-0175-275

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1846 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: CAFIL CONSTRUCTION Spiller Phone: (516) 541-0504  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: MIKE EMANUELO Caller Agency: RELIANCE Caller Phone: (516) 338-1180  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/28/1994	09/29/1994	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

AT TENANT RESIDENCE, VALVE LEAK, SPILL CONTAINED ON CONCRETE FLOOR, SERV REPAIRING AND TENANT CLEANING UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE 09/29/94: NO RESPONSE NEEDED.

**Map Identification Number 108** **RESIDENCE** **Spill Number: 1911617** **Close Date: 03/23/2020**  
 61 SOUTH 28TH STREET WYANDANCH, NY TT-Id: 520A-0361-845

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1862 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: UNK Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: N/A Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/18/2020		DELIBERATE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	AIR, INDOOR AIR

Caller Remarks:

Caller states her neighbor runs an auto business from his home and has had a vehicle releasing smoke for the past two hrs today and a few hrs yesterday.

DEC Investigator Remarks:

3/19/20-16:45 NH spoke with ECO Garrett Caciola , he responded to the report. As per ECO it is a neighbor dispute, No violations were found and No spill.

Map Identification Number 109

RESIDENCE

61 SOUTH 28TH STREET

WYANDANCH, NY

Spill Number: 0303534

Close Date: 02/06/2004

TT-Id: 520A-0169-231

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1862 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Affected Persons  
 Caller Name: BARRY ZORNBERG  
 DEC Investigator: UNASSIGNED

Spiller: PIETRO OIL  
 Notifier Name: LINDA FAYER  
 Caller Agency: LANDLORD  
 Contact for more spill info: BARRY ZORNBERG

Spiller Phone: (800) 645-4328  
 Notifier Phone:  
 Caller Phone: (631) 499-3631  
 Contact Person Phone: (631) 499-3631

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/03/2003		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Oil tank was serviced 2 weeks ago and tonight the filter fell off – will call someone for clean up – spill is in a closet and bedroom

DEC Investigator Remarks:

AS PER ZORNBERG, SPILL WAS A LOT SMALLER, 5-10 GALLONS, THE SPILL WAS ON A CONCRETE FLOOR AND THERE WERE NO HOLES, CRACKS OR FLOOR DRAINS ON THE FLOOR, CLEANED UP WITH SPEEDI DRI, ALSO REMOVED RUG THAT HAD OIL ON IT

**Map Identification Number 110**      **NICKNAM RESIDENCE**      **Spill Number: 0512987**      **Close Date: 02/10/2006**  
      2 NORWOOD PLACE      WHEATLEY HEIGHTS, NY      TT-Id: 520A-0156-869

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1866 feet to the NW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING      Spiller: FRAH NICKNAM – NICKNAM RESIDENCE      Spiller Phone: (631) 643-2181  
 Notifier Type: Other      Notifier Name: ROSCOE NAGUIT      Notifier Phone: (516) 686-2029  
 Caller Name: ROSCOE NAGUIT      Caller Agency: PETRO      Caller Phone: (516) 686-2029  
 DEC Investigator: Unassigned      Contact for more spill info: FRAH NICKNAM      Contact Person Phone: (631) 643-2181

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/09/2006		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

Caller Remarks:

275 GALLON TANK, LINE LEAK

DEC Investigator Remarks:

2/9/06 10:35 ABOVEGROUND OUTSIDE, 2'X 2' STAINED AREA BELOW VALVE THAT BROKE, ALL REMOVED AND REPAIRED

**Map Identification Number 111** **COWAN SYSTEMS** **Spill Number: 1906745** **Close Date: 04/21/2020**  
 263 MERRIT AVENUE WYANDANCH, NY TT-Id: 520A-0357-928

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1969 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: 263 MERRIT AVE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Stephen Dieshuk – COWAN SYSTEMS (driver) Spiller Phone:  
 Notifier Type: Other Notifier Name: TRACI NADOLNY – COWAN SYSTEMS Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: WJGABIN Contact for more spill info: ADAM REID Contact Person Phone: (254) 855-4342

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/03/2019		TRAFFIC ACCIDENT	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL IMPERVIOUS SURFACE

Caller Remarks:

debris struck tank clean up is pending

DEC Investigator Remarks:

10/3/19 0755 Hrs: AF t/c to Adam. Adam stated a tractor trailer hit debris on the road and pulled over and observed the saddle tank of the truck leaking from the seams. Spill is to roadway and a small portion of soil. Driver observed one storm drain in the surrounding area. Unknown if it is impacted. ACV Enviro is responding for cleanup. 10/3/19- 0820 Hrs NH called back requesting an update..still waiting for ACV Enviro to respond..Adam will c/b with update.

0900 NH spoke with Adam.. Enviro co on site performing clean up of roadway 1032 hrs: NH spoke with WG.. 2 drains have been impacted..and will be cleaned out with a guzzler.. WG to remain on site.

Cleanup completed by ACV. A total of 5cy of contaminated soil generated from site and properly disposed of at Cycle Chem, Inc. NFAR. OK for closure.

**Map Identification Number 112** **COMBINED CONTAINER INDUSTRY** **Spill Number: 1007266** **Close Date: 10/13/2010**  
 263 MERRITT AVENUE WYANDANCH, NY TT-Id: 520A-0256-167

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1969 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: 263 MERRITT AVE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: GREG AUSTIN – COMBINED CONTAINER INDUSTRY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: dhraymon Contact for more spill info: GREG AUSTIN Contact Person Phone: (631) 253-4400

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/06/2010		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL

Caller Remarks:

Test result came back in. Results are not above limit but they wanted to just be safe and call it in. Unknown amount of fuel oil spilled. Believes it happened when filling tank.

DEC Investigator Remarks:

NORTH PART OF PROPERTY

\*\*\*THIS IS ENDPOINT SOIL DATA FROM THE REMOVAL OF A 10,000GAL FUEL OIL TANK ON 27SEPT\*\*\* DR

10/13/10 FILE REASSIGNED

ENDPOINT SAMPLES MEET STANDARDS-NFA

**Map Identification Number 113** **BACCUS RESIDENCE**  
 56 SOUTH 28TH

WYANDANCH, NY

**Spill Number: 1903164**

**Close Date: 06/27/2019**  
 TT-Id: 520A-0357-929

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1985 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: 56 S 28TH ST  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JENNIFER BACCUS – BACCUS RESIDENCE  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JENNIFER BACCUS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (347) 604-3257

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/27/2019		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	UNKNOWN	0	UNKNOWN	IMPERVIOUS SURFACE

Caller Remarks:

Meenan Oil/ Millro discovered loss to exterior- replacement pending

DEC Investigator Remarks:

SAME AS 1902985

6/27/19, JF t/c w/ Mike Vizzini @ Milro: Spill is the same as 1902985. Milro submitted proposal to homeowner for cleanup of less than 1 gallon #2 fuel oil spill onto concrete patio. Contained with speedy dry. Corroded outdoor 275 gal. AST has been pumped out into temporary tank.

CLOSED BY KS

**Map Identification Number 114**



**BACCHUS RESIDENCE**  
56 SOUTH 28TH STREET

WYANDANCH, NY

**Spill Number: 1902985**

**Close Date: 06/27/2019**  
TT-Id: 520A-0356-037

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1985 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
Notifier Type: Other  
Caller Name:  
DEC Investigator: Unassigned

Spiller: BACCHUS RESIDENCE  
Notifier Name:  
Caller Agency:  
Contact for more spill info: HOMEOWNER

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (347) 604-3257

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/22/2019		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	UNKNOWN	0.00	UNKNOWN	

**Caller Remarks:**

5 cups on slab – hole in tank

**DEC Investigator Remarks:**

Same as 1903164

06/22/2019, 1545, t/c w/ Tammi: Corrosion hole in outside 275 AST caused approx. 4 – 5 cups (visual assessment) of #2 FO to spill on concrete patio. Technician was able to patch tank. Milro en route to pump out and install temp tank. No water bodies or

drains impacted.

CLOSED BY KS

**Map Identification Number 115** **HERNANDEZ RESIDENCE** **Spill Number: 9613190** **Close Date: 04/29/1997**  
 51 SOUTH 30TH STREET WYANDANCH, NY TT-Id: 520A-0176-905

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2012 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: JUAN HERNANDEZ – HERNANDEZ RESIDENCE Spiller Phone: (516) 253-3059  
 Notifier Type: Other Notifier Name: SERVICE MAN – DAN BERGEN Notifier Phone: (516) 349-4130  
 Caller Name: KATHLEEN KITSON Caller Agency: PETRO OIL Caller Phone: (516) 349-4130  
 DEC Investigator: ACLAMANN Contact for more spill info: JUAN HERNANDEZ Contact Person Phone: (516) 253-3059

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/06/1997		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

OIL LINE ON HOMEOWNERS END ARE BAD AND CAUSED LARGE SPILL OUTSIDE TANK – OIL COMPANY GAVE HIM SOME NAMES OF CLEAN UP AGENCIES AND IT WILL BE HIS RESPONSIBILITY FOR CLEAN UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LAMANNO CONT SOIL EXCAVATED AND DISPOSAL RECPTS RECEIVED. NO OTHER ACTION

**Map Identification Number 116** **WYANDANCH FIRE DEPT** **Spill Number: 8905529** **Close Date: 09/11/1989**  
 **LONG ISLAND AVE & SOUTH 20TH STREET** **WYANDANCH, NY** **TT-Id: 520A-0169-226**

**MAP LOCATION INFORMATION**

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 2032 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: LONG ISLAND AVE / SOUTH 20TH STREET  
 Revised zip code: 11798

Source of Spill: COMMERCIAL VEHICLE	Spiller: WYANDANCH FIRE DEPT	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: SHELDON	Caller Agency: BABYLON T HWY DEPT	Caller Phone: (516) 957-4242
DEC Investigator: AYLEUNG	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/05/1989	09/11/1989	EQUIPMENT FAILURE	UNKNOWN	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

TOWN SANDED AND SWEEP ROAD LAST NIGHT, TOWN WILL PICK/SWEEP UP ROAD TODAY \*\*\*BILL SENT TO DEC BY MISTAKE: TOWN NORMALLY BILLS SPILLER DIRECTLY, IF ONE IS KNOWN. DEC DID NOT CATCH THIS AND PAID FOR THE CLEANUP.\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG 09/05/89: WYANDANCH FIRE DEPT VEHICLE LOSES 5GAL OF ATF. REASON NOT GIVEN. TOWN HWY SANDED AND SWEEP ROAD.

09/06/89: LEUNG INSPECT SITE. ALL CLEAN; NO IMPACT TO DRAINS. NO FURTHER ACTION NEEDED.

09/11/89: DEC CLOSES REGIONAL FILE.

08/31/90: D RAYMOND CALLS BABYLON HWY TO SEE WHAT HAPPENED: WAS WYANDANCH FD THE SPILLER? IF SO, WHY WAS BILL SENT TO DEC? BABYLON FINDS THAT THE PAPERWORK GAVE DATE OF SPILL AS 15SEPT. SINCE THEY HAD.

08/31/90: NO SPILLS WITH A KNOWN SPILLER FOR THAT DATE, BILL WAS SENT TO US. (THEIR WORK CREW NOTES CONFIRM CLEANUP DATE AS 5SEPT). CONFIRM SPILLER AS WYANDANCH FD.

10/10/95: This is additional information about material spilled from the translation of the old spill file: TRANSMISSION OIL

SPILL CLEANED UP BY TOWN OF BABYLON, NO DRAINAGE AFFECTED

**Map Identification Number 117**

**RESIDENCE**

**Spill Number: 1204788**

**Close Date: 02/08/2013**



52 SOUTH 28TH STREET

WYANDANCH, NY

TT-Id: 520A-0276-185

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2058 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Local Agency  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller:  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: ROB BABINO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (516) 369-4602

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/13/2012		HOUSEKEEPING	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
PAINT LACQUER THINNERS	OTHER	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

Town of Babylon FM Rob Babino inspected a house. Citizens complained of poor house keeping issue's at the residence. He issued multiple tickets, 5-1 gallons pails are stored on the property..the contents are paint thinner, spray paint ..spray paint gun cleaner,,,unknown how much has spilled...soil is affected. Would like an inspection from this department. NH

**DEC Investigator Remarks:**

08/13/2012 NH will refer to ECO's.

**Map Identification Number 118**  **LILCO**  
265 MERIT AVENUE

WYANDANCH, NY

**Spill Number: 9103957**

**Close Date: 07/15/1991**  
TT-Id: 520A-0169-225

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 2067 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: 265 MERRITT AVENUE  
Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
Notifier Type: Other  
Caller Name: MIKE LAURO  
DEC Investigator: UNASSIGNED

Spiller: LILCO  
Notifier Name:  
Caller Agency: LILCO  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (516) 391-6142  
Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/12/1991	07/15/1991	EQUIPMENT FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
TRANSFORMER OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

MR.SOFTEE ICE CREAM. POLE #510, OIL ON A CAR, TOLD DRIVER SHE CAN BRING CAR TO CAR WASH, OIL OOZING OUT OF BUSHING, NO ENOUGH OIL FOR A TEST. NO RESPONSE NEEDED

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

**Map Identification Number 119**  **UNK**  
38 LEE AVENUE

WHEATLEY HEIGHTS, NY

**Spill Number: 9103631**

**Close Date: 08/19/1991**  
TT-Id: 520A-0161-000

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 2128 feet to the NE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: UNK	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: JOE GUARINO	Caller Agency: BABYLON	Caller Phone: (516) 422-7640
DEC Investigator: LUCE	Contact for more spill info:	Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/02/1991	08/19/1991	DELIBERATE	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

NOTIFIER 194 NORTH 21ST STREET, WASTE OIL BEING DUMPED ON PROPERTY, DUMPING CONFIRMED BY CALLER. OIL LOCATED ON 21ST SIDE OF THE PROPERTY AT 38 LEE AVE

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

<b>Map Identification Number 120</b>	<b>RESIDENCE</b>	<b>Spill Number: 9505249</b>	<b>Close Date: 07/31/1995</b>
	81 BROOKLYN AVENUE	WYANDANCH, NY	TT-Id: 520A-0162-205

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2139 feet to the SSE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: RESIDENCE	Spiller Phone:
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name: BOB CASCELLA	Caller Agency: RELIANCE	Caller Phone: (516) 475-4770
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/28/1995	07/31/1995	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

LEAK IN TANK, NO RESPONSE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE HAAS CONTACTED THE RESIDENT INFORMED THAT LEAK IS REOCCURRING FROM AREA IN FRONT OF BURNER ON CONCRETE SLAB, SPEEDI DRI APPLIED, NO FURTHER ACTION BY NYSDEC REQUIRED

**Map Identification Number 121** **VACANT HOUSE** **Spill Number: 9912996** **Close Date: 11/01/2000**  
 32 GARDEN CITY AVENUE WYANDANCH, NY TT-Id: 520A-0159-406

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2192 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: PORT REALTY/GROUP LLC	Spiller Phone: (631) 777-4300
Notifier Type: Fire Department	Notifier Name: CHIEF WALDRON	Notifier Phone:
Caller Name: JOE ARCURI	Caller Agency: BABYLON FIRE MARSHALL	Caller Phone: (516) 226-1216
DEC Investigator: PWHARDIN	Contact for more spill info: OWNER - PORT REALTY	Contact Person Phone: (516) 777-4300

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/15/2000		VANDALISM	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

house was vandalized -- approx 25 to 50 gals leaked out of tank --- house is on a slab and contaminated soil outside as well ---

clean up in progress.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HARDING GERRY HICKSON (ANS) CALLED A LITTLE EARLIER, LEFT MESSAGE AT 226-1216 CENTRAL FIRE COMM, WILL HAVE ARCURI CALL

86T CONT SOIL REMOVED FROM DRIVEWAY AND UNDER BURNER, SLIGHT CONT REMAINS ON WALLS UNDER HOUSE, ENDPOINT SAMPLES OF DRIVEWAY BOTTOM NON DETECT, NO FURTHER DEC ACTION REQUIRED, CONT SOIL PROPERLY DISPOSED OF

**Map Identification Number 122**      **RESIDENCE**      **Spill Number: 9806860**      **Close Date: 03/09/2009**  
      41 SOUTH 21ST STREET      WYANDANCH, NY      TT-Id: 520A-0165-932

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2198 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: MARY – RESIDENCE	Spiller Phone: (516) 253-4068
Notifier Type: Responsible Party	Notifier Name: FIRE MARSHAL	Notifier Phone:
Caller Name: DISPATCHER 15	Caller Agency: WYANDINCH FIRE DEPT	Caller Phone: (516) 226-1212
DEC Investigator: RDDECAND	Contact for more spill info: MARY	Contact Person Phone: (516) 253-4068

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/04/1998		VANDALISM	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

5 puncture holes to bottom of tank – tank is in basement – fire dept on scene & request a response

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA F&N HIRED BY DEC TO PERFORM CLEANUP

**Map Identification Number 123** **PIERRE RESIDENCE**  
 105 NORTH 19TH STREET

WYANDANCH, NY

**Spill Number: 9301457**

**Close Date: 12/29/2003**  
 TT-Id: 520A-0157-570

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2341 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: LAUREL TUTHILL  
 DEC Investigator: RDDECAND

Spiller: EMILE PIERRE – PIERRE RESIDENCE  
 Notifier Name:  
 Caller Agency: GIFFORDS ENERGY  
 Contact for more spill info:

Spiller Phone: (516) 997-6911  
 Notifier Phone:  
 Caller Phone: (516) 576-3000  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/30/1993		HOUSEKEEPING	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

DRIVER ATTEMPTED DELIVERY BUT DISCOVERED CONTAMINATED SOIL AROUND FILL PIPE. CUSTOMER NEEDS DEC ASSIST. TO CLEANUP SPILL.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA

4/30/93 TELECON WITH RESIDENT, TOLD ME TO CALL AT APPROX 1400 TO TALK WITH MRS PIERRE SURFACE SPILL

**Map Identification Number 124** **UNKNOWN**  
 41 SOUTH 31ST STREET

WYANDANCH, NY

**Spill Number: 9925101**

**Close Date: 02/09/2000**  
 TT-Id: 520A-0176-904

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2401 feet to the SSE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: UNKNOWN Spiller: BARRY BROTHER – BARRY BROTHER CONTRACTING Spiller Phone: (516) 253–0975  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: BILL HAYDEN Caller Agency: BABYLON FM Caller Phone: (516) 893–1092  
 DEC Investigator: COSTELLO Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/25/1999		ABANDONED DRUM	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

275 GALLON FUEL OIL TANK WAS CUT OPEN AND LEFT ON SIDE OF ROAD. APPROXIMATELY 20 GALLONS OF FUEL OIL LEFT IN TANK – NO SPILLAGE. SUSPECT THAT RESIDENT ACROSS THE STREET FROM TANK LOCATION MAYBE RESPONSIBLE. CROSS STREET IS BROOKLYN AVENUE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was COSTELLO 99–030 TELECON WITH CALLER, BARRY BROTHERS OF BARRY BROTHERS CONTRACTING RETURNED TO SITE, CURRENTLY INSTALLING NEW TANK AND PLANS ON FINISHING WORK THIS AM

CONTRACTOR TAKING BREAK, CONTRACTOR RETURNED TO REMOVE TANK

5/25/99 10:22 CC TELECON 253–0975 LEFT MESSAGE

**Map Identification Number 125** **BOGGS RESIDENCE**  
 36 CLEARVIEW DRIVE

WYANDANCH, NY

**Spill Number: 9511970**

**Close Date: 12/22/1995**  
 TT–Id: 520A–0179–306

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2401 feet to the NW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: TANK TRUCK Spiller: KIMBERLY – RELIANCE Spiller Phone: (516) 338–1110  
 Notifier Type: Responsible Party Notifier Name: EMPLOYEE Notifier Phone:  
 Caller Name: KIMBERLY ABRAMS Caller Agency: RELIANCE UTILITIES Caller Phone: (516) 338–1110  
 DEC Investigator: UNASSIGNED Contact for more spill info: BOGGS RESIDENCE Contact Person Phone: (516) 643–5230

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/22/1995		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	1.00	GALLONS	1.00	GALLONS	SOIL

Caller Remarks:

LEAKING VALVE ON TRUCK SPILLED 1 QT – CLEANED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE ON CONCRETE, NO DRAINS OR SOIL AFFECTED, CLEANUP COMPLETE NO OTHER ACTIONS REQ'D

**Map Identification Number 126** **INDUSTRIAL BLDG**  
 271 MERRITT AVE

WYANDANCH, NY

**Spill Number: 1806296**

**Close Date: 04/26/2019**  
 TT-Id: 520A–0346–932

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2439 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: 271 MERRITT AVE LLC Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: RJPOCZKA Contact for more spill info: ALYSE DELLEFAVE Contact Person Phone: (631) 756–5900

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/11/2018		ABANDONED DRUM	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

old 5 gallon containers leaking clean up has started

DEC Investigator Remarks:

9/11/18 1355 Hrs: RJP made call to Alyse. States 20–30 five–gallon containers located on soil. Tested non–hazardous petroleum, likely waste oil. AARCO on location now to remove containers and impacted soil. States soil impacts not significant, did not know there was any contamination until now. Given contact number for this office, will call with update and for possible assignment. RJP

4/26/19 1110 Hrs: RJP received call from Alyse of Rigano LLC requesting status of spill. RJP awaiting closure report containing disposal manifest and analytical report. Alyse will forward. RJP.

AARCO disposed 4 cyd impacted material. Analytical report meets SCO's. No further action. RJP.

**Map Identification Number 127** **BARNES RESIDENCE** **Spill Number: 9700191** **Close Date: 07/01/2004**  
 35 SOUTH 19TH STREET WYANDANCH, NY TT-Id: 520A-0165-540

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2451 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING	Spiller: MR BARNES – BARNES RESIDENCE	Spiller Phone: (516) 643-4828
Notifier Type: Other	Notifier Name: RESIDENCE	Notifier Phone:
Caller Name: TOM ARABIA	Caller Agency: WASTE RECYCLING	Caller Phone: (516) 369-9601
DEC Investigator: RDDECAND	Contact for more spill info: MR BARNES	Contact Person Phone: (516) 643-4828

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/28/1997		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	75.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

HOMEOWNER CAN BE REACHED AT 516-491-0856 POSS LINE RUPTURE OR HOLE IN THE TANK, STILL INVESTIGATING. IN THE BASEMENT OF THE RESIDENCE. THERE IS A SUMP PUMP WHICH DISCHARGES TO A DRYWELL, SOME PRODUCT HAS BEEN PUMPED INTO WELL. ALSO A 12 BRAKE AROUND THE INSIDE PERIMETER OF THE BASEMENT WHICH IS EXPOSED TO THE SUB-GRADE. THERE IS PRODUCT UNDER THE BASEMENT FLOOR.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA CLEANUP BY BRANCH SERVICES

Map Identification Number 128

RESIDENCE



92 NORTH 18TH STREET

WYANDANCH, NY

Spill Number: 0900570

Close Date: 11/13/2009

TT-Id: 520A-0226-949

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2469 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: wxprzyl0

Spiller: MR CARTER (LANDLORD) - CHARLES CARTER  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MRS KELLY AT ABOVE NUMBERS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/14/2009		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	

-----  
 Caller Remarks:

Daddy's Oil 631-842-1133 deliverys oil. Lipa Co was there with Mrs. Kelly yesterday and they discovered the spill in the basement. Mrs. Kelly's landlord has been putting kitty litter on the puddle in the basement. Mrs. Kelly and her family have been getting migranes and using a lot of fuel oil. She would like a call back.

-----  
 DEC Investigator Remarks:

900570

04/15/09 @17:00 t/c to Ms Kelly; she stated that there is active leak of oil from the 275 AST in the basement of the residence she is renting from Mr. Charles Carter, 631-872-0167 c. She stated that leak started after last an oil delivery few weeks ago and the landlord ignores her numerous calls about the problems. She has few kids and odors in the living quarters are unbearable. NYS DEC inspection requested. T/c to Mr Carter; his presence on the site requested by VP @18:15 responded; on site, met Mr Carter and son and Ms Kelly; basement/ boiler room inspected - No evidence of an active oil leak observed, two 275 AST's in good condition, oil supply lines above the concrete floor, g. condition. -some minor residue, stain on the concrete ~1'x1' of oil by the furnace observed, result of some minor leak from the filter cane, fixed. Will be scrubbed with speed dry and paint encapsulated by the landlord. - no petroleum odors detected in the basement and living quarters upstairs @19:00 left (VP) Cleanup has been completed, no further action required.

**Map Identification Number 129**      **RAILROAD TRACKS**      **Spill Number: 1112682**      **Close Date: 08/25/2014**  
 NORTH 18TH ST/LONG ISLAND AVE      WYANDANCH, NY      TT-Id: 520A-0272-995

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 2517 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: N 18TH ST / LONG ISLAND AVE  
 Revised zip code: 11798

Source of Spill: RAILROAD CAR	Spiller: BOLENDY AGOLLI - NEW YORK & ATLANTIC	Spiller Phone:
Notifier Type: Fire Department	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: WJGABIN	Contact for more spill info: FIRE CHIEF ON SCENE	Contact Person Phone: (631) 226-1216

-----  
 Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/03/2012		TRAFFIC ACCIDENT	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	250.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Caller reporting a traincar derailment. Unknown material leaking to railroad ballest. \*\*\*RESPONSE REQUESTED\*\*\* \*\*Update\*\* 0207 caller advised material is 250 gallons of diesel.

DEC Investigator Remarks:

02/03/12 0055 Hrs: Received NRC report 1002032- it said a LOCOMOTIVE owned by a freight line derailed and provided the name and contact information for the rail company.

02/03/12 am: WG responded. DR

02/03/12 1140 Hrs (A): WG called- the rail company hired AB Environmental to clean up the spillage.

02/03/12 1140 Hrs (B): AB pumped approximately 768gal OUT OF THE TANK, but approximately 232gal spilled on the ground. The cleanup of the impacted soil will be continuing. DR

AB Environmental was hired by LIRR to perform a site cleanup. One (1)- temporary monitoring well was installed at the above location. Contractor monitored the groundwater monitoring well on a monthly basis for visible floating product. Contractor also performed recovery of fuel oil contaminated groundwater via vacuum truck from the groundwater monitoring wells. A total of 500 gallons of contaminated liquids generated and disposed of at AB Oil Service LTD. A total of 85 cubic yards of contaminated soil generated and properly disposed of at AB Oil Service LTD. Groundwater monitored & well appeared to be free from floating product for the past six months. No further action required at this time. OK for closure.

Map Identification Number 130



WYANDANCH LIBRARY  
14 SOUTH 20TH STREET

WYANDANCH, NY

Spill Number: 0812362

Close Date: 05/23/2009  
TT-Id: 520A-0228-173

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 2541 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: 14 S 20TH ST  
Revised zip code: 11798

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: LEO – OK PETROLEUM  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: NANCY HOLIDAY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/12/2009		HUMAN ERROR	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	3.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Caller states an overfill caused oil to spill onto soil. Cleanup is taking place.

DEC Investigator Remarks:

02/12/09 1130 Hrs (A): Leo (OK PETRO) called– he said the library ordered 3000gal of oil, and told them that they have a 5000gal tank.

02/12/09 1130 Hrs (B): THE OVERFILL ALARM ACTIVATED AT 2998GAL, AND OK IMMEDIATELY SHUT DOWN THE PUMP.

02/12/09 1130 Hrs (C): Leo said he estimated approximately 2–4gal of oil was spilled. Most of it sprayed out the vent pipe, but some spilled around the fill pipe and fill sump. There was no impact to soil or drains.

02/12/09 1130 Hrs (D): He cleaned up with speedi dri and pads. DR

**Map Identification Number 131** **PUBLIC LIBRARY**  
 14 SOUTH 20TH

WYANDANCH, NY 11798

**Spill Number: 0801347**

**Close Date: 09/15/2008**  
 TT-Id: 520A-0218-605

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2541 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: 14 S 20TH ST  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: FIRE SIDE OIL CO	Spiller Phone:
Notifier Type: Fire Department	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: TJDEMEO	Contact for more spill info: GHENYA GRANT	Contact Person Phone: (631) 643-4848

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/03/2008		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

Soil is saturated. Manhole cover nearby. Also dumpster nearby, with evidence of cleanup with speedi dri. Cell phone to Ghenya 631-374-6882. 4700 gal delivered 5/2/08. Possible tank leak.

DEC Investigator Remarks:

TD RESPONDED – LIBRARY CLOSED DUE TO ODORS ON SAT 5/3 – OVERFILL OF 5K FO UST – IMPACTS TO SOIL/DRYWELL AND TANK VAULTS – CLEANUP PENDING

5/3/08 TJD onsite 1130-1230 Oil Company overfilled 5K FO UST causing impacts to asphalt surfaces, surrounding soils and onsite drywell. Fireside Fuel retained General Environmental Services for initial cleanup – GES generated (4)drums of waste as part of cleanup. GES did not have appropriate equipment for drywell cleanup – Fireside soliciting bids from other contractors to clean drywell.

5/7/08 TJD Eastern Environmental Solutions hired to clean drywell structure. T/C with Scott @Eastern revealed top ~2ft of drywell sediment had petroleum odors. DEC directed Eastern to excavate contaminated soils to a clean or structural endpoint without undermining rings of drywell. Following completion of soil removal Eastern was directed to collect an endpoint sample from drywell bottom.

7/17/08 TJD Onsite 1230-1245 Site inspection. All asphalt surfaces appeared free of residual petroleum impacts. Drywell did not have any residual odors. Small excavation adjacent to transformer was backfilled. Awaiting closure documentation.

9/15/08 TJD File review. All required documentation has been submitted in support of spill closure. GES disposed of (4)drums of contaminated soils and Eastern disposed of (9)drums generated as part of remedial process. No further action is required.

**Map Identification Number 132** **RESIDENCE** **Spill Number: 0813008** **Close Date: 07/12/2011**  
 97 NORTH 18TH STREET WYANDANCH, NY TT-Id: 520A-0226-902

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2592 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: OIL MANAGMENT COMPANY Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: wxprzylo Contact for more spill info: CYNTHIA ALCALA Contact Person Phone: (631) 491-8513

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/01/2009		HUMAN ERROR	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	100.00	UNKNOWN	0.00	UNKNOWN	SOIL

Caller Remarks:

Oil company delivered oil but put it in the wrong tank. Customer gave instructions, but company put into wrong underground tank. Company refuses to come back and pump tank. Not known if underground tank leaks. Customer running out of oil in above ground tank

DEC Investigator Remarks:

3/3/2009 20:00 t/c to CYNTHIA ALCALA (631) 491-8513 Work 631-870

Rental Property Owner = Tristate Capital Corporation, 20 peach tree ct, suit 102g Holbrook ny 11741 631-232-0411

-Cynthia had a voucher from Citizen Energy for 100 gallons of oil.

-Called OMC Fuel Oil 631-661-9014 Bayshore, and instructions were given to deliver to the basement thank and the fill was on the side of the house out of the basement window. -Delivery was made on 3/1. No one was home at the time of the delivery. -100 gallons was delivered to an old UST under the front window.

-The integrity of the tank is unknown

-OMC refused to pump out the oil from the old tank

3/4/2009 8:40 t/c to OMC Fuel, Spoke with Shawn Alcus.

-Delivery was mad as per instructions to the ^tank under the window~ -Knows now that the delivery was made to the wrong tank, but is not taking responsibility -Advised Shawn that he may be held responsible for the wrong delivery -After further discussion, Shawn will send some one out and have the oil removed from the tank

3/4/2009 Notified Cynthia

- Advised her that OMC will pump the oil out of the tank. Unknown if they will make another delivery.

-Would like someone to check if they properly pump out the tank

**Map Identification Number 133 RUDY STEAN RESIDENCE**  
 30 30TH STREET

WYANDANCH, NY

**Spill Number: 9504060**

**Close Date: 08/22/1997**  
 TT-Id: 520A-0162-179

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2598 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: BOB GRASSO  
 DEC Investigator: SCHULZ

Spiller: RUDY STEAN RESIDENCE  
 Notifier Name:  
 Caller Agency: SLOMINS  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 932-7000  
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/05/1995		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

OIL LINE LEAK BEHIND SHEET ROCK WALL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was SCHULZ WELL MW INSTALLED AND MONITORED. NO OTHER ACTION

**Map Identification Number 134** **STEAN RESIDENCE** **Spill Number: 0403009** **Close Date: 10/29/2004**  
 30 SOUTH 30TH STREET WYANDANCH, NY TT-Id: 520A-0169-230

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2598 feet to the SSE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING Spiller: HOMEOWNER – STEAN RESIDENCE Spiller Phone: (631) 643-6939  
 Notifier Type: Other Notifier Name: PAUL BASSO Notifier Phone: (516) 379-1500  
 Caller Name: PAUL BASSO Caller Agency: NILRO ASSOCIATES Caller Phone: (516) 379-1500  
 DEC Investigator: WJGABIN Contact for more spill info: HOMEOWNER Contact Person Phone: (631) 643-6939

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/11/2004		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	100.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

OIL LINE LEAK, LEAKED ONTO CONCRETE SLAB IN THE BASEMENT, CLEAN UP IS UNDERWAY BY MILRO

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GABIN AS PER PAUL, INVESTIGATION FOR PETRO CARE PROGRAM LINE UNDER SLAB, CONTAMINATED SOIL WAS FOUND. ON SITE TODAY TO BREAK UP FLOOR AND DIG UP, MILRO WILL CALL FOR INSPECTION SOME TIME NEXT WEEK

CLEANUP WAS COMPLETED BY MILRO ENV, APPROX 7 CY OF CONTAMINATED SOIL GENERATED AND PROPERLY DISPOSED OF AT PIONEER CROSSING LANDFILL. ENDPOINT SAMPLE RESULT INDICATED MINIMAL POTENTIAL FOR GW CONTAMINATION. NO FURTHER ACTION

**Map Identification Number 135** **STEAN RESIDENCE**  
 30 SOUTH 30TH STREET

WYANDANCH, NY

**Spill Number: 0402723**

**Close Date: 02/28/2005**  
 TT-Id: 520A-0169-228

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2598 feet to the SSE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Responsible Party  
 Caller Name: RUBY STEAN  
 DEC Investigator: TJDEMEO

Spiller: RUBY STEAN – STEAN RESIDENCE  
 Notifier Name: RUBY STEAN  
 Caller Agency: PRIVATE CITIZEN  
 Contact for more spill info: RUBY STEAN

Spiller Phone: (631) 643-6939  
 Notifier Phone: (631) 643-6939  
 Caller Phone: (631) 643-6939  
 Contact Person Phone: (631) 643-6939

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/10/2004		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	190.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

Leak has been stopped.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GAITES

2/16/05 FILE REASSIGNED

2/17/05 SPOKE WITH PROPERTY OWNER WHO STATES CLEANUP IS COMPLETE BACKFILLED 2 WEEKS AGO, MILRO DID WORK NO DOCUMENTATION WAS AVAILABLE

2/17/05 LEFT MESSAGE WITH PAUL TO SEND CLOSURE DOCUMENTATION

2/21/05 CLOSURE REPORT (LETTER) REC'VD FROM MILRO

SUCTION LINE FAILURE, 7 YARDS SOIL EXCAVATED, ENDPOINT SAMPLE CLEAN, MANIFEST PROVIDED, 25FT GROUNDWATER

**Map Identification Number 136** **RICARD NOMEIO RESIDENCE**  
 16 SOUTH 18TH STREET

WYANDANCH, NY

**Spill Number: 9001083**

**Close Date: 03/13/1991**  
 TT-Id: 520A-0173-878

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2609 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: JIM BARR  
 DEC Investigator: KJGOMEZ

Spiller: RICARD NOMEIO RESIDENCE  
 Notifier Name:  
 Caller Agency: BARR ENVIRONMENTAL  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 379-3160  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
04/30/1990	03/13/1991	HUMAN ERROR	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

HOUSE FIRE, OIL LINE WAS BROKEN & OIL FILLED BASEMENT.BARR IS CONTINUING TO PUMP OIL FLOATING ON WATER IN BASEMENT.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GOMEZ 03/13/91: CLEANUP SATISFACTORY, HOUSE BURNED DOWN,NO FURTHER ACTION NECESSARY.

**Map Identification Number 137** **WOLFGANG**  
 43 SOUTH 18TH STREET

WYANDANCH, NY

**Spill Number: 8905456**

**Close Date: 10/03/1989**  
 TT-Id: 520A-0173-877

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2620 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11798

Source of Spill: PRIVATE DWELLING  
 Notifier Type: Other  
 Caller Name: MRS BALL  
 DEC Investigator: WJPARISH

Spiller: WOLFGANG  
 Notifier Name:  
 Caller Agency: PERILLO BROS FUEL OIL  
 Contact for more spill info:

Spiller Phone: (516) 253-0287  
 Notifier Phone:  
 Caller Phone: (516) 249-4141  
 Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/02/1989	10/03/1989	HUMAN ERROR	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	212.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

MOWING LAWN, CUT VALVE-LEAK. TANK ON LAWN. FIXING LINE. TRYING TO HIRE CONTRACTOR

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was PARISH

FD 10/03/89: LANDLORD REMOVED 20 YDS & EXPOSED GROUNDWATER USED PADS. NO OTHER ACTION.



***NO OIL STORAGE FACILITIES LARGER THAN 400,000 GALLONS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS***



**PETROLEUM BULK STORAGE FACILITIES LESS THAN 400,000 GALLONS IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 138**      **ARJ GAS & MART INC**      **Facility Id: NYSF00509**      **Source: SUFF. HEALTH DEPT**  
 4 COLONIAL SPRINGS RD      WHEATLEY HEIGHTS, 11798      Facility Ref. No.: 10596  
 TT-Id: 640A-0058-184

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 129 feet to the NE\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active      Operating Permit Expiration: 08/31/2016  
 Owner Name: ARJ GAS & MART      Facility Phone #:  
 Owner Address: 4 COLONIAL SPRING RD, WHEATLEY HEIGHTS, NY 11798      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	DIESEL	8000	UNDER - OUT	81	05/15/1991	03/31/2010
10	Removed	WASTE OIL	550	UNDER - OUT			01/01/1983
11	Removed	#2 FUEL OIL	1000	UNDER - OUT			01/01/1983
12	In Service	GASOLINE	10000	UNDER - OUT		06/24/2010	
13	In Service	GASOLINE	8000	UNDER - OUT		06/24/2010	
14	In Service	DIESEL	4000	UNDER - OUT		06/24/2010	
2	Removed	GASOLINE	8000	UNDER - OUT	81	05/15/1991	03/31/2010
3	Removed	GASOLINE	8000	UNDER - OUT	81	05/15/1991	03/31/2010
4	Removed	WASTE OIL	550	UNDER - OUT	83		12/23/1996
5	Removed	#2 FUEL OIL	1000	UNDER - OUT	83		07/24/2007
6	Removed	GASOLINE	6000	UNDER - OUT			01/01/1981
7	Removed	GASOLINE	6000	UNDER - OUT			01/01/1981
8	Removed	GASOLINE	6000	UNDER - OUT			01/01/1981
9	Removed	GASOLINE	6000	UNDER - OUT			01/01/1981

TANK NUMBER: 1      TANK TYPE: FIBER REINFORCED PLASTIC      TK INT. PROTECTION: None  
 TANK EXT. PROTECTION:      TANK LEAK DETECTN:      TK SEC. CONTAINMNT: None  
 PIPING EXT. PROTECTN:      PIPING LEAK DETECTN:      PIPE SEC. CONTAINMNT:  
 PIPING TYPE:      PIPING LOCATION:      DISPENSER METHOD: Submersible  
 OVERFILL PROTECTION:      SPILL PREVENTION:

TANK NUMBER: 10      TANK TYPE: STEEL/ IRON      TK INT. PROTECTION: None  
 TANK EXT. PROTECTION:      TANK LEAK DETECTN:      TK SEC. CONTAINMNT: None

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	PIPE SEC. CONTAINMNT:  DISPENSER METHOD: Suction
TANK NUMBER: 11 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL/ IRON TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: None TK SEC. CONTAINMNT: None PIPE SEC. CONTAINMNT:  DISPENSER METHOD: Suction
TANK NUMBER: 12 TANK EXT. PROTECTION: Fiberglass (FRP)	TANK TYPE: FIBER REINFORCED PLASTIC TANK LEAK DETECTN: (DWP) Electronic Leak Probes	TK INT. PROTECTION: None TK SEC. CONTAINMNT: Secondary Wall Fiberglass
PIPING EXT. PROTECTN: None PIPING TYPE: Fiberglass (FRP) OVERFILL PROTECTION: Electronic Leak Alarm	PIPING LEAK DETECTN: Electronic Leak Probe Only PIPING LOCATION: Underground Only SPILL PREVENTION: Spill/Fill Box and/or Sump	PIPE SEC. CONTAINMNT: Fiberglass (FRP)  DISPENSER METHOD: Submersible
TANK NUMBER: 13 TANK EXT. PROTECTION: Fiberglass (FRP)	TANK TYPE: FIBER REINFORCED PLASTIC TANK LEAK DETECTN: (DWP) Electronic Leak Probes	TK INT. PROTECTION: None TK SEC. CONTAINMNT: Secondary Wall Fiberglass
PIPING EXT. PROTECTN: None PIPING TYPE: Fiberglass (FRP) OVERFILL PROTECTION: Electronic Leak Alarm	PIPING LEAK DETECTN: Electronic Leak Probe Only PIPING LOCATION: Underground Only SPILL PREVENTION: Spill/Fill Box and/or Sump	PIPE SEC. CONTAINMNT: Fiberglass (FRP)  DISPENSER METHOD: Submersible
TANK NUMBER: 14 TANK EXT. PROTECTION: Fiberglass (FRP)	TANK TYPE: FIBER REINFORCED PLASTIC TANK LEAK DETECTN: (DWP) Electronic Leak Probes	TK INT. PROTECTION: None TK SEC. CONTAINMNT: Secondary Wall Fiberglass
PIPING EXT. PROTECTN: None PIPING TYPE: Fiberglass (FRP) OVERFILL PROTECTION: Electronic Leak Alarm	PIPING LEAK DETECTN: Electronic Leak Probe Only PIPING LOCATION: Underground Only SPILL PREVENTION: Spill/Fill Box and/or Sump	PIPE SEC. CONTAINMNT: Fiberglass (FRP)  DISPENSER METHOD: Submersible
TANK NUMBER: 2 TANK EXT. PROTECTION:	TANK TYPE: FIBER REINFORCED PLASTIC TANK LEAK DETECTN:	TK INT. PROTECTION: None TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	PIPE SEC. CONTAINMNT:  DISPENSER METHOD: Submersible
TANK NUMBER: 3 TANK EXT. PROTECTION:	TANK TYPE: FIBER REINFORCED PLASTIC TANK LEAK DETECTN:	TK INT. PROTECTION: None TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	PIPE SEC. CONTAINMNT:  DISPENSER METHOD: Submersible

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 4	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 5	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 6	TANK TYPE: STEEL/ IRON	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 7	TANK TYPE: STEEL/ IRON	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 8	TANK TYPE: STEEL/ IRON	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 9	TANK TYPE: STEEL/ IRON	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	

**Map Identification Number 139** **RAPID CLEANERS OF SUFFOLK**  
 34 COLONIAL SPRINGS RD

**Facility Id: NYSF01600** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798  
 Facility Ref. No.: 03557  
 TT-Id: 640A-0068-468

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 131 feet to the NNE\*

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: RAPID CLEANERS OF SUFFOLK  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

TANK NUMBER:  
 TANK EXT. PROTECTION:  
 PIPING EXT. PROTECTN:  
 PIPING TYPE:  
 OVERFILL PROTECTION:

TANK TYPE:  
 TANK LEAK DETECTN:  
 PIPING LEAK DETECTN:  
 PIPING LOCATION:  
 SPILL PREVENTION:

TK INT. PROTECTION:  
 TK SEC. CONTAINMNT: Fiberglass  
 PIPE SEC. CONTAINMNT:  
 DISPENSER METHOD:

**Map Identification Number 140** **ABC CLEANERS & TAILOR**  
 34 COLONIAL SPRINGS RD

**Facility Id: NYSF02897** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798  
 Facility Ref. No.: 07508  
 TT-Id: 640A-0068-478

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 131 feet to the NNE\*

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: ABC CLEANERS  
 Owner Address: , WYANDANCH, NY 11798

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Unregist/Remvd-Marked for Removal 2005	#2 FUEL OIL	275	ABOVE - OUT	2000		06/20/2005
2	Permitted - Expires 2009	#2 FUEL OIL	250	ABOVE - OUT		10/25/2004	

TANK NUMBER: 1  
 TANK EXT. PROTECTION:  
 PIPING EXT. PROTECTN:

TANK TYPE: STEEL  
 TANK LEAK DETECTN:  
 PIPING LEAK DETECTN:

TK INT. PROTECTION:  
 TK SEC. CONTAINMNT:  
 PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	Suction
TANK NUMBER: 2	TANK TYPE: STEEL / STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	Suction

**Map Identification Number 141** **SCWA CIRCLE DR WELLFIELD** **Facility Id: NYSF02341** **Source: SUFF. HEALTH DEPT**  
 CIRCLE DR WYANDANCH, NY 11798 Facility Ref. No.: 06254  
 TT-Id: 640A-0058-186

**MAP LOCATION INFORMATION** **ADDRESS CHANGE INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE  
 Approximate distance from property: 137 feet to the N\* Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:	Operating Permit Expiration:
Owner Name: SCWA	Facility Phone #:
Owner Address:	Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Exempt	LIME SLURRY	640	ABOVE - IN			
2	Exempt	LIME SLURRY	640	ABOVE - IN			
3	Exempt	#2 FUEL OIL	275	ABOVE - IN			
4	Exempt	#2 FUEL OIL	275	ABOVE - IN			

TANK NUMBER: 1	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	Suction

TANK NUMBER: 2	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	Suction

TANK NUMBER: 3	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 4	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		

**Map Identification Number 142** **WHEATLEY HEIGHTS POST OFFICE** **Facility Id: NYSF00546** **Source: SUFF. HEALTH DEPT**  
 6 COLONIAL SPRINGS RD WYANDANCH, NY 11798 Facility Ref. No.: 10636  
 TT-Id: 640A-0058-185

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 153 feet to the NE\*

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:	Operating Permit Expiration:
Owner Name: UNITED STATES POST OFFICE	Facility Phone #:
Owner Address:	Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Permitted – Expires 2001	#2 FUEL OIL	650	ABOVE – OUT		03/07/1996	
2	Removed – Marked for Removal 1995 (Confirmed)	#2 FUEL OIL	1000	UNDER – OUT			12/07/1995

TANK NUMBER: 1	TANK TYPE: STEEL / STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		

TANK NUMBER: 2	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		

**Map Identification Number 143** **VALERO S/S**  
 10 LONG ISLAND AVE

**Facility Id: NYSF02627** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, 11798  
 Facility Ref. No.: 06719  
 TT-Id: 640A-0068-955

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 179 feet to the SSW\*

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active  
 Owner Name: VRS LONG ISLAND CORP  
 Owner Address: 10 LONG ISLAND AVE, WYANDANCH, NY 11798

Operating Permit Expiration: 07/31/2014  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	GASOLINE	8000	UNDER - OUT	85	10/13/1994	09/17/2010
10	In Service	DIESEL	8000	UNDER - OUT		11/05/2010	
2	Removed	GASOLINE	6000	UNDER - OUT	85	10/13/1994	09/17/2010
3	Removed	DIESEL	6000	UNDER - OUT	85	10/13/1994	09/17/2010
4	Removed	DIESEL	4000	UNDER - OUT	85		09/17/2010
5	Removed	KEROSENE	1000	UNDER - OUT			05/31/1994
6	Removed	WASTE OIL	550	UNDER - OUT			05/31/1994
7	In Service	#2 FUEL OIL	275	ABOVE - IN			
8	In Service	GASOLINE	15000	UNDER - OUT		11/05/2010	
9	In Service	GASOLINE	6000	UNDER - OUT		11/05/2010	

TANK NUMBER: 1  
 TANK EXT. PROTECTION:  
 PIPING EXT. PROTECTN:  
 PIPING TYPE:  
 OVERFILL PROTECTION:

TANK TYPE: FIBER REINFORCED PLASTIC  
 TANK LEAK DETECTN:  
 PIPING LEAK DETECTN:  
 PIPING LOCATION:  
 SPILL PREVENTION:

TK INT. PROTECTION: None  
 TK SEC. CONTAINMNT: None  
 PIPE SEC. CONTAINMNT:  
 DISPENSER METHOD: Submersible

TANK NUMBER: 10  
 TANK EXT. PROTECTION:

TANK TYPE: FIBER REINFORCED PLASTIC  
 TANK LEAK DETECTN:

TK INT. PROTECTION: None  
 TK SEC. CONTAINMNT: Secondary Wall Fiberglass  
 PIPE SEC. CONTAINMNT:  
 DISPENSER METHOD: Submersible

TANK NUMBER: 2  
 TANK EXT. PROTECTION:

TANK TYPE: FIBER REINFORCED PLASTIC  
 TANK LEAK DETECTN:

TK INT. PROTECTION: None  
 TK SEC. CONTAINMNT: None Fiberglass  
 PIPE SEC. CONTAINMNT:  
 DISPENSER METHOD: Submersible

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 3	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Submersible
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 4	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 5	TANK TYPE: OTHER – PLEASE LIST	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 6	TANK TYPE: OTHER – PLEASE LIST	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 7	TANK TYPE: STEEL/ IRON	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: None
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 8	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: Secondary Wall Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Submersible
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 9	TANK TYPE: FIBER REINFORCED PLASTIC	TK INT. PROTECTION: None
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT: Secondary Wall Fiberglass
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Submersible
OVERFILL PROTECTION:	SPILL PREVENTION:	

**Map Identification Number 144**      **WHEATLEY HEIGHTS LAUNDROMAT**  
 2 B COLONIAL SPRINGS RD

**Facility Id: NYSF00930**      **Source: SUFF. HEALTH DEPT**  
 WHEATLEY HEIGHTS, NY 11798      Facility Ref. No.: 14927  
 TT-Id: 640A-0068-648

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 216 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:      Operating Permit Expiration:  
 Owner Name: MR RANDY GUISTINIANI      Facility Phone #:  
 Owner Address:      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

TANK NUMBER:      TANK TYPE:  
 TANK EXT. PROTECTION:      TANK LEAK DETECTN:  
 PIPING EXT. PROTECTN:      PIPING LEAK DETECTN:  
 PIPING TYPE:      PIPING LOCATION:  
 OVERFILL PROTECTION:      SPILL PREVENTION:  
 TK INT. PROTECTION:  
 TK SEC. CONTAINMNT: Fiberglass  
 PIPE SEC. CONTAINMNT:  
 DISPENSER METHOD:

**Map Identification Number 145**      **CONTINO BROS AUTO SPECIALISTS INC**  
 154 LONG ISLAND AVE

**Facility Id: NYSF00613**      **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798      Facility Ref. No.: 11367  
 TT-Id: 640A-0059-323

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 413 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:      Operating Permit Expiration:  
 Owner Name: CONTINO BROS AUTO SPECIAL      Facility Phone #:  
 Owner Address: 154 LONG ISLAND AVE, WYANDANCH, NY 11798      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	5000	UNDER - OUT	72		05/11/1990
2	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	2000	UNDER - OUT	72		05/11/1990
3	Removed - Marked for Removal 1986 (Confirmed)	GASOLINE	4000	UNDER - OUT	72		01/01/1986
4	Removed - Marked for Removal 1990 (Confirmed)	WASTE OIL	275	UNDER - OUT	72		05/11/1990
5	Removed - Marked for Removal 1990 (Confirmed)	KEROSENE	275	UNDER - OUT	76		05/11/1990
6	Removed - Marked for Removal 1999	GASOLINE	2000	UNDER - OUT	91		05/03/1999

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

7 Removed – Marked for Removal 1994 (Confirmed) WASTE OIL 275 ABOVE – OUT 06/16/1994

**Map Identification Number 146** **WADE ASSOCIATES INC**  
 201 MAIN AVE

**Facility Id: NYSF17326** **Source: SUFF. HEALTH DEPT**  
 WHEATLEY HEIGHTS, NY 11798  
 Facility Ref. No.: 17586  
 TT-Id: 640A-0090-553

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 627 feet to the NE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status: Operating Permit Expiration:  
 Owner Name: WADE ASSOCIATES INC Facility Phone #:  
 Owner Address: , WHEATLEY HEIGHTS, NY 11798 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 147** **WADE ASSOC**  
 201 MAIN AVE

**Facility Id: NYSF17394** **Source: SUFF. HEALTH DEPT**  
 WHEATLEY HEIGHTS, 11798  
 Facility Ref. No.: 17654  
 TT-Id: 640A-0090-595

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 627 feet to the NE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active Operating Permit Expiration: 05/31/2015  
 Owner Name: WADE ASSOCIATES INC Facility Phone #:  
 Owner Address: 201 MAIN AVE, WHEATLEY HEIGHTS, NY 11798 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	In Service	WASTE OIL	280	ABOVE – OUT			
2	In Service	DIESEL	500	ABOVE – OUT			
3	In Service	DIESEL	500	ABOVE – OUT			

The following tank(s) were either deleted from the reported data or the number was re-assigned.

4	Non-Complying – Compliance Reqd as of 1982	DRUM STORAGE	55	ABOVE – IN			
5	Non-Complying – Compliance Reqd as of 1982	DRUM STORAGE	55	ABOVE – IN			
6	Non-Complying – Compliance Reqd as of 1982	MOTOR OIL	55	ABOVE – IN			
7	Non-Complying – Compliance Reqd as of 1982	TRANSMISSION FLUID	55	ABOVE – IN			
8	Non-Complying – Compliance Reqd as of 1982	ANTIFREEZE	55	ABOVE – IN			

**Map Identification Number 148** **MILTON OLIVE JR HIGH SCHOOL**  
 140 GARDEN CITY AVE

**Facility Id: NYSF02612** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798  
 Facility Ref. No.: 06677  
 TT-Id: 640A-0063-451

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 855 feet to the S

ADDRESS CHANGE INFORMATION  
 Revised street: 36 GARDEN CITY AVE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: WYANDANCH UFSD #9  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Heating Oil over 1100 Gal – Expires 2010	#2 FUEL OIL	10000	UNDER – OUT	65		

**Map Identification Number 149** **LONG ISLAND ENGINE INSTALL. CO**  
 188 LONG ISLAND AVE

**Facility Id: NYSF01362** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798  
 Facility Ref. No.: 02888  
 TT-Id: 640A-0060-694

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 937 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: DIV AN MAU INC  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE							

**Map Identification Number 150** **AMERICAN ENVIRONMENTAL ASSESSMENT**  
 188 LONG ISLAND AVE

**Facility Id: NYSF01538** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, 11798  
 Facility Ref. No.: 03429  
 TT-Id: 640A-0059-148

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 937 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active  
 Owner Name: DBH REAL ESTATE  
 Owner Address: 188 LONG ISLAND AVE, WYANDANCH, NY 11798

Operating Permit Expiration: 11/30/2017  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	WASTE OIL	250	ABOVE - IN	83		06/04/2001
5	In Service	DIESEL	500	ABOVE - OUT		09/13/2001	
6	In Service	USED OIL FOR HEATING	500	ABOVE - IN		09/13/2001	
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
2	Removed - Marked for Removal 2001	CAUSTIC	100	UNDER - IN	89		06/04/2001
3	Removed - Marked for Removal 2001	CAUSTIC	175	UNDER - IN	84		06/04/2001
4	Removed - Marked for Removal 2001	CAUSTIC	60	UNDER - IN	91		06/04/2001

**Map Identification Number 151** **H KAUFMAN CAMP GROUNDS**  
 75 COLONIAL SPRINGS RD

**Facility Id: NYSF02804** **Source: SUFF. HEALTH DEPT**  
 WHEATLEY HEIGHTS, NY 11798  
 Facility Ref. No.: 07101  
 TT-Id: 640A-0058-183

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING - LARGE SITE  
 Approximate distance from property: 1068 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: H KAUFMAN CAMPGROUNDS  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Never Installed	#2 FUEL OIL	2500	UNDER - OUT			
10	Approved and Awaiting Construction	CHLORINE	500	ABOVE - IN			
11	Approved and Awaiting Construction	CHLORINE	500	ABOVE - IN			
12	Approved and Awaiting Construction	CHLORINE	500	ABOVE - IN			
2	Exempt	#2 FUEL OIL	550	UNDER - OUT			
3	Exempt	#2 FUEL OIL	550	UNDER - OUT			
4	Removed - Marked for Removal 1998	#2 FUEL OIL	1000	UNDER - OUT			01/01/1998
5	Exempt	#2 FUEL OIL	1000	UNDER - OUT			
6	Non-Complying - Compliance Req'd as of 1982	CAUSTIC	500	ABOVE - IN			
7	Non-Complying - Compliance Req'd as of 1982	CAUSTIC	1000	ABOVE - IN			
8	Removed - Marked for Removal 1998	#2 FUEL OIL	1000	UNDER - OUT			01/01/1998
9	Approved and Awaiting Construction	CHLORINE	500	ABOVE - IN			

**Map Identification Number 152** **ROEVER ASSOCIATES INC**  
 200 LONG ISLAND AVE

**Facility Id: NYSF02560** **Source: SUFF. HEALTH DEPT**  
 WYANDANCH, NY 11798  
 Facility Ref. No.: 06598  
 TT-Id: 640A-0063-425

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1180 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: ROEVER ASSOCIATES INC  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 153** **COLONIAL SPRINGS GOLF COURSE**  
 1 LONG ISLAND AVE

**Facility Id: NYSF00855** **Source: SUFF. HEALTH DEPT**  
 FARMINGDALE, 11735  
 Facility Ref. No.: 14560  
 TT-Id: 640A-0062-049

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING - LARGE SITE  
 Approximate distance from property: 1221 feet to the SW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active  
 Owner Name: COLONIAL SPRINGS GOLF COURSE  
 Owner Address: 1 LONG ISLAND AVE, FARMINGDALE, NY 11735

Operating Permit Expiration: 04/30/2015  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	GASOLINE	550	ABOVE - OUT	96		06/18/1999
2	Removed	DIESEL	275	ABOVE - OUT	96		06/18/1999
3	Removed	DIESEL	550	ABOVE - OUT	96		06/18/1999
5	In Service	GASOLINE	1000	ABOVE - OUT		06/11/1999	
6	In Service	DIESEL	1000	ABOVE - OUT		06/11/1999	
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
4	Removed - Marked for Removal 1999	DRUM STORAGE	385	ABOVE - IN	96		06/18/1999
7	Permitted - Expires 2004	DRUM STORAGE	385	ABOVE - OUT		04/25/1999	



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 154**  **NYSDEC Name:** ABC CLEANERS **Facility Id:** NYD980785323  
**NYSDEC Address:** 34 COLONIAL SPRINGS ROAD WHEATLEY HEIGHTS, NY 11798 **TT-Id:** 740A-0047-637  
**EPA (RCRA) Name:** ABC CLEANERS  
**EPA (RCRA) Address:** 34 COLONIAL SPRINGS RD WHEATLEY HEIGHTS, NY 11798

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 112 feet to the NNE\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

Notification date: 01/04/1985

Land Disposal: Receives offsite waste:  
 Storer: Treatment facility:

Incinerator:  
 Transporter:

Contact Name: KIM SUN Source Type: Notification Contact Phone: 516-643-4433 Contact Info Date: 01/04/1985

**US EPA RCRA Violations:**

Violation Type: Generators – General  
 Violation Number: 0001 Location: NY  
 Former Citation: SR – 372.2(a)(8)(iii),(a)(8)(i)(a)

Responsible Agency: STATE  
 Violation Determination Date: 04/09/2002  
 Violation Return to Compliance: 05/24/2002

Violation Type: Generators – General  
 Violation Number: 0002 Location: NY  
 Former Citation: SR – 372.2(b)(2)(i),(ii)

Responsible Agency: STATE  
 Violation Determination Date: 04/09/2002  
 Violation Return to Compliance: 05/24/2002

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:							
F002	Spent halogenated solvents	300	POUNDS	GENERATED	2017	1371	2008
D007	Chromium						
D039	Tetrachloroethylene						

NYS DEC Manifested Waste Transactions for NYD980785323 continued ---- see previous page

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D040	Trichlorethylene						
	More than one waste code was reported for the following waste amount:	480	POUNDS	GENERATED	2016		
F002	Spent halogenated solvents						
D007	Chromium						
D030	2,4-Dinitrotoluene						
D033	Hexachlorobutadiene						
	More than one waste code was reported for the following waste amount:	575	POUNDS	GENERATED	2012	1855	2009
F002	Spent halogenated solvents						
D007	Chromium						
D029	1,1-Dichloroethylene						
D039	Tetrachloroethylene						
D040	Trichlorethylene						
	More than one waste code was reported for the following waste amount:	195	POUNDS	GENERATED	2012		
F002	Spent halogenated solvents						
D007	Chromium						
D020	Chlordane						
D039	Tetrachloroethylene						
D040	Trichlorethylene						
	More than one waste code was reported for the following waste amount:	150	POUNDS	GENERATED	2010	150	2009
F002	Spent halogenated solvents						
D029	1,1-Dichloroethylene						
D039	Tetrachloroethylene						
D040	Trichlorethylene						
	More than one waste code was reported for the following waste amount:	390	POUNDS	GENERATED	2010		
D007	Chromium						
D029	1,1-Dichloroethylene						
D039	Tetrachloroethylene						
D040	Trichlorethylene						
F002	Spent halogenated solvents						
F002	Spent halogenated solvents	1080	POUNDS	GENERATED	2006	2010	1999

**Map Identification Number 155**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**SURAJ & BROTHERS CORPORATION**

10 LONG ISLAND AVE

SURAJ & BROTHERS CORP

10 LONG ISLAND AVE

WYANDANCH, NY 11798

WYANDANCH, NY 11798

**Facility Id: NYR000178921**

TT-Id: 740A-0076-068

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 197 feet to the SSW\*

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 10/22/2010

Incinerator:

Transporter:

Contact Name: SURJIT SINGH

Source Type: Implementer

Contact Phone: 631-491-8412

Contact Info Date: 01/31/2012

Contact Name: SURJIT SINGH

Source Type: Notification

Contact Phone: 631-491-8412

Contact Info Date: 10/22/2010

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		55	GALLONS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D018	BENZENE						
More than one waste code was reported for the following waste amount:		1500	POUNDS	GENERATED	2011		
D018	BENZENE						
D001	Solid waste that exhibits the characteristic of ignitability						

**Map Identification Number 156**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**STAR ENTERPRISE**

TEXACO S/S COLONIAL SPRINGS &

TEXACO SERVICE STATION 13-092-0398

COLONIAL SPRING RD & N 27 A

#27-A WYANDANCH, NY 11798

WYANDANCH, NY 11798

**Facility Id: NYD982793002**

TT-Id: 740A-0050-388

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 253 feet to the NE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 07/14/1989  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: JOHN F LOVE Source Type: Notification Contact Phone: 609-866-3233 Contact Info Date: 07/14/1989

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	1000	POUNDS	GENERATED	1991		
F002	Spent halogenated solvents	2365	GALLONS	GENERATED	1990		
F002	Spent halogenated solvents	14550	POUNDS	GENERATED	1990		

**Map Identification Number 157**  **NYSDEC Name:** **SUFFOLK COUNTY ENGINE CO** **Facility Id: NYD061965901**  
 NYSDEC Address: 181 LONG ISLAND AVE WYANDANCH, NY 11708 TT-Id: 740A-0049-307  
 EPA (RCRA) Name: D ENGINE REBUILDERS INC  
 EPA (RCRA) Address: 188 LONG ISLAND AVE WYANDANCH, NY 11798-2928

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 821 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: 188 LONG ISLAND AVENUE  
 Revised zip code: 11798

Special Note(s): The New York State Department of Environmental Conservation and the U. S. Environmental Protection Agency have reported different locations for this hazardous waste identification number. Available information for both locations is summarized below.

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 03/28/1996  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: BRUCE CANONICO Source Type: Notification Contact Phone: 516-643-7873 Contact Info Date: 03/28/1996  
 Contact Name: ANTHONY DI PRIMA Source Type: Annual/Biennial Report Contact Phone: 516-643-7873 Contact Info Date: 02/25/1992

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 SMALL QUANTITY GENERATOR

US EPA RCRA Violations:  
 Violation Type: Generators – Records/Reporting Responsible Agency: STATE  
 Violation Number: 0001 Location: NY Violation Determination Date: 08/26/1997  
 Former Citation: Violation Return to Compliance: 10/15/1997

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	41120	POUNDS	GENERATED	2000		
D001	Solid waste that exhibits the characteristic of ignitability	1045	GALLONS	GENERATED	1996	1155	1989
D001	Solid waste that exhibits the characteristic of ignitability	2800	POUNDS	GENERATED	1995	9320	1990
F002	Spent halogenated solvents	180	POUNDS	GENERATED	1991		

**Map Identification Number 158**



**NYSDEC Name:** MIDDLE OLIVE MIDDLE SCHOOL  
 NYSDEC Address: 140 GARDEN CITY AVENUE WYANDANCH, NY 11798  
 EPA (RCRA) Name: MILTON OLIVE MIDDLE SCHOOL  
 EPA (RCRA) Address: 140 GARDEN CITY AVE WYANDANCH, NY 11798

**Facility Id:** NYR00000315  
 TT-Id: 740A-0046-742

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 884 feet to the S

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN  
 Land Disposal: Receives offsite waste:  
 Storer: Treatment facility:  
 Contact Name: JOHN BLAKE Source Type: Notification

Notification date: 02/22/1995  
 Incinerator:  
 Transporter:  
 Contact Phone: 914-681-6384 Contact Info Date: 02/22/1995

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	2	POUNDS	GENERATED	2009		
D002	Solid waste that exhibits the characteristic of corrosivity	5	POUNDS	GENERATED	2009		
More than one waste code was reported for the following waste amount:		2	POUNDS	GENERATED	2009		
D001	Solid waste that exhibits the characteristic of ignitability						
D011	Silver						

NYS DEC Manifested Waste Transactions for NYR000000315 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:							
D009	Mercury	2	POUNDS	GENERATED	2009		
D001	Solid waste that exhibits the characteristic of ignitability						
D009	Mercury	1300	POUNDS	GENERATED	1995		

**Map Identification Number 159**



**EPA (RCRA) Name:**

EPA (RCRA) Address:

NYSDEC Name:

NYSDEC Address:

**D ENGINE REBUILDERS INC**

188 LONG ISLAND AVE

SUFFOLK COUNTY ENGINE CO

181 LONG ISLAND AVE

**Facility Id: NYD061965901**

WYANDANCH, NY 11798-2928

TT-Id: 740A-0060-235

WYANDANCH, NY 11708

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 923 feet to the E

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Special Note(s): The New York State Department of Environmental Conservation and the U. S. Environmental Protection Agency have reported different locations for this hazardous waste identification number. Available information for both locations is summarized below.

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN

Notification date: 03/28/1996

Land Disposal:

Receives offsite waste:

Incinerator:

Storer:

Treatment facility:

Transporter:

Contact Name: BRUCE CANONICO

Source Type: Notification

Contact Phone: 516-643-7873

Contact Info Date: 03/28/1996

Contact Name: ANTHONY DI PRIMA

Source Type: Annual/Biennial Report

Contact Phone: 516-643-7873

Contact Info Date: 02/25/1992

Historically listed as the following USEPA RCRA Generator Size(s) as well:

SMALL QUANTITY GENERATOR

US EPA RCRA Violations:

Violation Type: Generators – Records/Reporting

Responsible Agency:

STATE

Violation Number: 0001 Location: NY

Violation Determination Date:

08/26/1997

Former Citation:

Violation Return to Compliance:

10/15/1997

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	41120	POUNDS	GENERATED	2000		
D001	Solid waste that exhibits the characteristic of ignitability	1045	GALLONS	GENERATED	1996	1155	1989
D001	Solid waste that exhibits the characteristic of ignitability	2800	POUNDS	GENERATED	1995	9320	1990
F002	Spent halogenated solvents	180	POUNDS	GENERATED	1991		

**Map Identification Number 160**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**AMERICAN ENVIRONMENTAL ASSESSMENT CORP**

188 LONG ISLAND AVE

AMERICAN ENVIRONMENTAL ASSESSMENT CORP

188 LONG ISLAND AVE

WYANDANCH, NY 11798

WYANDANCH, NY 11798

**Facility Id: NYR000044412**

TT-Id: 740A-0049-306

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 923 feet to the E

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 08/27/1997

Incinerator:

Transporter: YES

Contact Name: DAN HIRSCHBERGER

Source Type: Implementer

Contact Phone: 631-586-2000

Contact Info Date: 01/01/2007

Contact Name: DAN HIRSCHBERGER

Source Type: Notification

Contact Phone: 631-586-2000

Contact Info Date: 03/28/2003

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

**US EPA RCRA Violations:**

Violation Type: Transporters – General

Violation Number: 0001 Location: CT

Former Citation: SS – 22a-454

Responsible Agency: STATE

Violation Determination Date: 01/30/2001

Violation Return to Compliance: 06/22/2001

Violation Type: Listing – General

Violation Number: 0002 Location: NY

Former Citation:

Responsible Agency: STATE

Violation Determination Date: 03/18/2014

Violation Return to Compliance: 04/25/2014

Violation Type: Used Oil – Generators

Violation Number: 0003 Location: NY

Former Citation:

Responsible Agency: STATE

Violation Determination Date: 03/18/2014

Violation Return to Compliance: 03/19/2014

Violation Type: Universal Waste – Small Quantity Handlers

Violation Number: 0004 Location: NY

Former Citation:

Responsible Agency: STATE

Violation Determination Date: 03/18/2014

Violation Return to Compliance: 03/19/2014

Violation Type: Universal Waste – Small Quantity Handlers  
 Violation Number: 0005 Location: NY  
 Former Citation:

Responsible Agency: STATE  
 Violation Determination Date: 03/18/2014  
 Violation Return to Compliance: 03/19/2014

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	2600	POUNDS	TRANSPORTED	2018	215800	2007
D001	Solid waste that exhibits the characteristic of ignitability	110	GALLONS	TRANSPORTED	2017	1375	2008
More than one waste code was reported for the following waste amount:		165	GALLONS	TRANSPORTED	2017	495	2014
D040	Trichlorethylene						
D043	Vinyl chloride						
F001	Spent halogenated solvents used in degreasing	1265	GALLONS	TRANSPORTED	2016	1900	2014
D001	Solid waste that exhibits the characteristic of ignitability	727	POUNDS	TRANSPORTED	2015	2830	2008
D002	Solid waste that exhibits the characteristic of corrosivity	635	GALLONS	TRANSPORTED	2015	1490	2010
D002	Solid waste that exhibits the characteristic of corrosivity	335	POUNDS	TRANSPORTED	2015	1577	2010
D039	Tetrachloroethylene	10	POUNDS	TRANSPORTED	2015		
F001	Spent halogenated solvents used in degreasing	2400	POUNDS	TRANSPORTED	2015	2900	2014
F002	Spent halogenated solvents	500	POUNDS	TRANSPORTED	2015		
U122	Formaldehyde	75	POUNDS	TRANSPORTED	2015	150	2008
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2015	440	2009
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
More than one waste code was reported for the following waste amount:		5	POUNDS	TRANSPORTED	2015	15	2010
D001	Solid waste that exhibits the characteristic of ignitability						
D007	Chromium						
More than one waste code was reported for the following waste amount:		300	POUNDS	TRANSPORTED	2015		
D001	Solid waste that exhibits the characteristic of ignitability						
D018	BENZENE						
More than one waste code was reported for the following waste amount:		140	GALLONS	TRANSPORTED	2015	290	2009
D001	Solid waste that exhibits the characteristic of ignitability						
D035	Methyl ethyl ketone						
F002	Spent halogenated solvents						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ---

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2015	1225	2010
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		385	GALLONS	TRANSPORTED	2015	440	2012
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		100	POUNDS	TRANSPORTED	2015		
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2015	110	2014
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						
D007	Chromium						
D008	Lead						
More than one waste code was reported for the following waste amount:		19	POUNDS	TRANSPORTED	2015	20	2013
D007	Chromium						
D008	Lead						
More than one waste code was reported for the following waste amount:		300	POUNDS	TRANSPORTED	2015		
D008	Lead						
D006	Cadmium						
D007	Chromium						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2015		
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
F003	Spent non-halogenated solvents						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		125	POUNDS	TRANSPORTED	2015		
D001	Solid waste that exhibits the characteristic of ignitability						
U112	Acetic acid ethyl ester (l)						
U014	Benzenamine						
U239	Xylene (l)						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ---- see previous page

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
U031	n-Butyl alcohol (l)						
D001	Solid waste that exhibits the characteristic of ignitability	120	POUNDS	GENERATED	2014		
D011	Silver	5	GALLONS	TRANSPORTED	2014		
More than one waste code was reported for the following waste amount:		110	GALLONS	TRANSPORTED	2014	220	2013
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2014	55	2012
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		15	POUNDS	TRANSPORTED	2014	200	2013
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2014	165	2008
D002	Solid waste that exhibits the characteristic of corrosivity						
D007	Chromium						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2014		
D039	Tetrachloroethylene						
D001	Solid waste that exhibits the characteristic of ignitability						
More than one waste code was reported for the following waste amount:		1000	POUNDS	TRANSPORTED	2014		
D039	Tetrachloroethylene						
D001	Solid waste that exhibits the characteristic of ignitability						
More than one waste code was reported for the following waste amount:		3000	POUNDS	TRANSPORTED	2014		
D039	Tetrachloroethylene						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		4000	POUNDS	TRANSPORTED	2014		
D040	Trichlorethylene						
D043	Vinyl chloride						
B007	Other PCB Wastes including contaminated soil, solids, sludges, clothing, etc.	10	KILOGRAMS	TRANSPORTED	2013	14	2011

## NYS DEC Manifested Waste Transactions for NYR000044412 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
B007	Other PCB Wastes including contaminated soil, solids, sludges, clothing, etc.	100	POUNDS	TRANSPORTED	2013		
D003	Solid waste that exhibits the characteristic of reactivity	20	POUNDS	TRANSPORTED	2013		
D009	Mercury	4	POUNDS	TRANSPORTED	2013	5	2010
K001	Bottom sediment sludge from treatment of wastewaters from wood preserving proc	4540	POUNDS	TRANSPORTED	2013		
P030	Cyanides (soluble cyanide salts), not otherwise specified	6	POUNDS	TRANSPORTED	2013	20	2010
U044	Chloroform	2	POUNDS	TRANSPORTED	2013		
U226	Ethane, 1,1,1-trichloro-	6	POUNDS	TRANSPORTED	2013		
	More than one waste code was reported for the following waste amount:	13	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
	More than one waste code was reported for the following waste amount:	2	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
D007	Chromium						
	More than one waste code was reported for the following waste amount:	550	GALLONS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D035	Methyl ethyl ketone						
D005	Barium						
	More than one waste code was reported for the following waste amount:	220	GALLONS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
F001	Spent halogenated solvents used in degreasing						
F003	Spent non-halogenated solvents						
	More than one waste code was reported for the following waste amount:	1500	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
	More than one waste code was reported for the following waste amount:	125	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
U154	Methanol (l)						
	More than one waste code was reported for the following waste amount:	165	GALLONS	TRANSPORTED	2013		
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		4	POUNDS	TRANSPORTED	2013		
D005	Barium						
D006	Cadmium						
More than one waste code was reported for the following waste amount:		15	POUNDS	TRANSPORTED	2013		
D008	Lead						
D001	Solid waste that exhibits the characteristic of ignitability						
More than one waste code was reported for the following waste amount:		1	POUNDS	TRANSPORTED	2013		
P104	Silver cyanide						
D011	Silver						
More than one waste code was reported for the following waste amount:		125	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
U154	Methanol (l)						
U161	Pentanol, 4-methyl-						
More than one waste code was reported for the following waste amount:		11	POUNDS	TRANSPORTED	2013		
D004	Arsenic						
D007	Chromium						
D008	Lead						
D010	Selenium						
More than one waste code was reported for the following waste amount:		100	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D006	Cadmium						
D007	Chromium						
D005	Barium						
D011	Silver						
More than one waste code was reported for the following waste amount:		80	POUNDS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D018	BENZENE						
D035	Methyl ethyl ketone						
U056	Benzene, hexahydro- (l)						
More than one waste code was reported for the following waste amount:		110	GALLONS	TRANSPORTED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
D035	Methyl ethyl ketone						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ---

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		8	POUNDS	TRANSPORTED	2013		
D006	Cadmium						
D008	Lead						
P029	Copper cyanide Cu(CN)						
More than one waste code was reported for the following waste amount:		8	POUNDS	TRANSPORTED	2013		
D006	Cadmium						
U072	Benzene, 1,4-dichloro-						
P042	1,2-Benzenediol, 4-((1-hydroxy-2-(methylamino)ethyl)						
More than one waste code was reported for the following waste amount:		70	POUNDS	TRANSPORTED	2013		
F002	Spent halogenated solvents						
U044	Chloroform						
D005	Barium	6	POUNDS	TRANSPORTED	2012	6	2010
D007	Chromium	2	POUNDS	TRANSPORTED	2012	71120	2010
D011	Silver	3	POUNDS	TRANSPORTED	2012		
More than one waste code was reported for the following waste amount:		8	POUNDS	TRANSPORTED	2012	250	2009
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		3	POUNDS	TRANSPORTED	2012		
D002	Solid waste that exhibits the characteristic of corrosivity						
D009	Mercury						
More than one waste code was reported for the following waste amount:		1	POUNDS	TRANSPORTED	2012		
D009	Mercury						
D002	Solid waste that exhibits the characteristic of corrosivity						
D008	Lead	61	GALLONS	TRANSPORTED	2011		
D040	Trichlorethylene	38440	POUNDS	TRANSPORTED	2011		
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		10	POUNDS	TRANSPORTED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ---- see previous page

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D005	Barium						
	More than one waste code was reported for the following waste amount:	55	GALLONS	TRANSPORTED	2011	110	2009
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
D002	Solid waste that exhibits the characteristic of corrosivity						
	More than one waste code was reported for the following waste amount:	2	POUNDS	TRANSPORTED	2011		
F007	Spent cyanide plating bath solutions from electroplating operations						
F008	Plating bath residues from the bottom of plating baths						
D007	Chromium						
D008	Lead						
D011	Silver						
P105	Sodium azide	25	POUNDS	TRANSPORTED	2010		
P106	Sodium cyanide Na(CN)	1	POUNDS	TRANSPORTED	2010		
	More than one waste code was reported for the following waste amount:	5	POUNDS	TRANSPORTED	2010		
D002	Solid waste that exhibits the characteristic of corrosivity						
D008	Lead						
D009	Mercury						
D011	Silver						
	More than one waste code was reported for the following waste amount:	50	POUNDS	TRANSPORTED	2010		
D001	Solid waste that exhibits the characteristic of ignitability						
D007	Chromium						
D008	Lead						
D009	Mercury						
	More than one waste code was reported for the following waste amount:	65	POUNDS	TRANSPORTED	2010		
D005	Barium						
D007	Chromium						
D008	Lead						
D009	Mercury						
	More than one waste code was reported for the following waste amount:	38	POUNDS	TRANSPORTED	2010		
D001	Solid waste that exhibits the characteristic of ignitability						
U019	Benzene (I,T)						
U220	Toluene						

## NYS DEC Manifested Waste Transactions for NYR000044412 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		25	POUNDS	TRANSPORTED	2010		
D001	Solid waste that exhibits the characteristic of ignitability						
D007	Chromium						
D008	Lead						
D009	Mercury						
D011	Silver						
D005	Barium						
More than one waste code was reported for the following waste amount:		10	POUNDS	TRANSPORTED	2010		
U012	Aniline (I,T)						
U188	Phenol						
P075	Nicotine, & salts						
More than one waste code was reported for the following waste amount:		8	POUNDS	TRANSPORTED	2010		
U188	Phenol						
U218	Thioacetamide						
U219	Thiourea						
U237	Uracil mustard						
D018	BENZENE	5	TONS	TRANSPORTED	2009		
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2009		
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
D018	BENZENE						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2009		
D008	Lead						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		600	POUNDS	TRANSPORTED	2009		
D008	Lead						
F002	Spent halogenated solvents						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2009		
D001	Solid waste that exhibits the characteristic of ignitability						
F002	Spent halogenated solvents						
D008	Lead						

NYS DEC Manifested Waste Transactions for NYR000044412 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		1	POUNDS	TRANSPORTED	2009		
P106	Sodium cyanide Na(CN)						
P098	Potassium cyanide K(CN)						
D008	Lead	17	TONS	TRANSPORTED	2008	22	2007
U080	Methane, dichloro-	1200	POUNDS	TRANSPORTED	2008		
More than one waste code was reported for the following waste amount:		40	POUNDS	TRANSPORTED	2008		
D002	Solid waste that exhibits the characteristic of corrosivity						
D007	Chromium						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2008		
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		110	GALLONS	TRANSPORTED	2008		
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
D001	Solid waste that exhibits the characteristic of ignitability						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2008		
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
D018	BENZENE						
More than one waste code was reported for the following waste amount:		55	GALLONS	TRANSPORTED	2008		
F003	Spent non-halogenated solvents						
F005	Spent non-halogenated solvents						
D018	BENZENE						
More than one waste code was reported for the following waste amount:		177360	POUNDS	TRANSPORTED	2007		
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						
More than one waste code was reported for the following waste amount:		132	TONS	TRANSPORTED	2007		
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						
D008	Lead	30	CUBIC YDS	TRANSPORTED	2006		



***NO CHEMICAL STORAGE FACILITIES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS***



***NO HAZARDOUS SUBSTANCE WASTE DISPOSAL SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO TOXIC AIR, LAND AND WATER RELEASES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS***



**WASTEWATER DISCHARGES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 161**

**WHEATLEY HEIGHTS LAUNDROMAT**  
2B COLONIAL SPRINGS

WHEATLEY HEIGHTS, NY 11798

**Facility Id: NY022283**  
TT-Id: 880A-0003-034

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 177 feet to the NNE\*

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Contact Name: RANDY GUISTINIANI

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day):

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
COIN-OPERATED LAUNDRIES/DRYCLE	INDUSTRIAL	MINOR	ACTIVE	08/22/2001	03/01/2007	03/09/1992



***NO AIR DISCHARGE FACILITIES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS***



***NO CIVIL & ADMINISTRATIVE ENFORCEMENT DOCKET FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS***

U.S. EPA EMERGENCY RESPONSE NOTIFICATION SYSTEM (ERNS) SPILLS  
AT THE LOCATION OR POTENTIALLY AT THE LOCATION OF  
Pinelawn Industrial Park  
Wyandanch, NY 11798

\* Any ERNS Spills listed below are NOT mapped in this report \*

ONSITE ERNS (A count of these spills can be found in the distance interval table):  
THIS SITE IS NOT FOUND IN THE ERNS DATABASE

POTENTIALLY ONSITE ERNS:  
THIS SITE IS NOT FOUND IN THE ERNS DATABASE

Unmappable facilities for 'Suffolk' County

NPL/CERCLIS/NYSDEC Inactive Haz. Waste or Reg. Qual. Sites

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
1-009	FIELD-GLEAM STREET AREA	FIELD-GLEAM STREETS	BABYLON	11704
152039	BABYLON LANDFILL	GLEAM STREET	WEST BABYLON	11704
152145	FIELD-GLEAM STREET AREA	FIELD STREET	WEST BABYLON	11704

Solid Waste Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
52C03	SYNCOR NUCLEAR PHARMACY S			UNKNOWN
52C15	TRANS MED LIMITED RMW TS			UNKNOWN
52E11	DUNLOP AVE COMPOSTING			UNKNOWN
52W54R	PINELAWN CEMETRY			11735
52W69R	BABYLON METHANE RECOVERY			11704
52W72R	TRI-TOWN CARTING CORP.			UNKNOWN
52W74	GLOBAL LAND MATERIALS			UNKNOWN
52W76R	C&A MATERIALS			UNKNOWN
52W77R	HOLBROOK TRUCK & LEASING			UNKNOWN
52W78	LONG ISLAND DIRT CORP.			UNKNOWN
52W80R	T.S. HAULERS, INC.			UNKNOWN
52W81R	NORTH SHORE RECYCLING			UNKNOWN
52W85R	CALVERTON INDUSTRIES, LLC			UNKNOWN
52W98R	BELLI CONTRACTING CO, INC			UNKNOWN
52Y12	LONG ISLAND RECYCLING INC			UNKNOWN
NY00000003033	ALEXANDER AND ANTHONY IZZ			UNKNOWN
NY00000003098	PINELAWN CEMETRY			11735
NY00000003111	GERALD WRIGHT	UNKNOWN	BABYLON	UNKNOWN
NY40000010597	JOSEPH MENAFRA MAN.	UNKNOWN	UNKNOWN	UNKNOWN
	ST. CHARLES CEMETARY	UNKNOWN	UNKNOWN	11735
	ST. CHARLES CEMETARY	CONKLIN STREET AND NEW HIGHWAY	WEST BABYLON	11735

Hazardous Spills - MISC. SPILL CAUSES - Active

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
1807442	PINELAWN NATIONAL CEMETERY	2030 WELLWOOD AVENUE	FARMINGDALE	11735

Hazardous Spills - UNKNOWN CAUSE OR OTHER CAUSES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8401635				UNKNOWN
8401564				UNKNOWN
8100603				UNKNOWN
9505189	UNK	LITTLE NECKS BAY DRIVE	BABYLON	UNKNOWN
9303177	UNKNOWN	COLONIAL SPRING ROAD	BABYLON	UNKNOWN
8201272			BABYLON	UNKNOWN
8100938			BABYLON	UNKNOWN
7801073			BABYLON	UNKNOWN
1303898	GRAND CANAL	LITTLE EAST NECK RD	BABYLON	11702
1208169	HURRICANE SANDY SPILLS IN BABYLON	MULTIPLE	BABYLON	UNKNOWN
9701234	UNKNOWN	WASHINGTON AVENUE	DEER PARK	11729
8700072	STATE HOSPITAL	OLD EDGEWOOD STATE HOSPITAL	DEER PARK	UNKNOWN
7800390			DUCK LAKE	UNKNOWN
8705862	UNKNOWN	LEXONY INT'L WAREHOUSE	EAST FARMINGDALE	11735
0505605	LONG ISLAND NATIONAL CEMETERY	WELLWOOD AVE / CENTRAL AVENUE	EAST FARMINGDALE	11735
9515451	PINELAWN CEMETERY	PINELAWN ROAD	FARMINGDALE	11735
8300770			FARMINGDALE	11735
8101736			FARMINGDALE	11735
8101590			FARMINGDALE	11735

8000834			FARMINGDALE	11735
1600591	LI NATIONAL CEMETERY	2040 WELLWOOD AVENUE	FARMINGDALE	11735
0325074	UNDERNEATH WATER TOWER	BACK OF THE BUILDING	FARMINGDALE	11735
0202892	RESIDENCE	34 FRAEY STREET	FARMINGDALE	11735
0106997	UNKNOWN	1 PINWOOD ROAD	FARMINGDALE	11735
8804303	TOWN BABYLON GARBAGE TRUCK	COLONIAL SPRINGS ROAD	MELVILLE	UNKNOWN
7801072			PILOT STATION	UNKNOWN
8605003	PINELAWN MEMORIAL PARK	WELLWOOD AVENUE	PINELAWN	11735
1906196	TEST	TEST	TEST	UNKNOWN
8000874			W. BABYLON	11704
8000063			W. BABYLON	11704
9707575	FAIRFIELD GARDEN APTS	LITTLE EAST NECK ROAD	WEST BABYLON	UNKNOWN
9411140	UNK	SANTA POGUE CREEK	WEST BABYLON	UNKNOWN
9101456	GETTY	LITTLE EAST NECK ROAD	WEST BABYLON	UNKNOWN
9100853	UNKNOWN	LITTLE EAST NECK ROAD	WEST BABYLON	11798

Hazardous Spills - MISC. SPILL CAUSES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
1210843	CANAL (HURRICANE SANDY)	CANAL	BABYLON	11702
1210589	884 BORICH STREET (HURRICANE SANDY)	884 BORICH STREET	BABYLON	11702
1210427	LITTLE E NECK CANAL (HURRICANE SANDY)	LITTLE E NECK CANAL	BABYLON	11702
1210405	CORNER OF E. MARINE (HURRICANE SANDY)	CORNER OF E. MARINE	BABYLON	11702
0802035	UNKNOWN	LITTLE EAST NECK ROAD	BABYLON	11702
0509726	UNKNOWN	LITTLE EAST NECK ROAD	BABYLON	11702
9605818	SPILL NUMBER 9605818	1966 KLEINS ROAD	EAST FARMINGDALE	11735
9001054	LILCO	ALICE BLVD	EAST FARMINGDALE	11735
0125028	LONG ISLAND NATIONAL CEME	WELLWOOD AVENUE	EAST FARMINGDALE	11735
0012421	LIRR- PINELAWN YARD	LONG ISLAND AVE	EAST FARMINGDALE	11735
9908706	LONG ISLAND NAT CEMETARY	2040 WELLWOOD AVENUE	FARMINGDALE	11704
9107800	BEACHCRAFT	BEACHCRAFT TERMINAL	FARMINGDALE	11735
8603116	LILCO	WILLOW INDUSTRIAL PARK	FARMINGDALE	11735
1709160	LONG ISLAND NATIONAL CEMETARY	2040 WELLWOOD AVENUE	FARMINGDALE	11735
1302956	LONG ISLAND NATIONAL CEMETERY	2040 WELLWOOD AVENUE	FARMINGDALE	11735
0802534	WELLWOOD CEMETERY	2040 WELLWOOD AVENUE	FARMINGDALE	11735
0651957	UNKNOWN	PINELAWN ROAD/RAILROAD CROSSING	FARMINGDALE	11735
0004158	UNKNOWN	6 COPLAND ROAD	FARMINGDALE	11735
9506832	UNK	LITTLE EAST NECK ROAD	NORTH BABYLON	UNKNOWN
0225082	SPILL NUMBER 0225082	LITTLE EAST NECK ROAD	NORTH BABYLON	11704
9204071	JOHN BYANK PASS VEHICLE	IN RP'S VEHICLE	NOT GIVEN	UNKNOWN
9511089	LONG ISLAND RR	TRACK SIDING AREA	PINELAWN	UNKNOWN
9003536	UNK	E/O EAST NECK ROAD	PINELAWN	UNKNOWN
0125321	UNKNOWN	STREETS OF SUFFOLK COUNTY	TOWNS OF SUFFOLK COUNTY	UNKNOWN
9706975	SPILL NUMBER 9706975	LITTLE EAST NECK ROAD	WEST BABYLON	11704
9012260	UNKNOWN	LITTLE EAST NECK ROAD	WEST BABYLON	11704
8709574	UNK	LITTLE EAST NECK ROAD	WEST BABYLON	UNKNOWN
8703103	HELP REPAIR & MAINT	LITTLE EAST NECK ROAD	WEST BABYLON	11704
8607526	LILCO	LITTLE EAST NECK ROAD	WEST BABYLON	UNKNOWN
0400391	UNKNOWN CAR	LITTLE EAST NECK ROAD	WEST BABYLON	11704
0202618	RESIDENCE	LITTLE EAST NECK ROAD	WEST BABYLON	11704
9416595	UNK	WHEATLEY HOLLOW SHOPPING	WHEATLEY HEIGHTS	11798
9315366	UNK	22ND STREET & 23RD STREET	WYANDANCH	11798
9111234	LILCO	NORTH 18TH STREET	WYANDANCH	11798
9103153	UNK TRUCKING CO	NORTH 22ND STREET	WYANDANCH	11798
8902873	UNKNOWN	ACADIA COURT	WYANDANCH	UNKNOWN
8607087	BICCARDI RUM	MERRITT AVENUE	WYANDANCH	11798

Petroleum Bulk Storage Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
6-11907				UNKNOWN
NYSF13940	GO TO REF NO. 04189			UNKNOWN

NYSF15282	GO TO REF.NO 07541			UNKNOWN
1-0017	PINELAWN MEMORIAL PARK	PINELAWN RD/POB 420	FARMINGDALE	11735
1-0311	NEW YORK STATE	ACCESS RD	FARMINGDALE	11735
1-0768	LONG ISLAND NATIONAL CEMETERY	WELLWOOD AVE	FARMINGDALE	11735
NYSF00245	CAPITOL FINISHERS CORP	65 EAST	FARMINGDALE	11735
NYSF00248	CARDONE BROS INC	ENTERPRISE DR	FARMINGDALE	11735
NYSF00350	LONG ISLAND NATIONAL CEMETERY	2040 WELLWOOD AVE	FARMINGDALE	11735
NYSF00393	NEW YORK STATE D.O.T. YARD	ACCESS RD	FARMINGDALE	11735
NYSF00438	PINELAWN MEMORIAL PARK	1 PINELAWN RD	FARMINGDALE	11735
NYSF01156	ON TIME TRUCKING INC	71 EAST	FARMINGDALE	11735
NYSF01847	FLAIR FOLD INC	75 EAST ST	FARMINGDALE	11735
NYSF01931	TRINAMICS AUTO CENTER	61 EAST	FARMINGDALE	11735
NYSF01934	CABINETS PLUS CO	59 EAST	FARMINGDALE	11735
NYSF02048	CAPRI KITCHEN CABINETS	133 EAST	FARMINGDALE	11735
NYSF02665	APOLLO NEON SIGN CORP	9 EAST	FARMINGDALE	11735
1-1351	WELLWOOD CEMETERY	WELLWOOD AVE	PINELAWN	11735
NYSF00670	WELLWOOD CEMETERY	WELLWOOD AVE	PINELAWN	11735
1-0164	MAINTENENCE BUILDING	LITTLE E NECK RD	WYANDANCH	UNKNOWN
NYSF00289	DECICOM SYSTEMS INC	WASHINGTON AVE	WYANDANCH	11798

Hazardous Waste Generation or Transport Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NYN100052095	CHARLES REEVES, INC.	P. O. BOX 584	BABYLON	UNKNOWN
NY0360031041	LONG ISLAND NATIONAL CEMETARY	WELLWOOD AVENUE	FARMINGDALE	11735
NYD010025559	PLASCAL	36 FARMINGDALE	FARMINGDALE	11735
NYD360031041	LONG ISLAND NATIONAL CEMETERY	WELLWOOD AVENUE	FARMINGDALE	11735
NYP003631264	NYSDEC	SPILLS ?	LIC	UNKNOWN
NYP000301432	NYSDEC	WELLWOOD AVE & TEXACO	LINDENHYRST	UNKNOWN
NYP003631512	NYSDEC BUREAU OF SPILLS	EXIT 27A GARDEN STATE PKWY	N/S	UNKNOWN
NYP000947481	VERIZON NEW YORK INC	BROADHOLLOW S/O LIRR	& CONKLIN NEW YORK	11735
NYP000905588	ISLAND TRANSPORTATION CORPORATION	148 MARTINE AVENUE	NORTH BABYLON	UNKNOWN
NYD986995082	PINELAWN MEMORIAL PARK	PINELAWN ROAD	PINELAWN	11735
NYN008001455	B & B MACHINE INC	123 ABC AVE	WEST BABYLON	11704
NYP000301978	NYSDEC	SPILL#92-01600	WEST BABYLON	11704
NYP003631181	DIVISION OF SPILLS/NYS DEC	DALY ROAD	WEST BABYLON	11704
NYD181798984	SUFFOLK COUNTY WATER	LITTLE EASTHEAD ROAD	WEST BBAYLON	UNKNOWN
NYN100052352	M & K CESSPOOL & SEWER SERVICE, INC.	P. O. BOX 1011	WYANDANCH	UNKNOWN
NYP000301200	NYSDEC	LONG ISLAND AVE	WYANDANCH	UNKNOWN
NYX720000000	TRANSPORTER X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	UNKNOWN

Hazardous Substance Waste Sites

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NY0002	MANDERVILLE PLANT		MANDERVILLE, NY ?	UNKNOWN
NY0003	PINE'S SWITCH PLANT		PINE'S SWITCH	UNKNOWN

Wastewater Discharges

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NY0199621	METROPOLITAN LIFE INSURANCE CO			UNKNOWN
NY0210595	SELDEN CHANNEL LAUNDROMAT			UNKNOWN
NY0220841	WASHINGTON AVENUE CONDOMINIUMS			UNKNOWN
NY0221350	PIZZA HUT #606176			UNKNOWN
NYP082020				11735

Air Releases

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
3610360168	LILCO W BABYLON	W BABYLON	BABYLON	11704
NY1032086	S & M INDUSTRIES	1	BABYLON	UNKNOWN
3610380208	ROGGIERO	W BABYLON	LONG ISLAND CITY	11704
3610300354	ROGGIERO	WEST BABYLON	WEST BABYLON	UNKNOWN

**Hazardous waste codes presented in individual Toxic Information Profiles are defined below.**

- B007 Other PCB Wastes including contaminated soil, solids, sludges, clothing, rags, and dredge material.
- D001 Solid waste that exhibits the characteristic of ignitability, but is not listed under any other hazardous waste code.
- D002 Solid waste that exhibits the characteristic of corrosivity, but is not listed under any other hazardous waste code.
- D003 Solid waste that exhibits the characteristic of reactivity, but is not listed under any other hazardous waste code.
- D005 Barium
- D007 Chromium
- D008 Lead
- D009 Mercury
- D011 Silver
- D018 BENZENE
- D039 Tetrachloroethylene
- D040 Trichlorethylene
- F001 The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)
- F002 The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, ortho-dichlorobenzene, trichlorofluoromethane, and 1,1,2-trichloroethane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004, or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)
- K001 Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol.
- P030 Cyanides (soluble cyanide salts), not otherwise specified
- P105 Sodium azide

P106 Sodium cyanide Na(CN)

U044 Chloroform

U080 Methane, dichloro-

U122 Formaldehyde

U226 Ethane, 1,1,1-trichloro-

Source: U. S. Environmental Protection Agency

# How Toxic Site Locations Are Mapped

Toxics Targeting maps toxic site locations on a digital version of the U. S. Census map or those used by local authorities using addresses and map coordinates provided by site owners/operators or government agencies. In order to allow site locations to be verified independently, the information used to map each site is presented in the first section of each Toxic Site Profile, along with a description of the mapping technique used and any address corrections that were made in order to locate toxic sites with incomplete or inadequate site location information. The mapping process is explained below.

Map Identification Number: 12

Site Name: Acme World Manufacturing, Inc.

Site Address: 55 Main Street

Anytown, NY 11797

## MAP LOCATION INFORMATION

Site location mapped by:

Address Matching

1) Most toxic sites are mapped by matching addresses provided by site owners/operators or government agencies with locations on a digital version of the street or parcel map. These site locations are identified with the method used to map them.

Note: Some sites have an address match location and a map coordinate location. Both locations are mapped because they can be equally correct.

or Map Coordinate

2) Some toxic sites are located using map coordinates provided by site owners/operators or government agencies. These site locations are identified "map coordinate." Map coordinates for Toxic Wastewater Discharges, Toxic Release Inventory sites and Major Oil Storage Facilities should be considered suspect.

or Manual Mapping

or Site Visit

3) Incomplete addresses or map coordinates require some site locations to be determined by commercial street maps (manual mapping), site visits, map coordinates from other databases and address location services. Application of any of these methods is identified accordingly.

## ADDRESS CHANGE INFORMATION

Revised Street: NO CHANGE

Revised zip code: NO CHANGE

4) Site addresses are sometimes corrected to eliminate obvious errors that prevent sites from being mapped. All address corrections are noted here.

# Information Source Guide

*Toxics Targeting's Environmental Reports* contain government and other information compiled on 18 categories of reported known or potential toxic sites. Each toxic site database is described below with information detailing a) the source of the information, b) the date when each database is covered to and c) when *Toxics Targeting* obtained the information..

1) **National Priority List for Federal Superfund Cleanup:** Toxic sites nominated for cleanup under the Federal Superfund program. Annual compilation of special two-page detailed profiles of NPL sites. Also includes delisted NPL sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
New Facilities updated through: 11/19/2019. Data obtained by Toxics Targeting: 11/19/2019.  
Data attributes updated from: 9/09/2015. Data obtained by Toxics Targeting: 9/09/2015.

2) **Inactive Hazardous Waste Disposal Site Registry:** New York State database that maintains information and aids decision making regarding the investigation and cleanup of toxic sites. The Registry's data includes two-page profiles noting site name, ID number, description, classification, cleanup status, types of cleanup, owner information, types and quantities of contaminants, and assessment of health and environmental problems. Also included are sites that qualify for possible inclusion on the Registry. These Registry Qualifying sites may or may not be on the Site Registry. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 1/28/2021. Data obtained by Toxics Targeting: 1/28/2021.  
New Facilities updated to: 1/28/2021. Data obtained by Toxics Targeting: 1/28/2021.

3) **Federal & State Corrective Action Activity (CORRACTS):** New York State and Federal databases of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).  
ASTM required.\* Fannie Mae required.\*\*

<b>Federal Data</b>		Source: U. S. Environmental Protection Agency <sup>1</sup>
Data attributes updated through:	3/01/2018.	Data obtained by Toxics Targeting: 3/07/2018.
New facilities updated through:	3/01/2018.	Data obtained by Toxics Targeting: 3/07/2018.

<b>State Data</b>		Source: New York State Department of Environmental Conservation. <sup>2</sup>
Data attributes updated through:	1/28/2021.	Data obtained by Toxics Targeting: 1/28/2021.
New facilities updated through:	1/28/2021.	Data obtained by Toxics Targeting: 1/28/2021.

4) **CERCLIS:** Toxic sites listed in the Federal Comprehensive Environmental Response, Compensation and Liability Information System. Includes Active and No Further Remedial Action Planned (NFRAP) sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
Data attributes updated through: 10/25/2013. Data obtained by Toxics Targeting: 1/07/2014.  
New Facilities updated through: 7/17/2017. Data obtained by Toxics Targeting: 8/22/2017.

5) **Brownfield Programs:** NYS programs for sites that are abandoned, idled or under-used industrial and/or commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination. ASTM required.\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 1/28/2021. Data obtained by Toxics Targeting: 1/28/2021.  
New Facilities updated to: 1/28/2021. Data obtained by Toxics Targeting: 1/28/2021.

- (a) **Brownfield Cleanup Program (BCP)**
- (b) **Voluntary Cleanup Program (VCP)**
- (c) **Environmental Restoration Program (ERP)**

6) **Solid Waste Facilities:** NYS Solid Waste Registry, including, but not limited to, landfills, incinerators, transfer stations, recycling centers. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data updated to: 4/1/2013. Data obtained by Toxics Targeting: 4/1/2013.

7) **RCRA Hazardous Waste Treatment, Storage or Disposal Facility Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the DEC's Division of Environmental Remediation pursuant to NYS Law and the Resource Conservation and Recovery Act (RCRA). ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
New facilities updated through: 06/10/2019. New facilities obtained by Toxics Targeting: 06/15/2019.  
Manifest transactions data updated to: 06/10/2019. Manifest transactions data obtained by Toxics Targeting: 06/15/2019.

(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).

ASTM required.\* Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency<sup>1</sup>

New facilities updated through: 3/01/2018.

New facilities obtained by Toxics Targeting: 3/07/2018.

Data attributes updated through: 3/01/2018.

Data obtained by Toxics Targeting: 3/07/2018.

8) **Spills Information Database:** Spills reported to the DEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from Petroleum Bulk Storage Regulations) or 6 NYCRR Section 595.2 (from Chemical Bulk Storage Regulations). This database includes both *active* and *closed* spills.

ASTM required.\* Fannie Mae.\*\*

Source: NYS Department of Environmental Conservation.<sup>2</sup>

New spills through: 1/04/2021

New spills data obtained by Toxics Targeting: 1/04/2021

Spill attribute data through: 1/04/2021

Spill attribute data obtained by Toxics Targeting: 1/04/2021

Active spills: paperwork not completed.

Closed spills: paperwork completed.

Both active and closed spills may or may not have been cleaned up (see Date Cleanup Ceased in spill profiles).

9) **Major Oil Storage Facilities:** NYS database of facilities licensed pursuant to Article 12 of the Navigation Law, 6NYCRR Parts 610 and 17NYCRR Part 30, such as onshore facilities or vessels, with petroleum storage capacities equal to or greater than 400,000 gallons. **Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\*

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

10) **Petroleum Bulk Storage Facilities:** County or State databases of aboveground and underground petroleum storage facilities.

ASTM required.\* Fannie Mae required.\*\*

All New York Counties except Cortland, Nassau, Rockland, Suffolk, and Westchester:

**NYS Petroleum Bulk Storage Database.** This includes all New York State counties except

Cortland, Nassau, Rockland, Suffolk, and Westchester.

ASTM required.\* Fannie Mae required.\*\*

Source: NYS Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

Tank data updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

Cortland County: **Cortland County Health Dept. Tank database.**

Source: Cortland County Health Department<sup>7</sup>

Data updated through: 7/15/2004

Data obtained by Toxics Targeting: 7/23/2004

Nassau County: a compilation of the following 2 databases:

**Heat producing products and other products:**

Source: Nassau County Department of Health.<sup>3</sup>

NOTE: This data is being withheld by the Nassau County DOH

Data updated through: 4/1/2001.

Data obtained by Toxics Targeting: 1/2/2002

**Generally non-heat producing products:**

Source: Nassau County Fire Marshal.<sup>4</sup>

Data updated through: 8/6/2009.

Data obtained by Toxics Targeting: 9/22/2009

Rockland County: **Rockland County Dept. of Health Tank database.**

Source: Rockland County Department of Health.<sup>5</sup>

Data updated through: 1/6/2017.

Data obtained by Toxics Targeting: 1/11/2017.

Suffolk County: **Suffolk County Dept. of Health Article 12 database**

Source: Suffolk County Department of Health Services.<sup>6</sup>

Data updated through: 1/30/2014.

Data obtained by Toxics Targeting: 7/22/2014.

Westchester County: **Westchester County Dept. of Health database.**

Source: Westchester County Department of Health<sup>8</sup>

Data updated through: 2/22/2016

Data obtained by Toxics Targeting: 2/22/2016

11) **RCRA Hazardous Waste Generators and/or Transporters Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the NYS Department of Environmental Conservation's Division of Environmental Remediation pursuant to New York State Law. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 06/10/2019. New facilities obtained by Toxics Targeting: 06/15/2019.  
Manifest transactions data updated to: 06/10/2019. Manifest transactions data obtained by Toxics Targeting: 06/15/2019.

(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).

ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency<sup>1</sup>

New facilities updated through: 3/01/2018. Data obtained by Toxics Targeting: 3/07/2018.  
Data attributes updated through: 3/01/2018. Data obtained by Toxics Targeting: 3/07/2018.

12) **Chemical Bulk Storage Facilities:** New York State database of facilities compiled pursuant to 6NYCRR Part 596 that store regulated substances listed in 6NYCRR Part 597 in aboveground tanks with capacities greater than 185 gallons and /or in underground tanks of any size. **Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data updated through: 7/1/2016. Data obtained by Toxics Targeting: 7/1/2016.

13) **Hazardous Substance Waste Disposal Site Study:** NYS database of waste disposal sites that may pose threats to public health or the environment, but could not be remediated using monies from the Hazardous Waste Remedial Fund.

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated to: 5/16/2000. Data obtained by Toxics Targeting: 5/16/2000.

14) **Toxic Release Inventory (TRI):** Federal database of manufacturing facilities required under Section 313 of the Federal Emergency Planning and Community Right-to-Know Act to report releases to the air, water and land of any specifically listed toxic chemical. See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup> / NYS Department of Environmental Conservation<sup>2</sup>

Data updated through: 3/8/2004. Data obtained by Toxics Targeting: 3/25/2004

15) **Toxic Wastewater Discharges (Permit Compliance System):** Federal database of discharges of wastewater to surface waters and groundwaters. See Fannie Mae requirement\*\* below. Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 6/17/2004. Data obtained by Toxics Targeting: 7/19/2004.

16) **Air Discharge Facilities:** EPA AIRS database containing address information on each air emission facility and the type of air pollutant emission it is. Compliance information is also provided on each pollutant as well as the facility itself.

See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency<sup>1</sup>

Data updated through: 11/24/1999. Data obtained by Toxics Targeting: 1/6/2000

17) **Civil Enforcement & Administrative Docket:** This database is the U. S. EPA's system for tracking administrative and civil judiciary cases filed on behalf of the agency by the Department of Justice. Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency.<sup>1</sup>

New Sites through: 10/14/1999.

Data updated through: 10/14/1999. Data obtained by Toxics Targeting: 11/18/1999.

18) **Emergency Response Notification System (ERNS):** Federal database of spills compiled by the Emergency Response Notification System. On-site searches only.

ASTM required.\* See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 1/31/2000. Data obtained by Toxics Targeting: 2/15/2000

19) **Remediation Site Borders:** Remediation site borders reported by NYSDEC. Source: New York State Dept. of Env. Conservation.<sup>2</sup>

Updated through: 12/12/2019. Data obtained by Toxics Targeting: 12/12/2019.

\* American Society of Testing Materials: Standard Practice on Env. Site Assessments: Phase I Environmental Site Assessment Process (E1527-05).

\*\* Fannie Mae's Part X Environmental Hazards Management Procedures specify 1.0 mile searches for "any state or Federal list of hazardous waste sites (e.g. CERCLIS, HWDMS etc.)." Searches for the property and adjacent properties are specified for "chemical manufacturing plants," "obvious high risk neighbors engaging in storing or transporting hazardous waste, chemicals or substances" and "...any documented or visible evidence of dangerous waste handling... (e.g. stressed vegetation, stained soil, open or leaking containers, foul fumes or smells, oily ponds, etc." Searches for property and adjacent properties can include sites up to a quarter mile away (W. Hayward, Director, Multi-Family Business Planning and Control, Fannie Mae, personal communication, 5/94).

<sup>1</sup>U. S. Environmental Protection Agency, 290 Broadway, NY, NY 10007-1866.

<sup>7</sup>Cortland County Department of Health, 60 Central Avenue, Cortland, NY 13045-2746

<sup>2</sup>NYS Department of Environmental Conservation, 625 Broadway, Albany, NY 12233.

<sup>8</sup>Westchester County Department of Health, 145 Huguenot St., New Rochelle, NY 10801

<sup>3</sup>Nassau County Department of Health, Bureau of Land Resources Management, 240 Old Country Road, Mineola, NY 11501.

<sup>4</sup>Nassau County Fire Commission, Office of the Fire Marshal, 899 Jerusalem Avenue, P. O. Box 128, Uniondale, NY 11553.

<sup>5</sup>Rockland County Department of Health, The Dr. Robert Yeager Health Center, Building D, Sanitorium Road, Pomona, NY 10970.

<sup>6</sup>Suffolk County Department of Health, Hazardous Materials Management, 15 Horseblock Place, Farmingville, NY 11738-1220.



## **SOLID WASTE FACILITIES INFORMATION REQUEST**

### **PINELAWN CEMETRY**

**Facility Id: 52Y12**

#### **ADDRESS CHANGE INFORMATION**

Revised street: WELLWOOD AVE

Revised zip code: 11735

The following is historic data. The Activity ID is not associated with any current solid waste facilities.

<b>PERMIT NUMBER</b>	<b>PERMIT EXPIRES</b>	<b>FACILITY TYPE</b>	<b>FACILITY STATUS</b>	<b>WASTE TYPES</b>
		YARD WASTE	D	Yard Waste



**SOLID WASTE FACILITIES INFORMATION REQUEST**

**PINELAWN CEMETRY**

**Facility Id: 52C15**

**ADDRESS CHANGE INFORMATION**

Revised street: WELLWOOD AVE

Revised zip code: 11735

The following is historic data. The Activity ID is not associated with any current solid waste facilities.

PERMIT NUMBER	PERMIT EXPIRES	FACILITY TYPE	FACILITY STATUS	WASTE TYPES
		COMPOST FACILITY	D	' X'



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**PINELAWN MEMORIAL PARK**  
WELLWOOD AVENUE

PINELAWN, NY NO ZIP PROVIDED

**Spill Number: 8605003**

**Close Date: 04/04/1989**

ADDRESS CHANGE INFORMATION

Revised street: WELLWOOD AVE  
Revised zip code: 11735

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Tank Tester  
Caller Name:  
DEC Investigator: CXONEILL

Spiller: PINELAWN MEMORIAL PARK  
Notifier Name:  
Caller Agency:  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/05/1986	04/04/1989	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0.00	GALLONS	0.00	GALLONS	GROUNDWATER

Caller Remarks:

TANK REMOVAL/

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'NEILL

FD

/ / : DEC INVEST/.

04/04/89: 550 GAL U/G GASOLINE TANK REMOVED,NO HOLES FOUND. 2-3 CU YDS CONTAMINATED SOIL STOCKPILED.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**PINELAWN CEMETERY**  
 PINELAWN ROAD

FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 9515451**

**Close Date: 03/08/1996**

**ADDRESS CHANGE INFORMATION**

Revised street: WELLWOOD AVE  
 Revised zip code: 11735

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Health Department  
 Caller Name: JANET GRIMLEY  
 DEC Investigator: NJACAMPO

Spiller: BAYWAY REFINING COMPANY  
 Notifier Name: BLANK  
 Caller Agency: SCOTT  
 Contact for more spill info: BLANK

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended		
02/29/1996		UNKNOWN	YES		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL		PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TANK OVERFILL ON CONCRETE PAD AND SUMP IS FULL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**PINELAWN NATIONAL CEMETERY**  
2030 WELLWOOD AVENUE

FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 1807442**

**Close Date:**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11735

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Tank Tester

Caller Name:

DEC Investigator: BXDONOVA

Spiller: PINELAWN NATIONAL CEMETERY

Notifier Name:

Caller Agency:

Contact for more spill info: LAWRENCE ANDERSON

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (631) 393-6655

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/11/2018		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

dispenser pan hydro test failure

**DEC Investigator Remarks:** NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**WELLWOOD CEMETERY**  
2040 WELLWOOD AVENUE

FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 0802534**

**Close Date: 06/16/2009**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11735

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Other

Caller Name:

DEC Investigator: kasalafr

Spiller: HARRY CARETSKY – WELLWOOD CEMETERY

Notifier Name:

Caller Agency:

Contact for more spill info: HARRY CARETSKY

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (631) 249-2300

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/05/2008		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
GASOLINE	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
	4000	Unknown	0.00	UNKNOWN
	1000	Unknown	0.00	UNKNOWN

**Caller Remarks:**

WILL BE REMOVING AND REPLACING AND CTY HEALTH ON SITE

**DEC Investigator Remarks:**

6/4/08 NH,11:22 CALLED F&N, E BISSO, LEFT MESSAGE B MCABE F&N, 6/4/08 12:50 IS ON SITE WITH HD, 1-4K GAS, UST FOUND CONTAMINATION IN THE SOIL, F&N ON SITE WITH THE HEALTH DEPT SITE SHOULD BE ASSIGNED, F&N WANTS TO PUT TANKS BACK IN PLACE AFTER THEY REMOVAL ALL THE CONTAMINATED SOILS (NH) 6/16/09 GASOLINE CONT SOIL FOUND DURING TANK REMOVALS. APPROX 75 TONS EXCAVATED,

ENDPOINT & GW SAMPLES ALL NON DETECT, NO FURTHER ACTION



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LONG ISLAND NATIONAL CEME**  
WELLWOOD AVENUE

EAST FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 0125028**

**Close Date: 10/04/2001**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
Notifier Type: Responsible Party  
Caller Name: ARTHUR DOLAN  
DEC Investigator: DONOVAN

Spiller: LONG ISLAND NATIONAL CEME  
Notifier Name:  
Caller Agency: LONG ISLAND NATION CEME  
Contact for more spill info:

Spiller Phone: (631) 454-4949  
Notifier Phone:  
Caller Phone: (631) 454-4953  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/25/2001		HUMAN ERROR	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
PESTICIDES	OTHER	39.00	GALLONS	0.00	GALLONS	SEWER

**Caller Remarks:**

EMPLOYEE WAS SERVICING A VEHICLE. VEHICLE HAD A SMALL AMOUNT OF ENCORE (39GAL OF WATER WITH 2 POUNDS OF ENCORE) IN ITS SPRAY TANK. WHEN EMPLOYEE LIFTED THE TRUCKBED, THE CONTENTS OF THE TANK SPILLED ONTO THE GROUND AND INTO A DRAIN. CALLER BELIEVES THE DRAIN IS A DRYWELL. EPA REGISTRATION NUMBER FOR ENCORE: 2217750

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DONOVAN 01-015 4/25 LEFT MESSAGE FOR DOLAN (DEC WAS TOLD THAT DRYWELL IS TO BE PUMPED 4/26) 4/25 AFTER REVIEWING MSDS & DISCUSSING WITH JOE HAAS, ORDERED DRAIN TO BE PUMPED

DRYWELL CLEANED. 14.38 TONS CONT SOIL TAKEN TO DEEPWATER,NJ,NO FURTHER ACTION



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LONG ISLAND NATIONAL CEMETERY**  
WELLWOOD AVE / CENTRAL AVENUE

EAST FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 0505605**

**Close Date: 09/12/2005**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Other  
Caller Name: SHAWN DAVIS  
DEC Investigator: Unassigned

Spiller: KEYSpan  
Notifier Name: DAVE VANVORST  
Caller Agency: KEYSpan  
Contact for more spill info:

Spiller Phone:  
Notifier Phone: (646) 235-0406  
Caller Phone: (646) 235-0406  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/06/2005		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
TRANSFORMER OIL	PETROLEUM	2.00	GALLONS	2.00	GALLONS	SOIL

**Caller Remarks:**

Caller reports lightning struck a pad mounted transformer and caused the spill. Keyspan did the cleanup.

**DEC Investigator Remarks:**

8/8/05 LEFT MESSAGE FOR SHAWN DAVIS

CLEANUP BY KEYSpan COMPLETED ON 8/5/05 DOCUMENTS IN KEYSpan FILES

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**\*\*ALL INFORMATION INCLUDED IN DATABASE\*\***



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LONG ISLAND NATIONAL CEMETARY**  
2040 WELLWOOD AVENUE

FARMINGDALE, NY 11735

**Spill Number: 1709160**

**Close Date: 06/08/2018**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: COMMERCIAL VEHICLE  
Notifier Type: Other  
Caller Name:  
DEC Investigator: RJPOCZKA

Spiller: UNKNOWN  
Notifier Name:  
Caller Agency:  
Contact for more spill info: JILL SCHATTEL

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (202) 815-9682

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/04/2018		TRAFFIC ACCIDENT	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
MOTOR OIL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

Truck hit brick wall in front of cemetery. oil pan fell off causing leak.

**DEC Investigator Remarks:**

1/5/18 1655 Hrs: RJP took call from dispatch. Previous day MVA involving commercial vehicle, oil pan released contents to snow over soil, total capacity of vehicle 15 gallons. No impacts to roadway or sewers. RJP.

1/5/18 1700 Hrs: RJP made call to Jill Schattel, left message. RJP.

1/9/18 0910 Hrs: RJP made call to Schattel. Truck collision to brick wall, oil impacts to flower bed. Operations covered area with tarp due to blizzard. They are scheduling soil removal, likely hand excavate to drums. RJP notified her of backfill inspection and disposal manifest requirements, and that she is free to proceed with the cleanup, she will call to schedule. RJP.

4/4/18 0840 Hrs: RJP made call to Schattel. Cleanup completed, 1 drum soil disposed. NFA, no DEC inspection required. Will forward manifest for drum. RJP.



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LI NATIONAL CEMETERY**  
2040 WELLWOOD AVENUE

FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 1600591**

**Close Date: 04/21/2016**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
Notifier Type: Federal Government  
Caller Name:  
DEC Investigator: KASALAFR

Spiller:  
Notifier Name:  
Caller Agency:  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/11/2016		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE CONSTITUENT	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

While removing asphalt, they came across contaminated soil and submitted for analyses; results indicate gasoline contamination. (KG)

**DEC Investigator Remarks:**

4/19/16 10:20– Left message for Jill.

4/20/16– Spoke with Jill. They are removing old parking lot in maintenance yard. Found some contaminated soil and took a sample. They are awaiting DEC inspection to determine further action. KS

4/21/16– KS inspection. Unable to locate any contaminated soil. PID readings 10–15 ppm. Soil sample results all meet unrestricted use SCOs except for xylenes (which meet restricted residential). The area is going to be repaved. No further action. KS



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LONG ISLAND NATIONAL CEMETERY**  
2040 WELLWOOD AVENUE

FARMINGDALE, NY 11735

**Spill Number: 1302956**

**Close Date: 08/01/2014**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: COMMERCIAL VEHICLE  
Notifier Type: Other  
Caller Name:  
DEC Investigator: Unassigned

Spiller: LONG ISLAND NATIONAL CEMETERY  
Notifier Name:  
Caller Agency:  
Contact for more spill info: ART

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/18/2013		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDRAULIC OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

clean up underway

**DEC Investigator Remarks:**

6/18/13 @ 1445 WG called LI Cemetery and spoke w/ Ms. Santory. As per Ms. Santory, approx. 10 gal of Hydraulic spilled onto soil. Her crew will be excavating all impacted soil into a roll-off on-site for proper disposal. No storm drains/ dry wells were impacted by the spill. Cleanup is in progress at this time.



**HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST**

**LONG ISLAND NAT CEMETARY**  
2040 WELLWOOD AVENUE

FARMINGDALE, NY NO ZIP PROVIDED

**Spill Number: 9908706**

**Close Date: 01/24/2000**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11735

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
Notifier Type: Responsible Party  
Caller Name: LYNWOOD JOHNSON  
DEC Investigator: HMCIRRIT

Spiller: LYNWOOD JOHNSON – LONG ISLAND NAT CEMETARY  
Notifier Name: LYNWOOD JOHNSON  
Caller Agency: LONG ISLAND NATIONAL CEM  
Contact for more spill info: LYNWOOD JOHNSON

Spiller Phone: (516) 454-4953  
Notifier Phone: (516) 454-4953  
Caller Phone: (516) 454-4953  
Contact Person Phone: (516) 454-4953

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/18/1999		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

caller states they began to get water into their tank – they excavated their tank and found contaminated soil around the vent pipe

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was CIRRITO TANK IS 550 U/G PLAN TO REMOVE CONTAMINATED SOIL AND LOOK INTO REMOVING TANK AND REPLACING WITH A/G TANK. HE WILL CALL BACK WITH UPDATE TELECON WITH L JOHNSON, VENT PIPE WAS HEAVILY RUSTED AND SEPARATED FROM TANK, TANK LOOKS OK A THIS TIME, REMOVAL OF TANK AND CONT SOIL TO TAKE PLACE, WILL CALL WHEN ARRANGEMENTS HAVE BEEN MADE TANK REMOVED, NO HOLES VENT WAS SEPARATED FROM TANK, CONT SOIL EXCAVATED REC'VD DISPOSAL MANIFESTS



## PETROLEUM BULK STORAGE INFORMATION REQUEST

**PINELAWN MEMORIAL PARK**  
1 PINELAWN RD

FARMINGDALE, 11735

Facility Id: NYSF00438 Source: SUFF. HEALTH DEPT

### ADDRESS CHANGE INFORMATION

Revised street: WELLWOOD AVE

Revised zip code: NO CHANGE

Site Status: Active

Operating Permit Expiration: 06/30/2016

Owner Name: PINELAWN MEMORIAL PARK


Facility Phone #:

Owner Address: PINELAWN RD PO BOX 420, FARMINGDALE, NY 11735

Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	DIESEL	275	ABOVE - OUT	78		12/31/1991
10	Removed	GASOLINE	4000	UNDER - OUT	73		01/06/1992
11	Removed	GASOLINE	550	UNDER - OUT	63		11/05/1986
12	Removed	#2 FUEL OIL	4000	UNDER - OUT	91	04/19/1991	10/11/2007
13	In Service	GASOLINE	4000	UNDER - OUT		01/31/1992	
14	In Service	DIESEL	4000	UNDER - OUT		01/31/1992	
15	In Service	#2 FUEL OIL	650	ABOVE - OUT		01/31/1992	
16	In Service	#2 FUEL OIL	650	ABOVE - IN		01/31/1992	
17	In Service	#2 FUEL OIL	280	ABOVE - IN		01/31/1992	
18	In Service	DIESEL	280	ABOVE - IN		01/31/1992	
19	Removed	#2 FUEL OIL	550	UNDER - OUT			12/03/1991
2	Removed	#2 FUEL OIL	550	UNDER - OUT	54		01/29/1990
20	In Service	WASTE OIL	280	ABOVE - IN	2002	01/07/2002	
3	Removed	#2 FUEL OIL	1000	UNDER - OUT	60		01/29/1990
4	Removed	#2 FUEL OIL	550	UNDER - OUT	54		12/03/1991
5	Removed	#2 FUEL OIL	275	ABOVE - OUT	64		12/31/1991
6	Removed	#2 FUEL OIL	1000	UNDER - OUT	63		12/03/1991
7	Removed	KEROSENE	275	ABOVE - OUT	70		12/31/1991
8	Removed	DIESEL	1000	UNDER - OUT	60		01/21/1992
9	Removed	GASOLINE	6000	UNDER - OUT	73		01/02/1992
21	Exempt	DRUM STORAGE	200	ABOVE - IN			

The following tank(s) were either deleted from the reported data or the number was re-assigned.



## PETROLEUM BULK STORAGE INFORMATION REQUEST

**PINELAWN MEMORIAL PARK**  
PINELAWN RD/POB 420

FARMINGDALE, NY 11735

Facility Id: 1-0017

Source: SUFF. HEALTH DEPT


ADDRESS CHANGE INFORMATION  
Revised street: WELLWOOD AVE  
Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Owner Name: PINELAWN MEMORIAL PARK  
Owner Address: PINELAWN RD/POB 420, FARMINGDALE, NY 11735

Facility Phone #: (516)249-6100  
Owner Phone #: (516)249-6100

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed - Marked for Removal 1991 (Confirmed)	DIESEL	275	ABOVE - OUT	78		12/31/1991
10	Removed - Marked for Removal 1992 (Confirmed)	GASOLINE	4000	UNDER - OUT	73		01/06/1992
11	Removed - Marked for Removal 1986 (Confirmed)	GASOLINE	550	UNDER - OUT	63		11/05/1986
12	Permitted - Expired 1996	#2 FUEL OIL	4000	UNDER - OUT	91	04/19/1991	
13	Permitted - Expired 1997	GASOLINE	4000	UNDER - OUT		01/31/1992	
14	Permitted - Expired 1997	DIESEL	4000	UNDER - OUT		01/31/1992	
15	Permitted - Expired 1997	#2 FUEL OIL	650	ABOVE - OUT		01/31/1992	
16	Permitted - Expired 1997	#2 FUEL OIL	650	ABOVE - IN		01/31/1992	
17	Permitted - Expired 1997	#2 FUEL OIL	300	ABOVE - IN		01/31/1992	
18	Permitted - Expired 1997	DIESEL	300	ABOVE - IN		01/31/1992	
19	Removed - Marked for Removal 1991 (Confirmed)	#2 FUEL OIL	550	UNDER - OUT			12/03/1991
2	Removed - Marked for Removal 1990 (Confirmed)	#2 FUEL OIL	550	UNDER - OUT	54		01/29/1990
3	Removed - Marked for Removal 1990 (Confirmed)	#2 FUEL OIL	1000	UNDER - OUT	60		01/29/1990
4	Removed - Marked for Removal 1991 (Confirmed)	#2 FUEL OIL	550	UNDER - OUT	54		12/03/1991
5	Removed - Marked for Removal 1991 (Confirmed)	#2 FUEL OIL	275	ABOVE - OUT	64		12/31/1991
6	Removed - Marked for Removal 1991 (Confirmed)	#2 FUEL OIL	1000	UNDER - OUT	63		12/03/1991
7	Removed - Marked for Removal 1991 (Confirmed)	KEROSENE	275	ABOVE - OUT	70		12/31/1991
8	Removed - Marked for Removal 1992 (Confirmed)	DIESEL	1000	UNDER - OUT	60		01/21/1992
9	Removed - Marked for Removal 1992 (Confirmed)	GASOLINE	6000	UNDER - OUT	73		01/02/1992



## PETROLEUM BULK STORAGE INFORMATION REQUEST

**LONG ISLAND NATIONAL CEMETERY**  
WELLWOOD AVE

FARMINGDALE, NY 11735

Facility Id: 1-0768

Source: SUFF. HEALTH DEPT

### ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE


Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Owner Name: VETERANS ADMINISTRATION  
Owner Address: WELLWOOD AVE, FARMINGDALE, NY 11735

Facility Phone #: (516)249-7300  
Owner Phone #: (516)249-7300

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed – Marked for Removal 1989 (Confirmed)	GASOLINE	5000	UNDER – OUT			08/15/1989
10	Removed – Marked for Removal 1988 (Confirmed)	GASOLINE	5000	UNDER – OUT			01/01/1988
11	Removed – Marked for Removal 1988 (Confirmed)	GASOLINE	5000	UNDER – OUT			01/01/1988
12	Removed – Marked for Removal 1988 (Confirmed)	GASOLINE	5000	UNDER – OUT			01/01/1988
13	Permitted – Expired 1994	GASOLINE	8000	UNDER – OUT	89	08/10/1989	
14	Permitted – Expired 1994	GASOLINE	8000	UNDER – OUT	89	08/10/1989	
15	Permitted – Expired 1994	DIESEL	8000	UNDER – OUT	89	08/10/1989	
16	Approved and Awaiting Construction	DRUM STORAGE	440	ABOVE – IN			
2	Removed – Marked for Removal 1989 (Confirmed)	DIESEL	1000	UNDER – OUT			08/15/1989
3	Removed – Marked for Removal 1989 (Confirmed)	GASOLINE	1000	UNDER – OUT			08/15/1989
4	Exempt	#2 FUEL OIL	1000	UNDER – OUT			
5	Exempt	#2 FUEL OIL	1000	UNDER – OUT			
6	Exempt	#2 FUEL OIL	1000	UNDER – OUT			
7	Exempt	#2 FUEL OIL	275	ABOVE – OUT			
8	Exempt	#2 FUEL OIL	550	UNDER – OUT			
9	Removed – Marked for Removal 1996 (Confirmed)	KEROSENE	275	ABOVE – OUT			02/29/1996



## PETROLEUM BULK STORAGE INFORMATION REQUEST

**LONG ISLAND NATIONAL CEMETERY**  
2040 WELLWOOD AVE

FARMINGDALE, 11735

Facility Id: NYSF00350 Source: SUFF. HEALTH DEPT

### ADDRESS CHANGE INFORMATION


Revised street: NO CHANGE

Revised zip code: NO CHANGE

Site Status: Active  
Owner Name: VETERANS ADMINISTRATION  
Owner Address: 2040 WELLWOOD AVE, FARMINGDALE, NY 11735

Operating Permit Expiration: 06/30/2014  
Facility Phone #:  
Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	GASOLINE	5000	UNDER - OUT			08/15/1989
10	Removed	GASOLINE	5000	UNDER - OUT			01/01/1988
11	Removed	GASOLINE	5000	UNDER - OUT			01/01/1988
12	Removed	GASOLINE	5000	UNDER - OUT			01/01/1988
13	In Service	GASOLINE	8000	UNDER - OUT	89	08/10/1989	
14	In Service	DIESEL	8000	UNDER - OUT	89	08/10/1989	
2	Removed	DIESEL	1000	UNDER - OUT			08/15/1989
3	Removed	GASOLINE	1000	UNDER - OUT			08/15/1989
4	In Service	#2 FUEL OIL	1000	UNDER - OUT			
5	In Service	#2 FUEL OIL	1000	UNDER - OUT			
6	In Service	#2 FUEL OIL	1000	UNDER - OUT			
7	Removed	#2 FUEL OIL	275	ABOVE - OUT			05/19/2011
8	Removed	#2 FUEL OIL	550	UNDER - OUT			10/27/1999
9	Removed	KEROSENE	275	ABOVE - OUT			02/29/1996
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
15	Never Installed	DIESEL	8000	UNDER - OUT	89		
16	Permitted - Expires 2011	DRUM STORAGE	440	ABOVE - IN		07/05/2006	
17	Permitted - Expires 2011	DRUM STORAGE	440	ABOVE - IN		08/31/2006	



**PETROLEUM BULK STORAGE INFORMATION REQUEST**

**WELLWOOD CEMETERY**  
WELLWOOD AVE

PINELAWN, NY

**Facility Id: 1-1351**

**Source: SUFF. HEALTH DEPT**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11735

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Owner Name: WELLWOOD CEMETERY


Facility Phone #: (516)249-2300

Owner Address: WELLWOOD AVE, PINELAWN, NY 11803

Owner Phone #: (516)249-2300

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE



**PETROLEUM BULK STORAGE INFORMATION REQUEST**

**WELLWOOD CEMETERY**  
WELLWOOD AVE

PINELAWN, NY 11757

**Facility Id: NYSF00670 Source: SUFF. HEALTH DEPT**

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11735

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status: Operating Permit Expiration: 0  
Owner Name: WELLWOOD CEMETERY Facility Phone #:  
Owner Address: Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS INFORMATION REQUEST**

**NYSDEC Name:** PINELAWN MEMORIAL PARK  
**NYSDEC Address:** PINELAWN ROAD  
**EPA (RCRA) Name:** PINELAWN MEMORIAL PARK  
**EPA (RCRA) Address:** PINELAWN RD

PINELAWN, NY 11735  
 FARMINGDALE, NY 11735

**Facility Id: NYD986995082**

**ADDRESS CHANGE INFORMATION**  
 Revised street: WELLWOOD AVE  
 Revised zip code: NO CHANGE

**US EPA RCRA Type:** GENERATOR TYPE NOT GIVEN  
**Land Disposal:** Receives offsite waste:  
**Storer:** Treatment facility:  
**Contact Name:** ROBERT BRITTS **Source Type:** Notification

**Notification date:** 03/20/1992  
**Incinerator:**  
**Transporter:**  
**Contact Phone:** 516-249-6100 **Contact Info Date:** 03/20/1992

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Transactions only summarized for the most recently reported year:

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:							
D001	Solid waste that exhibits the characteristic of ignitability	50	POUNDS	GENERATED	2018	400	2017
F002	Spent halogenated solvents						
F003	Spent non-halogenated solvents						
D008	Lead	2800	POUNDS	GENERATED	1997		



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS INFORMATION REQUEST**

**NYSDEC Name:** LONG ISLAND NATIONAL CEMETERY  
**NYSDEC Address:** WELLWOOD AVENUE  
**EPA (RCRA) Name:** LONG ISLAND NATIONAL CEMETERY  
**EPA (RCRA) Address:** 2040 WELLWOOD AVE

FARMINGDALE, NY 11735  
 FARMINGDALE, NY 11735

**Facility Id:** NYD360031041

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN  
 Land Disposal: Receives offsite waste:  
 Storer: Treatment facility:

Notification date: None Given  
 Incinerator:  
 Transporter:

Contact Name: LINDWOOD JOHNSON Source Type: Implementer  
 Contact Name: LINDWOOD JOHNSON Source Type: Annual/Biennial Report

Contact Phone: 631-454-4953 Contact Info Date: 01/01/2007  
 Contact Phone: 631-454-4953 Contact Info Date: 02/23/2002

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Transactions only summarized for the most recently reported year:

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	400	POUNDS	GENERATED	2016		
D016	2,4-D, (2,4-Dichlorophenoxyacetic acid).	2757	GALLONS	GENERATED	2001		
D001	Solid waste that exhibits the characteristic of ignitability	1800	POUNDS	GENERATED	1992		
D016	2,4-D, (2,4-Dichlorophenoxyacetic acid).	1100	POUNDS	GENERATED	1992		



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS INFORMATION REQUEST**

**NYSDEC Name:** LONG ISLAND NATIONAL CEMETARY  
**NYSDEC Address:** WELLWOOD AVENUE  
**EPA (RCRA) Name:** LONG ISLAND NATIONAL CEMETERY  
**EPA (RCRA) Address:** 2040 WELLWOOD AVE

FARMINGDALE, NY 11735  
 FARMINGDALE, NY 11735-1211

**Facility Id: NY0360031041**

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

Notification date: 03/13/1989

Land Disposal: Receives offsite waste:

Incinerator:

Storer: Treatment facility:

Transporter:

Contact Name: LINWOOD E JOHNSON

Source Type: Notification

Contact Phone: 516-249-7300

Contact Info Date: 03/13/1989

Contact Name: UNKNOWN UNKNOWN

Source Type: Annual/Biennial Report

Contact Phone: 516-249-7300

Contact Info Date: 03/01/1990

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Transactions only summarized for the most recently reported year:



WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	6020	GALLONS	GENERATED	1989		

---

## APPENDIX D SITE PHOTOGRAPHS

---

Typical Views of Subject Property



Typical Views of Subject Property



Typical Views of Subject Property




Typical Views of Subject Property



Typical Views of Subject Property




Typical Views of Subject Property





Typical Views of Subject Property



Typical Views of Subject Property



Typical Views of Subject Property



Typical Views of Subject Property



---

# APPENDIX E AERIAL PHOTOGRAPHS

---



INQUIRY #: 6353087.4

YEAR: 2017

— = 500'





INQUIRY #: 6353087.4

YEAR: 2013

— = 500'





INQUIRY #: 6353087.4

YEAR: 2009

— = 500'





INQUIRY #: 6353087.4

YEAR: 2006

— = 500'





INQUIRY #: 6353087.4

YEAR: 1994

— = 500'





INQUIRY #: 6353087.4

YEAR: 1985

— = 500'





INQUIRY #: 6353087.4

YEAR: 1980

— = 500'





INQUIRY #: 6353087.4

YEAR: 1976

— = 500'





INQUIRY #: 6353087.4

YEAR: 1970

— = 500'





INQUIRY #: 6353087.4

YEAR: 1966

— = 500'





INQUIRY #: 6353087.4

YEAR: 1962

— = 500'





INQUIRY #: 6353087.4

YEAR: 1957

— = 500'





INQUIRY #: 6353087.4

YEAR: 1953

— = 500'





INQUIRY #: 6353087.4

YEAR: 1947

— = 500'





INQUIRY #: 6353087.4

YEAR: 1938

— = 500'




---



# APPENDIX F

## USGS TOPOGRAPHIC MAPS

---



This report includes information from the following map sheet(s).





TP, Huntington, 2013, 7.5-minute  
 NE, Greenlawn, 2013, 7.5-minute  
 SE, Bay Shore West, 2013, 7.5-minute  
 SW, Amityville, 2013, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





SW, Amityville, 1994, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





TP, Huntington, 1979, 7.5-minute  
 NE, Greenlawn, 1979, 7.5-minute  
 SE, Bay Shore West, 1979, 7.5-minute  
 SW, Amityville, 1979, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





TP, Huntington, 1967, 7.5-minute  
 NE, Greenlawn, 1967, 7.5-minute  
 SE, Bay Shore West, 1969, 7.5-minute  
 SW, Amityville, 1969, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





TP, Huntington, 1954, 7.5-minute  
 NE, Greenlawn, 1954, 7.5-minute  
 SE, Bay Shore West, 1954, 7.5-minute  
 SW, Amityville, 1954, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





TP, Huntington, 1947, 7.5-minute  
 NE, Greenlawn, 1947, 7.5-minute  
 SW, Amityville, 1947, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





SITE NAME: Pinelawn Industrial Park, Wyandanch  
ADDRESS: Not Reported  
Wyandanch, NY 11798  
CLIENT: Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





SE, Bay Shore West, 1941, 7.5-minute

**SITE NAME:** Pinelawn Industrial Park, Wyandanch  
**ADDRESS:** Not Reported  
 Wyandanch, NY 11798  
**CLIENT:** Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





S, Babylon, 1919, 15-minute

SITE NAME: Pinelawn Industrial Park, Wyandanch  
ADDRESS: Not Reported  
Wyandanch, NY 11798  
CLIENT: Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).





TP, Islip, 1904, 30-minute

SITE NAME: Pinelawn Industrial Park, Wyandanch  
 ADDRESS: Not Reported  
 Wyandanch, NY 11798  
 CLIENT: Nelson, Pope & Voorhis LLC






This report includes information from the following map sheet(s).




TP, Northport, 1903, 15-minute  
S, Babylon, 1903, 15-minute

SITE NAME: Pinelawn Industrial Park, Wyandanch  
ADDRESS: Not Reported  
Wyandanch, NY 11798  
CLIENT: Nelson, Pope & Voorhis LLC





This report includes information from the following map sheet(s).



TP, Northport, 1901, 15-minute  
S, Babylon, 1901, 15-minute

SITE NAME: Pinelawn Industrial Park, Wyandanch  
ADDRESS: Not Reported  
Wyandanch, NY 11798  
CLIENT: Nelson, Pope & Voorhis LLC



---

## APPENDIX G FOIL INFORMATION

---

## Ashley Marciszyn

---

**From:** Katherine Vidal <kvidal@townofbabylon.com>  
**Sent:** Thursday, February 11, 2021 10:25 AM  
**To:** Ashley Marciszyn; TOB Foil  
**Cc:** Steve McGinn  
**Subject:** RE: Acknowledgment needed: FOIL Pinelawn Industrial Park, Wyandanch  
**Attachments:** FOIL Received Receipt.pdf

Good morning, please see attached.

**From:** Ashley Marciszyn <AMarciszyn@nelsonpope.com>  
**Sent:** Thursday, February 11, 2021 10:21 AM  
**To:** TOB Foil <foil@townofbabylon.com>  
**Cc:** Steve McGinn <SMcginn@nelsonpope.com>  
**Subject:** Acknowledgment needed: FOIL Pinelawn Industrial Park, Wyandanch

»» This message has originated from an **External Source**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email. ««

Hello,  
Can you please send a scan of the acknowledgment of this foil to my attention today if possible?  
Thank you,

Ashley Marciszyn  
Administrative Assistant  
**NELSON POPE VOORHIS**  
o: 631.427.5665 x215

**From:** Ashley Marciszyn  
**Sent:** Tuesday, February 02, 2021 3:21 PM  
**To:** [foil@townofbabylon.com](mailto:foil@townofbabylon.com)  
**Subject:** New FOIL Request- Pinelawn Industrial Park, Wyandanch

Hello,  
Please see the attached foil request and tax map sent to you for distribution.

Please let me know if you have any questions.

Thank you,

**OUR LONG ISLAND OFFICE HAS MOVED!** Please note our new address and kindly update your records.

Ashley Marciszyn  
Administrative Assistant  
**NELSON POPE VOORHIS**

Long Island: 70 Maxess Road, Melville, NY 11747  
Hudson Valley: 156 Route 59, Suite C6, Suffern, NY 10901

o: 631.427.5665 x215  
amarciszyn@nelsonpopevoorhis.com  
nelsonpopevoorhis.com

*This communication and any attachments are intended only for the use of the individual or entity named as the addressee. It may contain information which is privileged and/or confidential under applicable law. If you are not the intended recipient or such recipient's employee or agent, you are hereby notified that any dissemination, copy or disclosure of this communication is strictly prohibited and to notify the sender immediately.*

**NOTICE:** This e-mail and any attached document(s) are intended only for the use of the individual or entity to whom or to which it is addressed and may contain information that is privileged, confidential, proprietary, trade secret and exempt from disclosure. If the reader of this message is not the intended recipient or an employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or reproduction of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately and discard the original message and any attachment(s).

**Office of the Town Clerk**  
TOWN OF BABYLON

GERALDINE COMPITELLO  
TOWN CLERK  
STEPHEN GREENWALD  
DEPUTY TOWN CLERK



200 EAST SUNRISE HIGHWAY  
LINDENHURST, NEW YORK 11757-2597

TELEPHONE 631-957-4291

December 2, 2020

To whom it may concern,

This letter is to inform you that your F.O.I.L. request was received in the Town Clerk's Office. Due to an upsurge of FOIL requests the estimated time frame may need to be extended. Once we receive the information it will be emailed to the email provided.

Should you have any questions please email us directly at  
[foil@townofbabylon.com](mailto:foil@townofbabylon.com)

Sincerely,

Geraldine Compitello  
Town Clerk  
Town of Babylon

PLEASE SEND TO:

- DEPARTMENT Planning & Development: Building & Planning Divisions
- DEPARTMENT Public Safety: Environmental & Fire Marshal Divisions
- DEPARTMENT Assessors



**Freedom of Information Law  
Application for Public Access to Records**

SECTION 1 – TO BE COMPLETED BY APPLICANT (PLEASE PRINT CLEARLY OR TYPE). Please fill in the entire application. Applications missing information will not be processed.

Name Steven McGinn c/o Ashley Marciszyn Phone (631) 427-5665 x215 FAX \_\_\_\_\_

Representing, (if applicable) Nelson, Pope & Voorhis, LLC Email amarciszyn@nelsonpope.com

Mailing Address 70 Maxess Road, Melville, NY 11747

Review only? Yes  No  Homeowner? Yes  No

SECTION 2 – DESCRIPTION OF RECORDS SOUGHT TO INSPECT AND ANY SPECIAL INSTRUCTIONS. Please describe the records sought in as specific detail as possible with address, date or time frame, if applicable. If we cannot determine what records you seek your application will be denied. Under the NYS Public Officers Law the Town of Babylon is only required to supply documents that already exist. (NYS POL ARTICLE 6).

**PROPERTY INFORMATION:**

County Tax Map# District 0100 Section 038.00 Block 01.00 Lot 001.000 (if applicable and accessible)

Physical Location/Address of Property No #d Address- Little East Neck Road, Wyandanch (Wheatley Heights), NY 11798 (see attached map)

Please note: Units in this building may be listed under SCTM#s: 0100-038.00-01.00-001.000

**Records / Documents**

requested Building Division: CO's, site plans, surveys, storage tank info, permits, violations, former tenant names/uses. Planning Division: Surveys/site plans.

Environmental/Fire Marshal Divisions: Storage tank information, hazardous materials information, surveys and site plans.

Assessors: All previous & current property owner information NPV#21022; Name: Pinelawn Industrial Park, Wyandanch

**Notes to Applicant:**

- Be advised there is a statutory fee due, (\$.25 per page not in excess of 9x14) for copies. For anything else, including digital formats, cost of reproduction will be charged. Deposits may be required for voluminous requests. Copy fees are to be paid for any pages required to be redacted prior to viewing a file. FOIL requests will not be processed for any person or company who fails to pay any outstanding FOIL fees due to prior FOIL request. Copies will be prepared unless specifically requested otherwise.
- The Public Officers Law requires that a municipality acknowledge receipt of a FOIL request within (5) Business days.
- The Public Officers Law also states that a municipality has up to 20 business days for processing your request. If more than twenty, (20) business days are required you will be so notified.
- You have the right to appeal a denial of this application in writing to the Town Attorney. You will receive a response in writing within ten, (10) business days of receipt of your appeal.
- If this application is approved the information you receive may not be permitted to be used for solicitation or fundraising purposes.

Signature of applicant  Date 2/2/21

**FOR DEPARTMENT USE ONLY**

COMPLETED BY \_\_\_\_\_ DATE \_\_\_\_\_ DEPARTMENT \_\_\_\_\_

RECORDS FOUND  yes  no  Partial

# of PAGES \_\_\_\_\_

## Ashley Marciszyn

---

**From:** Ashley Marciszyn  
**Sent:** Tuesday, February 02, 2021 12:54 PM  
**To:** suffolkcountyhealth@suffolkcountyny.gov  
**Subject:** New FOIL Request- Pinelawn Industrial Park, Wyandanch  
**Attachments:** doc05847020210202125210.pdf

Hello,

Please see the attached new foil request for distribution.

Please contact me if you have any questions.

Thank you,

Ashley Marciszyn  
Administrative Assistant

**NELSON POPE VOORHIS**

o: 631.427.5665 x215


**APPLICATION FOR PUBLIC ACCESS TO RECORDS**  
**Suffolk County Department of Health Services**

*For office use only*

Date:  
Office(s):  
Tracking #:

INSTRUCTIONS TO APPLICANT: Please complete Section I of this form. Do not leave any areas blank. Mail or fax a completed application to the Freedom of Information Officer listed below.

**SECTION I: To be completed by Applicant.**

Date of Application: 2/2/2021 Applicant Represents: Nelson, Pope & Voorhis, LLC  
Applicant's Name (Please print): Ashley Marciszyn/ Steven McGinn  
Applicant's Mailing Address: 70 Maxess Road, Melville, NY 11747  
Applicant's Phone #: (631) 427-5665 x215 Applicant's Email: amarciszyn@nelsonpope.com  
Applicant's Signature: 

I HEREBY APPLY TO:  Inspect the following record  
(check one box)  Receive a copy of the following document(s)

Describe the record sought and if in regard to a property include a **complete tax map number (District, Section, Block & Lot in the proper format)**. Supply all relevant information that will help locate the record desired: date(s), a file title, reference number, the physical address, and property type (commercial/residential/subdivision). **Complete one application for each address.**

SCTM #: 0100-038.00-01.00-001.000 Address: No #d Address-Little East Neck Road, Wyandanch (Wheatley Heights), NY 11798

Looking for site plans, surveys, storage tank information, spills information, property history, previous & current property owner information, CO's, hazardous materials info, cesspools, leaching pools, sanitary system information, inspections, etc. for the above referenced property.

NP&V #: 21022- Pinelawn Industrial Park, Wyandanch

PROVIDE REQUEST TO: FOIL Officer  
Suffolk County Department of Health Services  
Post Office Box 9006  
Great River, NY 11739-9006  
Fax #: 631-854-0156

**SECTION II - For use by Freedom of Information Officer (or designee) only**

- Approved. Call to arrange an appointment to inspect the requested record.  
Contact Person: \_\_\_\_\_ Phone #: \_\_\_\_\_
- Records not possessed or maintained by this agency.
- Records cannot be found after diligent search.
- Denied. Reason for denial: \_\_\_\_\_
- Document(s) enclosed as requested.
- Receipt of this request is acknowledged. There will be a delay in supplying the requested record until payment of reproduction fee is received. The following fee applies \$ \_\_\_\_\_
- Other: \_\_\_\_\_

Signature: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

**Section III - Notice to applicant**

You have the right to appeal a denial of this application in writing to the Office of the County Attorney within 30 days of the denial. Information as to the person to contact is shown below. The contacted person must respond to you in writing within ten business days of receipt of your appeal.

Suffolk County Attorney  
H. Lee Dennison Bldg., 6th floor  
100 Veterans Memorial Highway  
Hauppauge, NY 11788  
Business Telephone: (631) 853-4049

---

## APPENDIX H SANBORN MAPS

---

Pinelawn Industrial Park, Wyandanch

Not Reported

Wyandanch, NY 11798

Inquiry Number: 6353087.2

February 02, 2021

## Certified Sanborn® Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# Certified Sanborn® Map Report

02/02/21

**Site Name:**

Pinelawn Industrial Park, Wyan  
Not Reported  
Wyandanch, NY 11798  
EDR Inquiry # 6353087.2

**Client Name:**

Nelson, Pope & Voorhis LLC  
70 Maxess Road  
MELVILLE, NY 11747  
Contact: Steven McGinn



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Nelson, Pope & Voorhis LLC were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn).

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

## Certified Sanborn Results:

**Certification #** 98A0-45E9-A38F  
**PO #** 21022  
**Project** Pinelawn Industrial Park, W.



Sanborn® Library search results

Certification #: 98A0-45E9-A38F

### UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

*The Sanborn Library LLC Since 1866™*

### Limited Permission To Make Copies

Nelson, Pope & Voorhis LLC (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.